

A person is riding a bicycle on a dirt trail that winds through a rugged, mountainous landscape. The terrain is rocky and sparsely vegetated with dry shrubs. In the background, large, rounded mountains rise under a sky with light, wispy clouds. The overall color palette is warm and earthy, dominated by browns, tans, and muted blues.

**amsler**  
bikes & parts

**BOMBTRACK™**  
BICYCLE COMPANY

2021  
COMPLETE BIKES









Preis- und Spezifikationsänderungen vorbehalten | Les prix et les spécifications sont sujettes à changement

ARISE GEARED	003
ARISE TOUR	004
HOOK	005
HOOK EXT	006
HOOK EXT C	007
TENSION 1	008
TENSION C	009
BEYOND 1	010
BEYOND JUNIOR	011
OUTLAW	012
MONROE AL	013
OXBRIDGE GEARED	014
TRINITY LADY	015



2021  
2021  
2021  
2021







# ARISE GEARED

GLOSSY METALLIC GREEN

-CHF 1399-



## SIZE

	S	M	L	XL
ART. NR.	WD2100B	WD2100C	WD2100D	WD2100E
SEAT TUBE LENGTH (MM)	490	520	550	580
HORIZONTAL TT LENGTH (MM)	529	554	578	602
SEAT ANGLE (°)	73.5	73	73	73
HEAD ANGLE (°)	70.5	70,5	71	71
HEADTUBE LENGTH (MM)	130	150	180	210
BB DROP (MM)	55	70	70	70
CHAINSTAY LENGTH (MM)	420	435	435	435
FORK OFFSET (MM)	55	55	55	55
TRAIL (MM)	60	68	65	65
WHEELBASE LENGTH (MM)	1016	1045	1065	1090
STANDOVER (MM)	762	799	828	857
REACH (MM)	370	379	394	409
STACK (MM)	538	572	602	631
FRONT CENTER (MM)	602	619	639	664
AXLE TO CROWN (MM)	390	390	390	390

## SPECS

WHEEL SIZE	S 650B   M - XL 700C
FRAME	4130 double butted crmo, heat treated front triangle, TA sliding dropouts, rack / fender mounts, 68 mm BSA BB shell
FORK	4130 crmo, TA, rack / fender mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK ORIGIN flat bar, 31.8 mm, 8° backsweep
GRIPS	BOMBTRACK SCROLL grips
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	NECO H282 sealed external aheadset, 1.1/8"
LEVERS	SHIMANO BL-M200 hydraulic brake levers
SHIFTER	MICROSHIFT ADVENT SL-M819-R Shifter 1 x 9
BRAKES	SHIMANO BR-MT200 PM hydraulic disc brake, 160 mm rotors
CRANKSET	BOMBTRACK TAF19 aluminium crank, 24 mm spindle
BB	BSA sealed BB, external cups
PEDALS	WELLGO B109N flat pedal
CHAIN	KMC X9 chain, 1/2" x 11/128"
CHAINRING	BOMBTRACK RIDGE aluminium chainring, narrow-wide, 42T
CASSETTE	MICROSHIFT ADVENT CS-H093 9-speed cassette, 11 - 42T
FRONT DERAILLEUR	-
REAR DERAILLEUR	Microshift ADVENT RD-M6195M wide range, clutch
FRONT HUB	BOMBTRACK ARC sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK ARC sealed disc hub, 11sp, 12 x 142 mm TA
FRONT RIM	WTB ST i19 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i19 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK ORIGIN saddle
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
TIRES (SIZE S)	VEE TIRE SPEEDSTER 650B x 38C
TIRES (SIZE M-XL)	VEE TIRE SPEEDSTER 700C x 40C
FENDERS	-
RACK	BOMBTRACK DECK front rack, aluminium
LIGHTS	-
WEIGHT (SIZE M)	12.6 kg



# ARISE TOUR

GLOSSY NAVY BLUE

-CHF 1999-



## SIZE

	S	M	L	XL
ART. NR.	WD2101B	WD2101C	WD2101D	WD2101E
SEAT TUBE LENGTH (MM)	490	520	550	580
HORIZONTAL TT LENGTH (MM)	529	554	578	602
SEAT ANGLE (°)	73.5	73	73	73
HEAD ANGLE (°)	70,5	70,5	71	71
HEADTUBE LENGTH (MM)	130	150	180	210
BB DROP (MM)	55	70	70	70
CHAINSTAY LENGTH (MM)	420	435	435	435
FORK OFFSET (MM)	55	55	55	55
TRAIL (MM)	60	68	65	65
WHEELBASE LENGTH (MM)	1016	1045	1065	1090
STANDOVER (MM)	762	799	828	857
REACH (MM)	370	379	394	409
STACK (MM)	538	572	602	631
FRONT CENTER (MM)	602	619	639	664
AXLE TO CROWN (MM)	390	390	390	390

## SPECS

WHEEL SIZE	S 650B   M - XL 700C
FRAME	4130 double butted crmo, heat treated front triangle, TA sliding dropouts, rack / fender mounts, 68 mm BSA BB shell
FORK	4130 crmo, TA, rack / fender mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK ESCAPE bar tape
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	NECO H282 sealed external headset, 1.1/8"
LEVERS	TEKTRO RL-340 brake levers
SHIFTER	MICROSHIFT BS-M10 bar end shifter 2 x 10
BRAKES	TRP SPYRE C post mount mechanic disc brakes, 160 mm rotors
CRANKSET	BOMBTRACK AMES forged aluminium crank, 24 mm spindle
BB	BSA sealed BB, external cups
PEDALS	-
CHAIN	KMC X10 chain, 1/2" x 11/128"
CHAINRING	Steel, subcompact, 46 / 30 T
CASSETTE	MICROSHIFT CS-H103 10-speed cassette, 11 - 42 T
FRONT DERAILLEUR	MICROSHIFT FD-R552-B
REAR DERAILLEUR	MICROSHIFT RD-M62L, long cage
FRONT HUB	KT dynamo hub, 6-bolt disc, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK ARC sealed disc hub, 11-speed, 12 x 142 mm TA
FRONT RIM	WTB ST i19 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i19 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK ORIGIN saddle
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
TIRES (SIZE S)	VEE TIRE SPEEDSTER 650B x 38C
TIRES (SIZE M-XL)	VEE TIRE SPEEDSTER 700C x 40C
FENDERS	BOMBTRACK PIPÉ plastic fenders, 50 mm
RACK	TUBUS TARA front, LOGO EVO rear
LIGHTS	SUPERNOVA E3 PURE 3 front, E3 TAIL LIGHT 2 rear
WEIGHT (SIZE M)	14.7 kg



# HOOK

GLOSSY METALLIC BLUE

-CHF 2199-



## SIZE

	S	M	L	XL
ART. NR.	WD2102B	WD2102C	WD2102D	WD2102E
SEAT TUBE LENGTH (MM)	490	525	545	565
HORIZONTAL TT LENGTH (MM)	522	540	562	579
SEAT ANGLE (°)	74	74	73,5	73,5
HEAD ANGLE (°)	71.5	72	72	72
HEADTUBE LENGTH (MM)	110	130	150	170
BB DROP (MM)	57	67	67	67
CHAINSTAY LENGTH (MM)	410	425	425	425
FORK OFFSET (MM)	48	48	48	48
TRAIL (MM)	62	64	64	64
WHEELBASE LENGTH (MM)	985	1010	1027	1045
STANDOVER (MM)	751	802	820	840
REACH (MM)	369	378	389	400
STACK (MM)	534	565	584	603
FRONT CENTER (MM)	582	594	611	629
AXLE TO CROWN (MM)	395	395	395	395

## SPECS

WHEEL SIZE	S 650B   M - XL 700C
FRAME	COLUMBUS CROMOR double butted, TA dropout, rack / fender mounts, 86.5 mm T47 BB shell
FORK	Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	Sealed external aheadset, 1.1/2" - 1.1/8"
LEVERS	SHIMANO GRX ST-RX400 STI Hydraulic
SHIFTER	SHIMANO GRX ST-RX400 STI 2 x 10
BRAKES	SHIMANO GRX BR-RX400 hydraulic disc brakes, 160mm rotors
CRANKSET	BT LYER forged aluminium, DM (SRAM compatible), 30mm spindle
BB	BOMBTRACK T47 internal sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X10 EPT Anti Rust chain, 1/2" x 11/128"
CHAINRING	Aluminium, subcompact, 48 / 32 T, direct mount spider
CASSETTE	SHIMANO CS-HG50 10-speed cassette, 11 - 36 T
FRONT DERAILLEUR	SHIMANO TIAGRA FD-4700
REAR DERAILLEUR	SHIMANO GRX RD-RX400, clutch
FRONT HUB	BOMBTRACK TAU sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK TAU sealed disc hub, 11-speed, 12 x 142 mm TA
FRONT RIM	WTB ST i19 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i19 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
TIRES (SIZE S)	WTB RESOLUTE 650B x 42C, tubeless ready
TIRES (SIZE M-XL)	WTB VENTURE 700C x 40C, tubeless ready
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11.0 kg



# HOOK EXT

MATT METALLIC GREY

-CHF 2399-



SIZE	XS	S	M	L	XL
ART. NR.	WD2103A	WD2103B	WD2103C	WD2103D	WD2103E
SEAT TUBE LENGTH (MM)	460	500	530	570	600
HORIZONTAL TT LENGTH (MM)	519	533	556	570	595
SEAT ANGLE (°)	74.5	74,5	74	74	74
HEAD ANGLE (°)	71.5	71,5	72	72	72
HEADTUBE LENGTH (MM)	110	130	150	170	190
BB DROP (MM)	75	75	70	70	70
CHAINSTAY LENGTH (MM)	425	425	425	425	425
FORK OFFSET (MM)	48	48	48	48	48
TRAIL (MM)	65	65	62	62	62
WHEELBASE LENGTH (MM)	995	1010	1025	1040	1060
STANDOVER (MM)	748	776	803	831	855
REACH (MM)	365	374	387	396	409
STACK (MM)	554	573	589	608	627
FRONT CENTER (MM)	581	596	610	625	645
AXLE TO CROWN (MM)	398	398	398	398	398

## SPECS

WHEEL SIZE	650B
FRAME	COLUMBUS CROMOR double butted tubing, TA, rack/fender mounts, internal light cable routing, rear light mount, 86.5mm T47 BB shell
FORK	Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK ESCAPE bar tape
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	Sealed external aheadset, 1.1/2" - 1.1/8"
LEVERS	SRAM RIVAL 1 double tap hydraulic
SHIFTER	SRAM RIVAL 1 double tap 1 x 11
BRAKES	SRAM RIVAL flat mount hydraulic disc brakes, 160 mm rotors
CRANKSET	BT LYER forged aluminium, DM (SRAM compatible), 30mm spindle
BB	BOMBTRACK T47 internal sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 EPT Anti Rust chain, 1/2" x 11/128"
CHAINRING	CNC machined aluminium, narrow-wide, 40 T
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM RIVAL 1, clutch, long cage
FRONT HUB	BOMBTRACK TAU sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK TAU sealed disc hub, 11sp, 12 x 142 mm TA
FRONT RIM	WTB ST Light i25 double wall, TCS 2.0, 32h
REAR RIM	WTB ST Light i23 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK YEW aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
FRONT TIRE	WTB RANGER TCS LIGHT / FAST ROLLING 27.5 x 2.0", tubeless ready
REAR TIRE	WTB RANGER TCS LIGHT / FAST ROLLING 27.5 x 2.0", tubeless ready
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11.2 kg



# HOOK EXT C

GLOSSY DARK GREEN

-CHF 3199-



SIZE	XS	S	M	L	XL
ART. NR.	WD2104A	WD2104B	WD2104C	WD2104D	WD2104E
SEAT TUBE LENGTH (MM)	490	520	540	560	580
HORIZONTAL TT LENGTH (MM)	520	535	550	565	580
SEAT ANGLE (°)	74.5	74	73	73	73
HEAD ANGLE (°)	70.5	71	71.5	72	72
HEADTUBE LENGTH (MM)	120	140	150	170	190
BB DROP (MM)	67	67	67	67	67
CHAINSTAY LENGTH (MM)	435	435	435	435	435
FORK OFFSET (MM)	48	48	48	48	48
TRAIL (MM)	71	67	64	61	61
WHEELBASE LENGTH (MM)	1018	1025	1025	1035	1050
STANDOVER (MM)	759	783	798	818	837
REACH (MM)	371	375	376	384	394
STACK (MM)	537	558	570	591	610
FRONT CENTER (MM)	592	599	599	609	624
AXLE TO CROWN (MM)	398	398	398	398	398

## SPECS

WHEEL SIZE	650B
FRAME	TORAY T700 / T800 Hi-Mod carbon, TA, rack / fender mounts, 68 mm T47 BB shell
FORK	Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK ESCAPE bar tape
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	Sealed integrated aheadset, 1.1/2" - 1.1/8"
LEVERS	SRAM RIVAL 1 double tap hydraulic
SHIFTER	SRAM RIVAL 1 double tap 1 x 11
BRAKES	SRAM RIVAL flat mount hydraulic disc brakes, 160mm rotors
CRANKSET	BT LYER forged aluminium, DM (SRAM compatible), 30mm spindle
BB	BOMBTRACK T47 external sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 EPT Anti Rust chain, 1/2" x 11/128"
CHAINRING	CNC machined aluminium, narrow-wide, 38.T
CASSETTE	SRAM XG-1150 11-speed cassette, 10 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM RIVAL 1, clutch, long cage
FRONT HUB	HUNT ADVENTURE SPORT sealed hub, 6-bolt, 12 x 100mm TA
REAR HUB	HUNT ADVENTURE SPORT sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle, XD cassette body
FRONT RIM	HUNT ADVENTURE SPORT double wall asymmetric rim, TLC, i25, 28h
REAR RIM	HUNT ADVENTURE SPORT double wall asymmetric rim, TLC, i25, 28h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK YEW aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK PRIME forged aluminium seat clamp, 31.8 mm
FRONT TIRE	WTB VENTURE TCS LIGHT 27.5" x 2.0", tubeless ready
REAR TIRE	WTB VENTURE TCS LIGHT 27.5" x 2.0", tubeless ready
FENDERS	-
RACK	BOMBTRACK DECK frontrack, aluminium
LIGHTS	-
WEIGHT (SIZE M)	9.4 kg

3



# TENSION 1

MATT ROCK GREY

-CHF 1999-



## SIZE

ART. NR.	S	M	L	XL
WD2107B	WD2107C	WD2107D	WD2107E	
SEAT TUBE LENGTH (MM)	490	530	560	590
HORIZONTAL TT LENGTH (MM)	523	552	570	586
SEAT ANGLE (°)	73.5	73	73	73
HEAD ANGLE (°)	71.5	71,5	72	72
HEADTUBE LENGTH (MM)	115	139	162	179
BB DROP (MM)	55	65	65	65
CHAINSTAY LENGTH (MM)	410	425	425	425
FORK OFFSET (MM)	45	45	45	45
TRAIL (MM)	64	70	66	66
WHEELBASE LENGTH (MM)	979	1014	1028	1044
STANDOVER (MM)	757	799	825	848
REACH (MM)	366	380	391	402
STACK (MM)	530	563	587	603
FRONT CENTER (MM)	575	598	611	627
AXLE TO CROWN (MM)	400	400	400	400

## SPECS

WHEEL SIZE	S 650B   M - XL 700C
FRAME	6061-T6 double butted aluminium, TA, rack / fender mounts, 86.5 mm BB T47 shell
FORK	Full carbon, TA, 1.1/2" - 1.1/8", fender mounts
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	Sealed integrated headset, 1.1/2" - 1.1/8"
LEVERS	SRAM APEX 1 double tap hydraulic
SHIFTER	SRAM APEX 1 double tap 1 x 11
BRAKES	SRAM APEX flat mount hydraulic disc brakes, 140 mm rotors
CRANKSET	BT LYER forged aluminium, DM (SRAM compatible), 30mm spindle
BB	BOMBTRACK T47 internal sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 chain, 1/2" x 11/128"
CHAINRING	CNC machined aluminium, narrow-wide, 40 T
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM APEX 1, clutch, long cage
FRONT HUB	BOMBTRACK ARC sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BT ARC sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm TA
FRONT RIM	WTB ST i19 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i19 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat-clamp, 31.8 mm
TIRES (SIZE S)	DONNELLY MXP TLR 650B x 33C, tubeless ready.
TIRES (SIZE M-XL)	CHALLENGE GRIFO TLR 700C x 33C, tubeless ready
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	9.4 kg



# TENSION C

GLOSSY TURQUOISE

-CHF 3699-



## SIZE

	S	M	L	XL
ART. NR.	WD2108B	WD2108C	WD2108D	WD2108E
SEAT TUBE LENGTH (MM)	520	540	560	580
HORIZONTAL TT LENGTH (MM)	535	545	560	575
SEAT ANGLE (°)	74	73,5	73	73
HEAD ANGLE (°)	71,5	72	72	72
HEADTUBE LENGTH (MM)	123	140	160	180
BB DROP (MM)	64	64	64	64
CHAINSTAY LENGTH (MM)	425	425	425	425
FORK OFFSET (MM)	45	45	45	45
TRAIL (MM)	70	66	66	66
WHEELBASE LENGTH (MM)	1007	1008	1018	1033
STANDOVER (MM)	785	800	818	837
REACH (MM)	376	378	382	391
STACK (MM)	553	565	584	603
FRONT CENTER (MM)	591	591	601	616
AXLE TO CROWN (MM)	400	400	400	400

## SPECS

WHEEL SIZE	700C
FRAME	TORAY T700/T800 Hi-Mod carbon, TA, 68 mm T47 BB shell
FORK	Full carbon, TA, 1.1/2" - 1.1/8"
HANDLEBAR	RITCHEY ROAD COMP STREAM III drop bar, 31.8 mm, 5° backsweep
GRIPS	BOMBTRACK COMMAND bar tape
STEM	RITCHEY COMP 4-AXIS 44 forged aluminium stem, -6°
HEADSET	Sealed integrated aheadset, 1.1/2" - 1.1/8"
LEVERS	SRAM FORCE 1 double tap hydraulic
SHIFTER	SRAM FORCE 1 double tap 1 x 11
BRAKES	SRAM FORCE flat mount hydraulic disc brakes, 140 mm rotors
CRANKSET	SRAM FORCE 1 carbon crank
BB	BOMBTRACK T47 external sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 EPT Anti Rust chain, 1/2" x 11/128"
CHAINRING	CNC machined aluminium, narrow-wide, 40 T
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 36 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM FORCE 1, clutch, medium cage
FRONT HUB	HUNT 4 SEASON V2 sealed hub, 6-bolt disc, 12 x 100 mm TA
REAR HUB	HUNT 4 SEASON V2 sealed hub, 11sp, 6-bolt disc, 12 x 142mm TA
FRONT RIM	HUNT 4 SEASON double wall asymmetric rim, TLC, i19, 24h
REAR RIM	HUNT 4 SEASON double wall asymmetric rim, TLC, i19, 24h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	RITCHEY COMP 2-BOLT aluminium seatpost 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK PRIME forged aluminium seat clamp, 31.8 mm
FRONT TIRE	CHALLENGE GRIFO TLR, tanwall, 700C x 33C, tubeless ready
REAR TIRE	CHALLENGE GRIFO TLR, tanwall, 700C x 33C, tubeless ready
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	8.5 kg

3



# BEYOND 1

GLOSSY METALLIC BLACK

-CHF 1899-



## SIZE

	S	M	L	XL
ART. NR.	WD2105B	WD2105C	WD2105D	WD2105E
SEAT TUBE LENGTH (MM)	440	480	520	560
HORIZONTAL TT LENGTH (MM)	522	558	590	623
SEAT ANGLE (°)	74.5	73.5	73	72.5
HEAD ANGLE (°)	70.5	71	72	72
HEADTUBE LENGTH (MM)	130	150	190	220
BB DROP (MM)	55	70	70	70
CHAINSTAY LENGTH (MM)	425	455	455	455
FORK OFFSET (MM)	50	50	50	50
TRAIL (MM)	70	73	67	67
WHEELBASE LENGTH (MM)	1021	1065	1082	1109
STANDOVER (MM)	759	800	840	871
REACH (MM)	366	380	394	412
STACK (MM)	565	601	643	671
FRONT CENTER (MM)	602	620	636	663
AXLE TO CROWN (MM)	416	416	416	416

## SPECS

WHEEL SIZE	S 27.5"   M - XL 29"
FRAME	4130 double butted crmo, TA, rack / fender mounts, internal light cable routing, 73 mm BSA BB shell
FORK	4130crmo, double butted blades, TA, 1.1/2"-1.1/8", fender / rack / triple cage mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK BEYOND travel bar, 31.8 mm, 30° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK WANDER forged aluminium stem, +17°
HEADSET	Sealed external aheadset, 1.1/2" - 1.1/8"
LEVERS	SRAM Apex double tap mechanic
SHIFTER	SRAM Apex double tap 2 x 10
BRAKES	TRP SPYRE C mechanic disc brakes, F 180mm / R 160mm rotors
CRANKSET	BOMBTRACK AMES forged aluminium crank, 24 mm spindle
BB	BSA sealed BB, external cups
PEDALS	-
CHAIN	KMC X10 chain, 1/2" x 11/128"
CHAINRING	Aluminium / Steel, 40 / 28 T
CASSETTE	SRAM PG-1020 10-speed cassette, 11 - 36 T
FRONT DERAILLEUR	Microshift FD-M612-B
REAR DERAILLEUR	SRAM GX, long cage
FRONT HUB	BT GRAD sealed, 6-bolt disc hub, 15 x 100 mm thru-axle
REAR HUB	BT ARC sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm TA
FRONT RIM	WTB ST i23 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i23 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK ORIGIN saddle
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27.2 x 400 mm
SEAT CLAMP	BT ORIGIN forged aluminium seat clamp, 29.8 mm
TIRES (SIZE S)	WTB RANGER TCS LIGHT, FAST ROLLING 27.5 x 2.0", tubeless ready
TIRES (SIZE M-XL)	WTB RANGER TCS LIGHT, FAST ROLLING 29 x 2.0", tubeless ready
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	12.9 kg

3



# BEYOND JUNIOR

GLOSSY PICTON BLUE

-CHF 1099-



## SIZE

ART. NR.	XXS
	WD2106A
SEAT TUBE LENGTH (MM)	330
HORIZONTAL TT LENGTH (MM)	474
SEAT ANGLE (°)	73.5
HEAD ANGLE (°)	71.5
HEADTUBE LENGTH (MM)	100
BB DROP (MM)	30
CHAINSTAY LENGTH (MM)	390
FORK OFFSET (MM)	45
TRAIL (MM)	55
WHEELBASE LENGTH (MM)	919
STANDOVER (MM)	666
REACH (MM)	326
STACK (MM)	498
FRONT CENTER (MM)	531
AXLE TO CROWN (MM)	400

## SPECS

WHEEL SIZE	24"
FRAME	6061 aluminium, QR, rack / fender mounts, 68mm BSA BB shell
FORK	6061 aluminium, QR, fender / rack / triple cage mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK BEYOND travel bar, 31.8 mm, 30° flare
GRIPS	BOMBTRACK CONTROL bar tape
STEM	BOMBTRACK WANDER forged aluminium stem, +17°
HEADSET	NECO H282 sealed external aheadset, 1.1/8"
LEVERS	MICROSHIFT ADVENT SB-M090 dual control lever mechanic
SHIFTER	MICROSHIFT ADVENT SB-M090 dual control lever 1 x 9
BRAKES	TEKTRO MIRA F / LYRA R mechanic disc brake F 160 mm / R 140 mm rotors
CRANKSET	BOMBTRACK MACH square taper crank
BB	BSA sealed BB, 118 mm, square taper
PEDALS	WELLGO B109N flat pedal
CHAIN	KMC X9 chain, 1/2" x 11/128"
CHAINRING	Forged steel, narrow wide, 32T
CASSETTE	MICROSHIFT CS-H093 9-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	MICROSHIFT RD-M6195M, clutch
FRONT HUB	BOMBTRACK ARC sealed, 6-bolt disc hub, QR axle
REAR HUB	BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, QR axle
FRONT RIM	BOMBTRACK TX20 double wall, i19, 32h
REAR RIM	BOMBTRACK TX20 double wall, i19, 32h
SADDLE	BOMBTRACK DRIFT SADDLE
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27,2 x 400 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
FRONT TIRE	KENDA SMALL BLOCK EIGHT, 24" x 1.95"
REAR TIRE	KENDA SMALL BLOCK EIGHT, 24" x 1.95"
FENDERS	-
RACK	BOMBTRACK DECK frontrack, aluminium
LIGHTS	-
WEIGHT	10.9 kg

3



# OUTLAW

MATT BLACK / NAVY BLUE

-CHF 1599-



## SIZE

	S	M	L	XL
ART. NR.	WD2110A	WD2110B	WD2110C	WD2110D
SEAT TUBE LENGTH (MM)	500	530	550	580
HORIZONTAL TT LENGTH (MM)	544	561	582	605
SEAT ANGLE (°)	73,5	73,5	73	72,5
HEAD ANGLE (°)	70,2	70,5	71	71
HEADTUBE LENGTH (MM)	130	150	170	190
BB DROP (MM)	70	70	70	70
CHAINSTAY LENGTH (MM)	424	424	424	424
FORK OFFSET (MM)	50	50	50	50
TRAIL (MM)	70	68	65	65
WHEELBASE LENGTH (MM)	1026	1041	1052	1070
STANDOVER (MM)	774	798	818	841
REACH (MM)	378	389	398	410
STACK (MM)	559	580	600	619
FRONT CENTER (MM)	612	627	638	655
AXLE TO CROWN (MM)	395	395	395	395

## SPECS

WHEEL SIZE	650B
FRAME	double butted 4130 crmo, QR sliding dropouts, fender mounts, 68 mm BSA BB shell
FORK	6061 aluminium, 1.1/2" - 1.1/8", with fender / rack mounts, internal hub dynamo cable routing
HANDLEBAR	BOMBTRACK TRAIL flat bar, 31.8 mm, 9° backsweep, 4° upsweep, 7 mm rise
GRIPS	BOMBTRACK TAB 129 mm grips
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	Sealed external aheadset, 1.1/2" - 1.1/8"
LEVERS	SHIMANO BL-M200 hydraulic brake levers
SHIFTER	-
BRAKES	SHIMANO BR-M200 PM hydraulic disc brake, 160 mm rotors
CRANKSET	BOMBTRACK TAF19 aluminium crank, 24 mm spindle
BB	BSA sealed BB, external cups
PEDALS	ECLAT SLASH flatpedal
CHAIN	GATES CARBON CDN 115T belt
CHAINRING	GATES CARBON S300 CDX 55T
CASSETTE	GATES CARBON CDC 20T cog
FRONT DERAILLEUR	-
REAR DERAILLEUR	-
FRONT HUB	BOMBTRACK ARC sealed, 6-bolt disc hub, female axle
REAR HUB	BT ARC sealed hub, 11-speed, 6-bolt disc, female axle
FRONT RIM	WTB ST i21 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i21 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK YEW aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	WTB HORIZON 650B x 47C
REAR TIRE	WTB HORIZON 650B x 47C
FENDERS	-
RACK	BOMBTRACK DECK frontrack, aluminium
LIGHTS	-
WEIGHT (SIZE M)	11.2 kg

3



# MONROE AL

MATT PEWTER

-CHF 999-



## SIZE

	S	M	L
ART. NR.	WD2109A	WD2109B	WD2109C
SEAT TUBE LENGTH (MM)	490	520	550
HORIZONTAL TT LENGTH (MM)	540	563	588
SEAT ANGLE (°)	73	73	73
HEAD ANGLE (°)	70.5	70.5	70.5
HEADTUBE LENGTH (MM)	130	150	175
BB DROP (MM)	70	70	70
CHAINSTAY LENGTH (MM)	440	440	440
FORK OFFSET (MM)	45	45	45
TRAIL (MM)	74	74	74
WHEELBASE LENGTH (MM)	1025	1049	1075
STANDOVER (MM)	766	790	816
REACH (MM)	368	385	403
STACK (MM)	565	583	607
FRONT CENTER (MM)	595	619	645
AXLE TO CROWN (MM)	398	398	398

## SPECS

WHEEL SIZE	650B
FRAME	6061-T6 triple butted aluminium, QR, rack / fender mounts, 68 mm BSA shell
FORK	6061 aluminium, QR dropouts, with fender / rack / triple cage mounts, internal light cable routing
HANDLEBAR	BOMBTRACK ORIGIN flat bar, 31.8 mm, 8° backsweep
GRIPS	BOMBTRACK LOCK 145 mm grips
STEM	BOMBTRACK ROAM forged aluminium stem, -7°
HEADSET	NECO H282 sealed external headset, 1.1/8"
LEVERS	SHIMANO BL-M200 hydraulic brake levers
SHIFTER	MICROSHIFT TS39-8 8-speed shift lever
BRAKES	SHIMANO BR-MT200 PM hydraulic disc brake, 160 mm rotors
CRANKSET	BOMBTRACK AUDE aluminium crank, square taper
BB	BSA sealed BB, 119 mm, square taper
PEDALS	WELLGO B109N flat pedal
CHAIN	KMC X8 chain, 1/2" x 3/32"
CHAINRING	Steel, 34 T
CASSETTE	MICROSHIFT CS-H82 8-speed cassette, 11-34T
FRONT DERAILLEUR	-
REAR DERAILLEUR	MICROSHIFT RD-M36S
FRONT HUB	BOMBTRACK ARC sealed, 6-bolt disc hub, QR axle
REAR HUB	BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, QR axle
FRONT RIM	WTB ST i21 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i21 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK ORIGIN Saddle
SEAT POST	BOMBTRACK BEECH aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
FRONT TIRE	KENDA KWICK SEVEN.5 650B x 45C
REAR TIRE	KENDA KWICK SEVEN.5 650B x 45C
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	10.7 kg

3



# OXBRIDGE GEARED

GLOSSY EMERALD GREEN

-CHF 999-



## SIZE

	S	M	L
ART. NR.	WD2111A	WD2111B	WD2111C
SEAT TUBE LENGTH (MM)	510	540	570
HORIZONTAL TT LENGTH (MM)	528	546	566
SEAT ANGLE (°)	73	73	73
HEAD ANGLE (°)	69.5	71	71.5
HEADTUBE LENGTH (MM)	101	126	153
BB DROP (MM)	65	65	65
CHAINSTAY LENGTH (MM)	416	416	416
FORK OFFSET (MM)	50	50	50
TRAIL (MM)	73	64	60
WHEELBASE LENGTH (MM)	1003	1009	1024
STANDOVER (MM)	757	787	815
REACH (MM)	372	381	392
STACK (MM)	511	541	568
FRONT CENTER (MM)	596	601	617
AXLE TO CROWN (MM)	365	365	365

## SPECS

WHEEL SIZE	700C
FRAME	4130 crmo front triangle, crmo dropouts with rack / fender mounts, 68 mm BSA BB shell
FORK	Full 4130crmo, 1" threaded steerer, rack and fender mounts
HANDLEBAR	BT HORIZON flat bar, 560 mm, 25.4 mm, 8° backsweep
GRIPS	BOMBTRACK SPACE 130 mm grip with leather bar tape
STEM	BOMBTRACK JAUNT forged aluminium quill stem, -17°
HEADSET	Sealed external headset, 1" threaded
LEVERS	TEKTRO FL540 aluminium brake levers
SHIFTER	DIA Compe ENE W downtube shifter
BRAKES	TEKTRO R359 aluminium caliper brakes
CRANKSET	BOMBTRACK AF22 aluminium crank, square taper
BB	BSA sealed BB, 119 mm, square taper
PEDALS	BOMBTRACK STROLL aluminium pedal
CHAIN	KMC X9 chain, 1/2" x 11/128"
CHAINRING	BOMBTRACK BIRO aluminium, 44T
CASSETTE	MICROSHIFT CS-H092 9-speed cassette, 11-34T
FRONT DERAILLEUR	-
REAR DERAILLEUR	MICROSHIFT RD-R51M
FRONT HUB	BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
REAR HUB	BT DROME sealed cassette hub, 10 mm female bolt axle
FRONT RIM	BOMBTRACK M20 double wall, i18, 28h
REAR RIM	BOMBTRACK M20 double wall, i18, 28h
SADDLE	BOMBTRACK HARRIS saddle
SEAT POST	BOMBTRACK MYRTLE aluminium seatpost, 27.2 x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	KENDA KWICK ROLLER 700C x 28C
REAR TIRE	KENDA KWICK ROLLER 700C x 28C
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	10.9 kg

3



# TRINITY LADY

METALLIC TEAL

-CHF 999-



## SIZE

	S	M
ART. NR.	WD1996A	WD1996B
SEAT TUBE LENGTH (MM)	520	550
HORIZONTAL TT LENGTH (MM)	530	565
SEAT ANGLE (°)	74	74
HEAD ANGLE (°)	71	70,8
HEADTUBE LENGTH (MM)	110	140
BB DROP (MM)	70	70
CHAINSTAY LENGTH (MM)	434	434
FORK OFFSET (MM)	50	50
TRAIL (MM)	64	65
WHEELBASE LENGTH (MM)	1018	1054
STANDOVER (MM)	670	690
REACH (MM)	383	408
STACK (MM)	516	544
FRONT CENTER (MM)	593	630
AXLE TO CROWN (MM)	365	365

## SPECS

WHEEL SIZE	700C
COLOR	Metallic Teal
FRAME	4130 crmo front triangle, integrated derailleur hanger, rack / fender mounts
FORK	full 4130 crmo fork, 1" steerer, with rack and fender mounts
HANDLEBAR	BOMBTRACK LONGITUDE north road bars, 25.4 mm
GRIPS	BOMBTRACK SPACE 130 mm grip
STEM	BOMBTRACK JAUNT forged aluminum quill stem, -17°
HEADSET	FSA DURON X sealed external headset, 1" threaded
LEVERS	PROMAX 249A brake levers
SHIFTER	DIA COMPE ENE downtube friction shifter
BRAKES	TEKTRO R359 aluminum caliper brakes
CRANKSET	BOMBTRACK AF22 6061 aluminum crank, square taper
BB	BSA sealed BB, 107 mm, square taper
PEDALS	BOMBTRACK STROLL aluminum pedal
CHAIN	KMC X9 chain, 1/2" x 11/128", 114L
CHAINRING	BOMBTRACK BIRO aluminum, 44 t
CASSETTE	SHIMANO CS-HG400-9 9-speed cassette, 11 - 34 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 rear derailleur, long cage
FRONT HUB	BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
REAR HUB	BT DROME sealed cassette hub, 10 mm female bolt axle
FRONT RIM	BOMBTRACK M20 double wall, i18, 28h
REAR RIM	BOMBTRACK M20 double wall, i18, 28h
SADDLE	BOMBTRACK SAUNTER saddle
SEAT POST	BOMBTRACK MYRTLE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	KENDA KWICK ROLLER tire, 700C x 28C
REAR TIRE	KENDA KWICK ROLLER tire, 700C x 28C
FENDERS	BOMBTRACK STAY aluminum fenders 35 mm
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11.0 kg

3





**amster**  
bikes & parts

WWW.BOMBTRACK.COM

WE MAKE THINGS GmbH • Richard-Byrd-Str. 12 • D-50829 Cologne  
tel: +49-221-500-57-20 • fax: +49-221-5000-57-29 • email: mail@bombtrack.com