

# RADIO™



## WELCOME TO THE RADIO BIKES FREESTYLE COMPLETE BIKES MY2021

We are excited to share with you what is easily our most refined and powerful collection of complete bikes to date. Each and every RADIO complete bike is designed to balance performance with price. We strive to bring you the very best bike, at the best price, bringing new technology and designs to a whole new audience. We spent the past year reworking our current line and bringing brand new innovative models into our collection to provide what is quite simply the most 'complete' line of bikes on the market.

Please enjoy taking a closer look at what RADIO BIKES has designed just for you and bike riders worldwide.

# REVO 14"

LEMON


-CHF 299-

ART.NR. WE2190A

**RADIO™**


## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "REVO 14" frame, full 1020 hi-ten                                       |
| <b>FORK</b>       | RADIO "ROOKIE 14" fork, hi-ten  |
| <b>BARS</b>       | RADIO "REVO 14" bar, hi-ten   |
| <b>GRIPS</b>      | RADIO "JUNIOR" grips, flangeless, 110mm                                       |
| <b>STEM</b>       | SALT "JUNIOR" topload stem, 40mm reach  |
| <b>HEADSET</b>    | FSA A-headset, loose ball   |
| <b>GYRO</b>       | -   |
| <b>LEVER</b>      | RADIO "JUNIOR 14" brake lever, alloy  |
| <b>BRAKES</b>     | RADIO "AM" caliper brake, alloy, front /<br>RADIO "AM-V" v-brake, alloy, rear |
| <b>CRANKS</b>     | RADIO "ROOKIE" 1pc crank, forged, crmo, 102mm                                 |
| <b>BB</b>         | RADIO "US" bb set, loose ball   |
| <b>PEDALS</b>     | RADIO "JUNIOR" pedals, nylon  |
| <b>CHAIN</b>      | KMC "S1" chain  |
| <b>SPROCKET</b>   | RADIO "ROOKIE" sprocket, steel, 25t   |
| <b>DRIVER</b>     | cassette driver, 10t  |
| <b>FRONT HUB</b>  | RADIO "ROOKIE" hub, steel, lb, 3/8"s, 20h                                     |
| <b>REAR HUB</b>   | RADIO "ROOKIE" cassette hub, steel, lb, 10t, 3/8" axle, 20h                   |
| <b>FRONT RIM</b>  | SALT "AM" rim, straight single wall, 20h                                      |
| <b>REAR RIM</b>   | SALT "AM" rim, straight single wall, 20h                                      |
| <b>SEAT</b>       | RADIO "CENTURY" railed seat   |
| <b>SEAT POST</b>  | RADIO "AM" seat post, alloy, 250mm  |
| <b>SEAT CLAMP</b> | RADIO seat clamp, slim, alloy   |
| <b>TIRES</b>      | GMD tires, 2.0", G701, front & rear   |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | 9.48kg / 20.80lbs   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 6.5"  |
| H - BAR WIDTH     | 22.4" |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 2.5°  |



### FRAME GEOMETRY


|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 13.7"  |
| B - CHAIN STAY LENGTH | 10.55" |
| C - HEAD TUBE ANGLE   | 72°    |
| D - SEAT TUBE ANGLE   | 73°    |
| E - BB HEIGHT         | 7.5"   |
| F - SEAT TUBE LENGTH  | 5.5"   |

# REVO 16"

SURF BLUE


-CHF 339-

ART.NR. WE2190B



## BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 6.8"  |
| H - BAR WIDTH     | 23.6" |
| I - BAR BACKSWEEP | 10°   |
| J - BAR UPSWEEP   | 3°    |



## FRAME GEOMETRY

|                       |       |
|-----------------------|-------|
| A - TOP TUBE LENGTH   | 16"   |
| B - CHAIN STAY LENGTH | 11.2" |
| C - HEAD TUBE ANGLE   | 75°   |
| D - SEAT TUBE ANGLE   | 71.5° |
| E - BB HEIGHT         | 9.75" |
| F - SEAT TUBE LENGTH  | 6.6"  |

# RADIO™

## SPECS

|            |   |
|------------|---|
| FRAME      | RADIO "REVO 16" frame, full 1020 hi-ten                                       |
| FORK       | RADIO "ROOKIE 16" fork, hi-ten  |
| BARS       | RADIO "REVO 16" bar, hi-ten   |
| GRIPS      | RADIO "JUNIOR" grips, flangeless, 130mm                                       |
| STEM       | SALT "JUNIOR" topload stem, 40mm reach  |
| HEADSET    | FSA A-headset, loose ball   |
| GYRO       | -   |
| LEVER      | RADIO "JUNIOR 16" brake lever, alloy  |
| BRAKES     | RADIO "AM" caliper brake, alloy, front /<br>RADIO "AM-U" u-brake, alloy, rear |
| CRANKS     | RADIO "ROOKIE" 1pc crank, forged, crmo, 127mm                                 |
| BB         | RADIO "US" bb set, loose ball   |
| PEDALS     | RADIO "ROOKIE" pedals, nylon  |
| CHAIN      | KMC "S1" chain  |
| SPROCKET   | RADIO "ROOKIE" sprocket, steel, 25t   |
| DRIVER     | cassette driver, 9t   |
| FRONT HUB  | RADIO "ROOKIE" hub, steel, 1b, 3/8"s, 28h                                     |
| REAR HUB   | RADIO "ROOKIE" cassette hub, steel, 1b, 9T, 3/8" axle, 28h                    |
| FRONT RIM  | SALT "AM" rim, straight single wall, 28h                                      |
| REAR RIM   | SALT "AM" rim, straight single wall, 28h                                      |
| SEAT       | RADIO "CENTURY" railed seat   |
| SEAT POST  | RADIO "AM" seat post, alloy, 250mm  |
| SEAT CLAMP | RADIO seat clamp, slim, alloy   |
| TIRES      | GMD SALT tires, 2.2", STRIKE, front & rear                                    |
| PEGS       | -   |
| WEIGHT     | 10.42kg / 22.90lbs  |

# REVO 18"

BLACK


-CHF 359-

ART.NR. WE2190C




## SPECS

|            |   |
|------------|---|
| FRAME      | RADIO "REVO 18" frame, full 1020 hi-ten                                       |
| FORK       | RADIO "ROOKIE 18" fork, hi-ten  |
| BARS       | RADIO "REVO 18" bar, hi-ten   |
| GRIPS      | RADIO "JUNIOR" grips, flangeless, 130mm                                       |
| STEM       | SALT "JUNIOR" topload stem, 40mm reach  |
| HEADSET    | FSA A-headset, loose ball   |
| GYRO       | -   |
| LEVER      | RADIO "AM" brake lever, alloy   |
| BRAKES     | RADIO "AM" caliper brake, alloy, front /<br>RADIO "AM-U" u-brake, alloy, rear |
| CRANKS     | RADIO "ROOKIE" 1pc crank, forged, crmo, 152mm                                 |
| BB         | RADIO "US" bb set, loose ball   |
| PEDALS     | RADIO "ROOKIE" pedals, nylon  |
| CHAIN      | KMC "S1" chain  |
| SPROCKET   | RADIO "ROOKIE" sprocket, steel, 25t   |
| DRIVER     | cassette driver, 9t   |
| FRONT HUB  | RADIO "ROOKIE" hub, steel, lb, 3/8"s, 28h                                     |
| REAR HUB   | RADIO "ROOKIE" cassette hub, steel, lb, 9t, 14mm axle, 28h                    |
| FRONT RIM  | SALT "AM" rim, straight single wall, 28h                                      |
| REAR RIM   | SALT "AM" rim, straight single wall, 28h                                      |
| SEAT       | RADIO "CENTURY" combo seat, slim padded                                       |
| SEAT POST  | -   |
| SEAT CLAMP | RADIO seat clamp, slim, alloy   |
| TIRES      | GMD SALT tires, 2.2", STRIKE, front & rear                                    |
| PEGS       | -   |
| WEIGHT     | 11.21kg / 24.70lbs  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 7.9°  |
| H - BAR WIDTH     | 26.5" |
| I - BAR BACKSWEEP | 10°   |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 18"    |
| B - CHAIN STAY LENGTH | 12.7"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 10.75" |
| F - SEAT TUBE LENGTH  | 7.3"   |

RADIO™

# REVO 18"

RED


-CHF 359-

ART.NR. WE2190D

**RADIO™**


## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "REVO 18" frame, full 1020 hi-ten                                       |
| <b>FORK</b>       | RADIO "ROOKIE 18" fork, hi-ten  |
| <b>BARS</b>       | RADIO "REVO 18" bar, hi-ten   |
| <b>GRIPS</b>      | RADIO "JUNIOR" grips, flangeless, 130mm                                       |
| <b>STEM</b>       | SALT "JUNIOR" topload stem, 40mm reach  |
| <b>HEADSET</b>    | FSA A-headset, loose ball   |
| <b>GYRO</b>       | -   |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy   |
| <b>BRAKES</b>     | RADIO "AM" caliper brake, alloy, front /<br>RADIO "AM-U" u-brake, alloy, rear |
| <b>CRANKS</b>     | RADIO "ROOKIE" 1pc crank, forged, crmo, 152mm                                 |
| <b>BB</b>         | RADIO "US" bb set, loose ball   |
| <b>PEDALS</b>     | RADIO "ROOKIE" pedals, nylon  |
| <b>CHAIN</b>      | KMC "S1" chain  |
| <b>SPROCKET</b>   | RADIO "ROOKIE" sprocket, steel, 25t   |
| <b>DRIVER</b>     | cassette driver, 9t   |
| <b>FRONT HUB</b>  | RADIO "ROOKIE" hub, steel, 1b, 3/8"s, 28h                                     |
| <b>REAR HUB</b>   | RADIO "ROOKIE" cassette hub, steel, 1b, 9t, 14mm axle, 28h                    |
| <b>FRONT RIM</b>  | SALT "AM" rim, straight single wall, 28h                                      |
| <b>REAR RIM</b>   | SALT "AM" rim, straight single wall, 28h                                      |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, slim padded                                       |
| <b>SEAT POST</b>  | -   |
| <b>SEAT CLAMP</b> | RADIO seat clamp, slim, alloy   |
| <b>TIRES</b>      | GMD SALT tires, 2.2", STRIKE, front & rear                                    |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | 11.21kg / 24.70lbs  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 7.9°  |
| H - BAR WIDTH     | 26.5" |
| I - BAR BACKSWEEP | 10°   |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY


|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 18"    |
| B - CHAIN STAY LENGTH | 12.7"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 10.75" |
| F - SEAT TUBE LENGTH  | 7.3"   |

# REVO PRO FS 20"

BLACK


-CHF 399-

ART.NR. WE2190E



## BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 8.75" |
| H - BAR WIDTH     | 29"   |
| I - BAR BACKSWEEP | 11°   |
| J - BAR UPSWEEP   | 2°    |



## FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 20"    |
| B - CHAIN STAY LENGTH | 13"    |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 11.75" |
| F - SEAT TUBE LENGTH  | 7.8"   |

**RADIO™**

## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "REVO PRO FS 20" frame, full 1020 hi-ten               |
| <b>FORK</b>       | RADIO "AM 20" fork, 1020 hi-ten, crmo steerer, welded pivots |
| <b>BARS</b>       | RADIO "REVO PRO FS 20" bar, hi-ten                           |
| <b>GRIPS</b>      | RADIO "AM" grips, flangeless, 150mm                          |
| <b>STEM</b>       | SALT "AM" frontload stem, 48mm reach                         |
| <b>HEADSET</b>    | FSA A-headset, loose ball                                    |
| <b>GYRO</b>       | SALT "AM" rotor with SALT "AM" rotor cables                  |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, front & rear                  |
| <b>BRAKES</b>     | RADIO "AM" u-brakes, alloy, front & rear                     |
| <b>CRANKS</b>     | RADIO "ROOKIE" 3pc crank, forged, crmo, 170mm                |
| <b>BB</b>         | RADIO "US" bb set, loose ball                                |
| <b>PEDALS</b>     | RADIO "ROOKIE" pedals, nylon                                 |
| <b>CHAIN</b>      | KMC "S1" chain   |
| <b>SPROCKET</b>   | RADIO "ROOKIE" sprocket, steel, 25t                          |
| <b>DRIVER</b>     | cassette driver, 9t  |
| <b>FRONT HUB</b>  | RADIO "ROOKIE" hub, steel, lb, 3/8"s, 36h                    |
| <b>REAR HUB</b>   | RADIO "ROOKIE" cassette hub, steel, lb, 9T, 14mm axle, 36h   |
| <b>FRONT RIM</b>  | SALT "AM" rim, straight single wall, 36h                     |
| <b>REAR RIM</b>   | SALT "AM" rim, straight single wall, 36h                     |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, slim padded                      |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | RADIO seat clamp, slim, alloy                                |
| <b>TIRES</b>      | GMD SALT tires, 2.2", STRIKE, front & rear                   |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | tba  |

# REVO PRO FS 20"

FRESH MIND


-CHF 399-

ART.NR. WE2190F

**RADIO™**


## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "REVO PRO FS 20" frame, full 1020 hi-ten               |
| <b>FORK</b>       | RADIO "AM 20" fork, 1020 hi-ten, crmo steerer, welded pivots |
| <b>BARS</b>       | RADIO "REVO PRO FS 20" bar, hi-ten                           |
| <b>GRIPS</b>      | RADIO "AM" grips, flangeless, 150mm                          |
| <b>STEM</b>       | SALT "AM" frontload stem, 48mm reach                         |
| <b>HEADSET</b>    | FSA A-headset, loose ball                                    |
| <b>GYRO</b>       | SALT "AM" rotor with SALT "AM" rotor cables                  |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, front & rear                  |
| <b>BRAKES</b>     | RADIO "AM" u-brakes, alloy, front & rear                     |
| <b>CRANKS</b>     | RADIO "ROOKIE" 3pc crank, forged, crmo, 170mm                |
| <b>BB</b>         | RADIO "US" bb set, loose ball                                |
| <b>PEDALS</b>     | RADIO "ROOKIE" pedals, nylon                                 |
| <b>CHAIN</b>      | KMC "S1" chain   |
| <b>SPROCKET</b>   | RADIO "ROOKIE" sprocket, steel, 25t                          |
| <b>DRIVER</b>     | cassette driver, 9t  |
| <b>FRONT HUB</b>  | RADIO "ROOKIE" hub, steel, lb, 3/8"s, 36h                    |
| <b>REAR HUB</b>   | RADIO "ROOKIE" cassette hub, steel, lb, 9T, 14mm axle, 36h   |
| <b>FRONT RIM</b>  | SALT "AM" rim, straight single wall, 36h                     |
| <b>REAR RIM</b>   | SALT "AM" rim, straight single wall, 36h                     |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, slim padded                      |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | RADIO seat clamp, slim, alloy                                |
| <b>TIRES</b>      | GMD SALT tires, 2.2", STRIKE, front & rear                   |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | tba  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 8.75" |
| H - BAR WIDTH     | 29"   |
| I - BAR BACKSWEEP | 11°   |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 20"    |
| B - CHAIN STAY LENGTH | 13"    |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 11.75" |
| F - SEAT TUBE LENGTH  | 7.8"   |



# DICE 16"

CANDY RED

-CHF 399-


ART.NR. WE2190G

**RADIO™**




## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "DICE 16" frame, full 6061 alloy  |
| <b>FORK</b>       | RADIO "ROOKIE 16" fork, 1020 hi-ten, tapered legs                             |
| <b>BARS</b>       | RADIO "ROOKIE 16" bar, 1020 hi-ten  |
| <b>GRIPS</b>      | RADIO "AM" grips, flangless , 130mm   |
| <b>STEM</b>       | RADIO "JUNIOR" topload stem, 40mm reach                                       |
| <b>HEADSET</b>    | FSA A-headset, loose ball   |
| <b>GYRO</b>       | -   |
| <b>LEVER</b>      | RADIO "JUNIOR 16" brake lever, alloy, front & rear                            |
| <b>BRAKES</b>     | RADIO "AM" caliper brake, alloy, front /<br>RADIO "AM-U" u-brake, alloy, rear |
| <b>CRANKS</b>     | RADIO "JUNIOR 16" 3pc crank, forged alloy, 127mm                              |
| <b>BB</b>         | BSA (68) bb set, 19mm, sealed, JIS taper                                      |
| <b>PEDALS</b>     | RADIO "VP225" pedals, nylon/fiberglass  |
| <b>CHAIN</b>      | KMC "S1" chain  |
| <b>SPROCKET</b>   | RADIO "JUNIOR" sprocket, steel, 25t   |
| <b>DRIVER</b>     | cassette driver, 10t, lb  |
| <b>FRONT HUB</b>  | RADIO "AM" hub, alloy, loose ball, 3/8" s male axle, 28h                      |
| <b>REAR HUB</b>   | RADIO "AM" cassette hub, alloy, semi-sealed, 10t, 14mm axle, 28h              |
| <b>FRONT RIM</b>  | RADIO "ROOKIE" rim, single wall   |
| <b>REAR RIM</b>   | RADIO "ROOKIE" rim, single wall   |
| <b>SEAT</b>       | RADIO "ROOKIE" combo seat   |
| <b>SEAT POST</b>  | -   |
| <b>SEAT CLAMP</b> | RADIO "SLIM" seat clamp, alloy  |
| <b>TIRES</b>      | SALT "TRACER" tires, 2.2", front & rear                                       |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | tba   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 6.75" |
| H - BAR WIDTH     | 23.6" |
| I - BAR BACKSWEEP | 10°   |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY

|                       |       |
|-----------------------|-------|
| A - TOP TUBE LENGTH   | 16"   |
| B - CHAIN STAY LENGTH | 11.1" |
| C - HEAD TUBE ANGLE   | 75°   |
| D - SEAT TUBE ANGLE   | 71.5° |
| E - BB HEIGHT         | 9.75" |
| F - SEAT TUBE LENGTH  | 6.2"  |

# DICE 18"

MATT BLACK


-CHF 429-

ART.NR. WE2190H

**RADIO™**


## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "DICE 18" frame, full 6061 alloy                          |
| <b>FORK</b>       | RADIO "ROOKIE 18" fork, 1020 hi-ten, tapered legs               |
| <b>BARS</b>       | RADIO "ROOKIE 18" bar, 1020 hi-ten                              |
| <b>GRIPS</b>      | RADIO "AM" grips, flangless, 150mm                              |
| <b>STEM</b>       | RADIO "JUNIOR" topload stem, 40mm reach                         |
| <b>HEADSET</b>    | FSA A-headset, loose ball                                       |
| <b>GYRO</b>       | -   |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear                             |
| <b>BRAKES</b>     | RADIO "AM" u-brake, alloy, rear                                 |
| <b>CRANKS</b>     | RADIO "ROOKIE" 3pc crank, tubular, crmo, 152mm, 8 spline        |
| <b>BB</b>         | BSA (68) bb set, 19mm, sealed, JIS taper                        |
| <b>PEDALS</b>     | RADIO "VP536" pedals, nylon/fiberglass                          |
| <b>CHAIN</b>      | KMC "S1" chain  |
| <b>SPROCKET</b>   | RADIO "AM" sprocket, steel, 25t                                 |
| <b>DRIVER</b>     | cassette driver, 9t, lb   |
| <b>FRONT HUB</b>  | RADIO "AM" hub, alloy, loose ball, 3/8" s male axle, 36h        |
| <b>REAR HUB</b>   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h |
| <b>FRONT RIM</b>  | RADIO "ROOKIE" rim, single wall                                 |
| <b>REAR RIM</b>   | RADIO "ROOKIE" rim, single wall                                 |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, slim padded                         |
| <b>SEAT POST</b>  | -   |
| <b>SEAT CLAMP</b> | RADIO "SLIM" seat clamp, alloy                                  |
| <b>TIRES</b>      | SALT "TRACER" tires, 2.2", front & rear                         |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | tba   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 7.9°  |
| H - BAR WIDTH     | 26.5" |
| I - BAR BACKSWEEP | 10°   |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY


|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 18"    |
| B - CHAIN STAY LENGTH | 12.2"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 10.75" |
| F - SEAT TUBE LENGTH  | 6.8"   |

# DICE 18"

CANDY RED


-CHF 429-

ART.NR. WE21901



## BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 7.9°  |
| H - BAR WIDTH     | 26.5" |
| I - BAR BACKSWEEP | 10°   |
| J - BAR UPSWEEP   | 3°    |



## FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 18"    |
| B - CHAIN STAY LENGTH | 12.2"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 10.75" |
| F - SEAT TUBE LENGTH  | 6.8"   |

# RADIO™

## SPECS

|            |   |
|------------|---|
| FRAME      | RADIO "DICE 18" frame, full 6061 alloy                          |
| FORK       | RADIO "ROOKIE 18" fork, 1020 hi-ten, tapered legs               |
| BARS       | RADIO "ROOKIE 18" bar, 1020 hi-ten                              |
| GRIPS      | RADIO "AM" grips, flangless, 150mm                              |
| STEM       | RADIO "JUNIOR" topload stem, 40mm reach                         |
| HEADSET    | FSA A-headset, loose ball                                       |
| GYRO       | -   |
| LEVER      | RADIO "AM" brake lever, alloy, rear                             |
| BRAKES     | RADIO "AM" u-brake, alloy, rear                                 |
| CRANKS     | RADIO "ROOKIE" 3pc crank, tubular, crmo, 152mm, 8 spline        |
| BB         | BSA (68) bb set, 19mm, sealed, JIS taper                        |
| PEDALS     | RADIO "VP536" pedals, nylon/fiberglass                          |
| CHAIN      | KMC "S1" chain  |
| SPROCKET   | RADIO "AM" sprocket, steel, 25t                                 |
| DRIVER     | cassette driver, 9t, lb   |
| FRONT HUB  | RADIO "AM" hub, alloy, loose ball, 3/8" male axle, 36h          |
| REAR HUB   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h |
| FRONT RIM  | RADIO "ROOKIE" rim, single wall                                 |
| REAR RIM   | RADIO "ROOKIE" rim, single wall                                 |
| SEAT       | RADIO "CENTURY" combo seat, slim padded                         |
| SEAT POST  | -   |
| SEAT CLAMP | RADIO "SLIM" seat clamp, alloy                                  |
| TIRES      | SALT "TRACER" tires, 2.2", front & rear                         |
| PEGS       | -   |
| WEIGHT     | tba   |

# DICE 20"


MATT BLACK

-CHF 439-

ART.NR. WE2190J


## SPECS

|            |  |
|------------|--|
| FRAME      | RADIO "DICE 20" frame, full 6061 alloy                     |
| FORK       | RADIO "ROOKIE 20" fork, 1020 hi-ten, tapered legs          |
| BARS       | RADIO "ROOKIE 20" bar, 1020 hi-ten                         |
| GRIPS      | RADIO "AM" grips, flangless, 150mm                         |
| STEM       | RADIO "AM" topload stem, 50mm reach                        |
| HEADSET    | FSA A-headset, loose ball                                  |
| GYRO       | -  |
| LEVER      | RADIO "AM" brake lever, alloy, rear                        |
| BRAKES     | RADIO "AM" u-brake, alloy, rear                            |
| CRANKS     | RADIO "ROOKIE" 3pc crank, tubular, crmo, 165mm, 8 spline   |
| BB         | BSA (68) bb set, 19mm, sealed, JIS taper                   |
| PEDALS     | RADIO "VP536" pedals, nylon/fiberglass                     |
| CHAIN      | KMC "S1" chain   |
| SPROCKET   | RADIO "AM" sprocket, steel, 25t                            |
| DRIVER     | cassette driver, 9t, lb                                    |
| FRONT HUB  | RADIO "AM" hub, alloy, loose ball, 3/8" s male axle, 28h   |
| REAR HUB   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm, 36h |
| FRONT RIM  | RADIO "ROOKIE" rim, single wall                            |
| REAR RIM   | RADIO "ROOKIE" rim, single wall                            |
| SEAT       | RADIO "CENTURY" combo seat, slim padded                    |
| SEAT POST  | -  |
| SEAT CLAMP | RADIO "SLIM" seat clamp, alloy                             |
| TIRES      | SALT "TRACER" tires, 2.35", front & rear                   |
| PEGS       | -  |
| WEIGHT     | tba  |



### BAR GEOMETRY

|                   |      |
|-------------------|------|
| G - BAR RISE      | 8.8" |
| H - BAR WIDTH     | 29"  |
| I - BAR BACKSWEEP | 11°  |
| J - BAR UPSWEEP   | 2°   |



### FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 20"    |
| B - CHAIN STAY LENGTH | 13.2"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 11.75" |
| F - SEAT TUBE LENGTH  | 7.3"   |

# RADIO™

# EVOL 20"

MATT SKY BLUE


-CHF 449-

ART.NR. WE2190K

**RADIO™**


## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "EVOL" frame, crmo top tube, 1020 hi-ten                  |
| <b>FORK</b>       | RADIO "AM" fork, 1020 hi-ten, crmo steerer, tapered legs        |
| <b>BARS</b>       | RADIO "AM 20" bar, 1020 hi-ten                                  |
| <b>GRIPS</b>      | SALT "EX" grips, flangless, 155mm                               |
| <b>STEM</b>       | RADIO "AM" topload stem, 50mm reach                             |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing                   |
| <b>GYRO</b>       | holes for removable gyro tabs                                   |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear                             |
| <b>BRAKES</b>     | RADIO "AM" u-brake, alloy, rear                                 |
| <b>CRANKS</b>     | RADIO "ROOKIE" 3pc crank, tubular, crmo, 165mm, 8 spline        |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing                   |
| <b>PEDALS</b>     | RADIO "PRO" pedals, nylon/fiberglass                            |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type                                       |
| <b>SPROCKET</b>   | RADIO "VISION" sprocket, steel, 25t                             |
| <b>DRIVER</b>     | cassette driver, 9t, lb   |
| <b>FRONT HUB</b>  | RADIO "ROOKIE" hub, steel, loose ball, 3/8"s, 36h               |
| <b>REAR HUB</b>   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h |
| <b>FRONT RIM</b>  | RADIO "ROOKIE" rim, single wall                                 |
| <b>REAR RIM</b>   | RADIO "ROOKIE" rim, single wall                                 |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, mid padded                          |
| <b>SEAT POST</b>  | -   |
| <b>SEAT CLAMP</b> | RADIO "SLIM" seat clamp, alloy                                  |
| <b>TIRES</b>      | GMD SALT tires, 2.35", TRACER, front & rear                     |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | 12.30kg / 27.10lbs  |



### BAR GEOMETRY

|                   |      |
|-------------------|------|
| G - BAR RISE      | 8.8" |
| H - BAR WIDTH     | 29"  |
| I - BAR BACKSWEEP | 11°  |
| J - BAR UPSWEEP   | 2°   |



### FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 20.3"  |
| B - CHAIN STAY LENGTH | 13.2"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 11.75" |
| F - SEAT TUBE LENGTH  | 8.25"  |

# SAIKO 20"

BLACK


-CHF 479-

ART.NR. WE2190L

**RADIO™**


## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "SAIKO 20" frame, crmo down tube, 1020 hi-ten             |
| <b>FORK</b>       | RADIO "SAIKO 20" fork, 1020 hi-ten, crmo steerer, tapered legs  |
| <b>BARS</b>       | RADIO "SAIKO" bar, 1020 hi-ten                                  |
| <b>GRIPS</b>      | RADIO "AM" grips, flangless , 150mm                             |
| <b>STEM</b>       | SALT "PRO" topload stem, 50mm reach                             |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing                   |
| <b>GYRO</b>       | holes for removable gyro tabs                                   |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear                             |
| <b>BRAKES</b>     | RADIO "AM" u-brake, alloy, rear                                 |
| <b>CRANKS</b>     | RADIO "AM" 3pc crank, tubular, crmo, 165mm, 8 spline            |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing                   |
| <b>PEDALS</b>     | RADIO "PRO" pedals, nylon/fiberglass                            |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type                                       |
| <b>SPROCKET</b>   | RADIO "VISION" sprocket, steel, 25t                             |
| <b>DRIVER</b>     | cassette driver, 9t, lb   |
| <b>FRONT HUB</b>  | RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 36h         |
| <b>REAR HUB</b>   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h |
| <b>FRONT RIM</b>  | RADIO "AM" rim, single wall                                     |
| <b>REAR RIM</b>   | RADIO "AM" rim, single wall                                     |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, slim padded                         |
| <b>SEAT POST</b>  | -   |
| <b>SEAT CLAMP</b> | RADIO "SLIM" seat clamp, alloy                                  |
| <b>TIRES</b>      | SALT "TRACER" tires, 2.35", front & rear                        |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | 11.89kg / 26.21lbs  |



### BAR GEOMETRY

|                   |      |
|-------------------|------|
| G - BAR RISE      | 8.2" |
| H - BAR WIDTH     | 28"  |
| I - BAR BACKSWEEP | 11°  |
| J - BAR UPSWEEP   | 2°   |



### FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 19.25" |
| B - CHAIN STAY LENGTH | 13.2"  |
| C - HEAD TUBE ANGLE   | 75°    |
| D - SEAT TUBE ANGLE   | 71.5°  |
| E - BB HEIGHT         | 11.75" |
| F - SEAT TUBE LENGTH  | 8"     |

# DARKO 20"

MATT BLACK


-CHF 499-

ART.NR. WE2190M

**RADIO™**


## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "DARKO" frame, crmo top tube & down tube, 1020 hi-ten, removable brake mounts & guides |
| <b>FORK</b>       | RADIO "AM" fork, 1020 hi-ten, crmo steerer, tapered legs                                     |
| <b>BARS</b>       | RADIO "DARKO" bar, 1020 hi-ten   |
| <b>GRIPS</b>      | RADIO "AM XL" grips, 160mm   |
| <b>STEM</b>       | SALT "PRO" topload stem, 50mm reach  |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing  |
| <b>GYRO</b>       | holes for removable gyro tabs  |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear  |
| <b>BRAKES</b>     | RADIO "AM" u-brake, alloy, rear  |
| <b>CRANKS</b>     | RADIO "AM" 3pc crank, tubular, crmo, 170mm, 8 spline   |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing  |
| <b>PEDALS</b>     | RADIO "PRO" pedals, nylon/fiberglass   |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type  |
| <b>SPROCKET</b>   | RADIO "VISION" sprocket, steel, 25t  |
| <b>DRIVER</b>     | cassette driver, 9t, sealed bearing  |
| <b>FRONT HUB</b>  | SALT "AM" hub, alloy, loose ball, 3/8" s male axle, 36h                                      |
| <b>REAR HUB</b>   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h                              |
| <b>FRONT RIM</b>  | SALT "FRACTION" rim, single wall   |
| <b>REAR RIM</b>   | SALT "FRACTION" rim, single wall   |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, fat padded   |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | integrated seat clamp  |
| <b>TIRES</b>      | GMD SALT tires, 2.35", TRACER, front & rear  |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | 11.59kg / 25.55lbs   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 9"    |
| H - BAR WIDTH     | 29.5" |
| I - BAR BACKSWEEP | 12°   |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                       |            |
|-----------------------|------------|
| A - TOP TUBE LENGTH   | 20.5 / 21" |
| B - CHAIN STAY LENGTH | 13.2"      |
| C - HEAD TUBE ANGLE   | 75°        |
| D - SEAT TUBE ANGLE   | 71°        |
| E - BB HEIGHT         | 11.7"      |
| F - SEAT TUBE LENGTH  | 8.6 / 8.9" |

# DARKO 20"

NEPTUN GREEN


-CHF 499-

ART.NR. WE2190N

**RADIO™**


## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "DARKO" frame, crmo top tube & down tube, 1020 hi-ten, removable brake mounts & guides |
| <b>FORK</b>       | RADIO "AM" fork, 1020 hi-ten, crmo steerer, tapered legs                                     |
| <b>BARS</b>       | RADIO "DARKO" bar, 1020 hi-ten   |
| <b>GRIPS</b>      | RADIO "AM XL" grips, 160mm   |
| <b>STEM</b>       | SALT "PRO" topload stem, 50mm reach  |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing  |
| <b>GYRO</b>       | holes for removable gyro tabs  |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear  |
| <b>BRAKES</b>     | RADIO "AM" u-brake, alloy, rear  |
| <b>CRANKS</b>     | RADIO "AM" 3pc crank, tubular, crmo, 170mm, 8 spline   |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing  |
| <b>PEDALS</b>     | RADIO "PRO" pedals, nylon/fiberglass   |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type  |
| <b>SPROCKET</b>   | RADIO "VISION" sprocket, steel, 25t  |
| <b>DRIVER</b>     | cassette driver, 9t, sealed bearing  |
| <b>FRONT HUB</b>  | SALT "AM" hub, alloy, loose ball, 3/8" s male axle, 36h                                      |
| <b>REAR HUB</b>   | RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h                              |
| <b>FRONT RIM</b>  | SALT "FRACTION" rim, single wall   |
| <b>REAR RIM</b>   | SALT "FRACTION" rim, single wall   |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, fat padded   |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | integrated seat clamp  |
| <b>TIRES</b>      | GMD SALT tires, 2.35", TRACER, front & rear  |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | 11.59kg / 25.55lbs   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 9"    |
| H - BAR WIDTH     | 29.5" |
| I - BAR BACKSWEEP | 12°   |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                       |            |
|-----------------------|------------|
| A - TOP TUBE LENGTH   | 20.5 / 21" |
| B - CHAIN STAY LENGTH | 13.2"      |
| C - HEAD TUBE ANGLE   | 75°        |
| D - SEAT TUBE ANGLE   | 71°        |
| E - BB HEIGHT         | 11.7"      |
| F - SEAT TUBE LENGTH  | 8.6 / 8.9" |



# VALAC 20"

BLACK / WHITE FADE


-CHF 579-

ART.NR. WE21900

RADIO™


## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "VALAC" frame, crmo top tube & down tube, crmo chain stays, 1020 hi-ten, removable brake mounts & guides |
| <b>FORK</b>       | RADIO "PRO" fork, full crmo, crmo steerer, 26mm offset   |
| <b>BARS</b>       | RADIO "PRO" bar, full crmo   |
| <b>GRIPS</b>      | RADIO "AM XL" grips, 160mm   |
| <b>STEM</b>       | SALT "ZION" topload stem, 50mm reach   |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing  |
| <b>GYRO</b>       | holes for removable gyro tabs  |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear  |
| <b>BRAKES</b>     | SALTPLUS "GEO XL" u-brake, alloy, rear   |
| <b>CRANKS</b>     | RADIO "AM" 3pc crank, tubular, crmo, 165mm, 8 spline   |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing  |
| <b>PEDALS</b>     | RADIO "PRO" pedals, nylon/fiberglass   |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type  |
| <b>SPROCKET</b>   | RADIO "VISION" sprocket, steel, 25t  |
| <b>DRIVER</b>     | cassette driver, 9t, sealed bearing  |
| <b>FRONT HUB</b>  | SALT "EX" hub, alloy, sealed, 3/8" axle, 36h, hubguard ready   |
| <b>REAR HUB</b>   | SALT "EX" cassette hub, alloy, sealed, 9t, 14mm axle, 36h, hubguard ready                                      |
| <b>FRONT RIM</b>  | SALTPLUS "BRACE" rim, double wall  |
| <b>REAR RIM</b>   | SALTPLUS "BRACE" rim, double wall  |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, fat padded   |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | integrated seat clamp  |
| <b>TIRES</b>      | GMD SALT tires, 2.35", TRACER, front & rear  |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | tba  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 9"    |
| H - BAR WIDTH     | 29.5" |
| I - BAR BACKSWEEP | 12°   |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                       |        |
|-----------------------|--------|
| A - TOP TUBE LENGTH   | 20.75" |
| B - CHAIN STAY LENGTH | 13.2"  |
| C - HEAD TUBE ANGLE   | 76°    |
| D - SEAT TUBE ANGLE   | 71°    |
| E - BB HEIGHT         | 11.8"  |
| F - SEAT TUBE LENGTH  | 9"     |

# ASTRON 20" FS

CP


-CHF 629-

ART.NR. WE2190P

**RADIO™**


## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "ASTRON" frame, full crmo, removable brake mounts & guides |
| <b>FORK</b>       | RADIO "PRO" fork, full crmo, crmo steerer, 26mm offset           |
| <b>BARS</b>       | RADIO "PRO" bar, full crmo                                       |
| <b>GRIPS</b>      | SALT "EX" grips, flangless, 155mm                                |
| <b>STEM</b>       | SALT "COMP" topload stem, 50mm reach                             |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing                    |
| <b>GYRO</b>       | SALT "AM" rotor with SALT "AM" rotor cables                      |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear                              |
| <b>BRAKES</b>     | SALTPLUS "GEO XL" u-brake, alloy, rear                           |
| <b>CRANKS</b>     | RADIO "AM" 3pc crank, tubular, crmo, 165mm, 8 spline             |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing                    |
| <b>PEDALS</b>     | RADIO "SLIM" pedals, nylon/fiberglass                            |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type  |
| <b>SPROCKET</b>   | RADIO "VISION" sprocket, steel, 25t                              |
| <b>DRIVER</b>     | cassette driver, 9t, sealed bearing                              |
| <b>FRONT HUB</b>  | RADIO "PRO" hub, alloy, sealed, 3/8" axle, 36h                   |
| <b>REAR HUB</b>   | RADIO "PRO" cassette hub, alloy, sealed, 9t, 14mm axle, 36h      |
| <b>FRONT RIM</b>  | SALTPLUS "BRACE" rim, double wall                                |
| <b>REAR RIM</b>   | SALTPLUS "BRACE" rim, double wall                                |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, slim padded                          |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | integrated seat clamp  |
| <b>TIRES</b>      | GMD SALT tires, 2.3", STING, front & rear                        |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | tba  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 9"    |
| H - BAR WIDTH     | 29.5" |
| I - BAR BACKSWEEP | 12°   |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                       |       |
|-----------------------|-------|
| A - TOP TUBE LENGTH   | 20.6" |
| B - CHAIN STAY LENGTH | 13.2" |
| C - HEAD TUBE ANGLE   | 76°   |
| D - SEAT TUBE ANGLE   | 71°   |
| E - BB HEIGHT         | 11.6" |
| F - SEAT TUBE LENGTH  | 7.5"  |

# COMRAD 20"

MATT BLACK


-CHF 779-

ART.NR. WE2190Q

**RADIO™**


## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | RADIO "COMRAD" frame, full crmo, removable brake mounts & guides |
| <b>FORK</b>       | RADIO "PRO" fork, full crmo, crmo steerer, 26mm offset           |
| <b>BARS</b>       | SALTPLUS "HQ" bar, full crmo, 4pc                                |
| <b>GRIPS</b>      | RADIO "FREQUENCY XL" grips, flangeless, 160mm                    |
| <b>STEM</b>       | RADIO "AXIS" topload stem, 50mm reach                            |
| <b>HEADSET</b>    | SALT "PRO" integrated headset, sealed bearing                    |
| <b>GYRO</b>       | holes for removable gyro tabs                                    |
| <b>LEVER</b>      | RADIO "AM" brake lever, alloy, rear                              |
| <b>BRAKES</b>     | SALTPLUS "GEO XL" u-brake, alloy, rear                           |
| <b>CRANKS</b>     | RADIO "PRO" 3pc crank, tubular, crmo, 165mm, 8 spline            |
| <b>BB</b>         | RADIO "MID" bb set, press fit, sealed bearing                    |
| <b>PEDALS</b>     | RADIO "PRO" pedals, nylon/fiberglass                             |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type  |
| <b>SPROCKET</b>   | RADIO "47" sprocket guard, Leon Hoppe                            |
| <b>DRIVER</b>     | Signature, 6061-T6 alloy, 25T freecoaster driver, 9t, RSD        |
| <b>FRONT HUB</b>  | SALT "EX" hub, alloy, sealed, 3/8" s female axle, 36h,           |
| <b>REAR HUB</b>   | SALTPLUS "VERTEX" freecoaster hub, alloy, 9t, 14mm, 36h          |
| <b>HUBGUARDS</b>  | SALTPLUS "PRO" Nylon hubguards front & rear                      |
| <b>FRONT RIM</b>  | SALTPLUS "BRACE" rim, double wall                                |
| <b>REAR RIM</b>   | SALTPLUS "BRACE" rim, double wall                                |
| <b>SEAT</b>       | RADIO "CENTURY" combo seat, fat padded                           |
| <b>SEAT POST</b>  | -  |
| <b>SEAT CLAMP</b> | integrated seat clamp  |
| <b>TIRES</b>      | GMD SALT tires, 2.35", TRACER, front & rear                      |
| <b>PEGS</b>       | -  |
| <b>WEIGHT</b>     | tba  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 9"    |
| H - BAR WIDTH     | 29.1" |
| I - BAR BACKSWEEP | 11°   |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY

|                       |       |
|-----------------------|-------|
| A - TOP TUBE LENGTH   | 21"   |
| B - CHAIN STAY LENGTH | 13.2" |
| C - HEAD TUBE ANGLE   | 75.5° |
| D - SEAT TUBE ANGLE   | 71°   |
| E - BB HEIGHT         | 11.7" |
| F - SEAT TUBE LENGTH  | 9.25" |

# FIEND 26"

CANDY BLUE

-CHF 799-


ART.NR. WE2190R

RADIO™




## SPECS

|            |  |
|------------|--|
| FRAME      | RADIO "FIEND" frame, 6061-T6 alloy, tapered head tube          |
| FORK       | RST "OMEGA T26" fork, 100mm travel                             |
| BARS       | RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm                       |
| GRIPS      | RADIO "FREQUENCY XL" grips, flangeless, 160mm                  |
| STEM       | RADIO "DJ" frontload stem, alloy, 40mm reach                   |
| HEADSET    | FSA "NO.57E" integrated A-headset, 1-1/8"-1.5"                 |
| GYRO       | -  |
| LEVER      | TEKTRO "RS-360A" lever, front & rear                           |
| BRAKES     | TEKTRO "ARIES" mechanical disc brake, 160mm rotor, F & R       |
| CRANKS     | RADIO "PRO" 2pc crank, forged alloy, 170mm, 24mm spindle       |
| BB         | RADIO "BSA24" bb set, sealed bearing                           |
| PEDALS     | RADIO "SLIM" pedals, nylon/fiberglass                          |
| CHAIN      | KMC "X8" chain   |
| SPROCKET   | RADIO "AM" sprocket, steel, 32t                                |
| DRIVER     | SUN RACE 12-32t, 8 speed                                       |
| FRONT HUB  | RADIO "AM-DJ" disc hub, alloy, sealed, 3/8"s male axle, 32h    |
| REAR HUB   | RADIO "AM-DJ" disc cassette hub, alloy, sealed, 3/8" axle, 32h |
| FRONT RIM  | RADIO "DB30" rim, double wall                                  |
| REAR RIM   | RADIO "DB30" rim, double wall                                  |
| SEAT       | RADIO "DJ" railed seat   |
| SEAT POST  | RADIO "SP53" seat post, micro-adjust, alloy, 300mm             |
| SEAT CLAMP | RADIO "QUICK RELEASE" seat clamp, alloy                        |
| TIRES      | GMD RADIO/BOMBTRACK tires, 2.3", HELIX, front & rear           |
| PEGS       | -  |
| WEIGHT     | tba  |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 50MM  |
| H - BAR WIDTH     | 740MM |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY

|                       |           |
|-----------------------|-----------|
| A - TOP TUBE LENGTH   | 22.3"     |
| B - CHAIN STAY LENGTH | 15.8"     |
| C - HEAD TUBE ANGLE   | 70°       |
| D - SEAT TUBE ANGLE   | 75°       |
| E - BB HEIGHT         | 25MM DROP |
| F - SEAT TUBE LENGTH  | 11"       |

# GRIFFIN 26"

COBALT GREEN

-CHF 999-


ART.NR. WE2190S

**RADIO™**




## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "GRIFFIN" frame, 6061-T6 alloy, tapered head tube, forged yoke  |
| <b>FORK</b>       | RST "DIRT RA" fork, 100mm travel  |
| <b>BARS</b>       | RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm  |
| <b>GRIPS</b>      | RADIO "FREQUENCY XL" grips, flangeless, 160mm   |
| <b>STEM</b>       | RADIO "ZOOM" frontload stem, alloy, 40mm reach  |
| <b>HEADSET</b>    | FSA "NO.42/ACB-A" integrated A-headset, 1-1/8"-1.5"   |
| <b>GYRO</b>       | -   |
| <b>LEVER</b>      | TEKTRO "RS-360A" front / TEKTRO "HD-M275" rear  |
| <b>BRAKES</b>     | TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front / TEKTRO "HD-M275" hydraulic disc brake, 160mm rotor, rear |
| <b>CRANKS</b>     | SALTPLUS "ULTRA" 3pc crank, TSS, crmo, 170mm, 8 spline  |
| <b>BB</b>         | RADIO "BSA19" bb set, sealed bearing  |
| <b>PEDALS</b>     | RADIO "SLIM" pedals, nylon/fiberglass   |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type   |
| <b>SPROCKET</b>   | SALT "GATEWAY" sprocket, alloy, 25t   |
| <b>DRIVER</b>     | cassette driver, 10t, sealed bearing  |
| <b>FRONT HUB</b>  | RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s male axle, 32h  |
| <b>REAR HUB</b>   | RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h  |
| <b>FRONT RIM</b>  | RADIO "DB32" rim, double wall   |
| <b>REAR RIM</b>   | RADIO "DB32" rim, double wall   |
| <b>SEAT</b>       | RADIO "DJ" combo seat, medium padded  |
| <b>SEAT POST</b>  | -   |
| <b>SEAT CLAMP</b> | RADIO "QUICK RELEASE" seat clamp, alloy   |
| <b>TIRES</b>      | MAXXIS "DTH" tires, 2.3", front & rear  |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | tba   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 50MM  |
| H - BAR WIDTH     | 760MM |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY

|                       |           |
|-----------------------|-----------|
| A - TOP TUBE LENGTH   | 22.6"     |
| B - CHAIN STAY LENGTH | 15"       |
| C - HEAD TUBE ANGLE   | 69°       |
| D - SEAT TUBE ANGLE   | 72°       |
| E - BB HEIGHT         | 20MM DROP |
| F - SEAT TUBE LENGTH  | 11"       |

# GRIFFIN PRO 26"

MATT BLACK

-CHF 1399-


ART.NR. WE2190T

**RADIO™**

## SPECS




|                   |   |
|-------------------|---|
| <b>FRAME</b>      | RADIO "GRIFFIN PRO" frame, 6061-T6 hydroformed & butted alloy, tapered head tube, forged yoke                       |
| <b>FORK</b>       | MANITOU "CIRCUS EXPERT" fork, 100mm travel  |
| <b>BARS</b>       | RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm  |
| <b>GRIPS</b>      | RADIO "FREQUENCY XL" grips, flangeless, 160mm   |
| <b>STEM</b>       | RACE FACE "CHESTER 35" frontload stem, alloy, 40mm reach  |
| <b>HEADSET</b>    | FSA "NO.42/ACB-A" integrated A-headset, 1-1/8"-1.5"   |
| <b>GYRO</b>       | -   |
| <b>LEVER</b>      | TEKTRO "RS-360A" front / SRAM "DB-LVL-A1" rear  |
| <b>BRAKES</b>     | TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front / SRAM "DB-LVL-A1" hydraulic disc brake, 160mm rotor, rear |
| <b>CRANKS</b>     | RACE FACE "AEFFECT" crank, alloy, 170mm   |
| <b>BB</b>         | RACE FACE "AEFFECT" BSA bb set, sealed bearing  |
| <b>PEDALS</b>     | RADIO "SLIM" pedals, nylon/fiberglass   |
| <b>CHAIN</b>      | SALT "AM" chain, WZ1 type   |
| <b>SPROCKET</b>   | RACE FACE "AEFFECT" sprocket, alloy, 28t  |
| <b>DRIVER</b>     | cassette driver, 10t, sealed bearing  |
| <b>FRONT HUB</b>  | RADIO "PRO-DJ" disc hub, alloy, sealed, 15mm alloy TA, 32h  |
| <b>REAR HUB</b>   | RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h  |
| <b>FRONT RIM</b>  | RADIO "DB-T25" rim, double wall, sleeved  |
| <b>REAR RIM</b>   | RADIO "DB-T25" rim, double wall, sleeved  |
| <b>SEAT</b>       | RADIO "CENTURY" pivotal seat, fat padded  |
| <b>SEAT POST</b>  | RADIO "PIVOTAL" seat post, alloy  |
| <b>SEAT CLAMP</b> | RADIO "SLIM" seat clamp, alloy  |
| <b>TIRES</b>      | MAXXIS "DTH" tires, 2.3", front & rear  |
| <b>PEGS</b>       | -   |
| <b>WEIGHT</b>     | tba   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 50MM  |
| H - BAR WIDTH     | 760MM |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 3°    |



### FRAME GEOMETRY

|                       |           |
|-----------------------|-----------|
| A - TOP TUBE LENGTH   | 22.8"     |
| B - CHAIN STAY LENGTH | 15"       |
| C - HEAD TUBE ANGLE   | 70°       |
| D - SEAT TUBE ANGLE   | 70°       |
| E - BB HEIGHT         | 14MM DROP |
| F - SEAT TUBE LENGTH  | 10.2"     |



**RADIC**<sup>TM</sup>  
R A C E L I N E

RACING

## 'RADIO RACELINE'

Combines over 20 years of experience of creating BMX bikes together with input from some of the world's best racers and industry players to create a revolutionary and all-encompassing line up of bikes built to take you to the finish line, unlike anything else.

Tested on the track and designed in conjunction with a team with BMX race knowledge spanning 3 decades, RADIO RACELINE enters the market with an incredibly well thought out and powerful line of pure bred race machines.



# XENON MINI

BLACK / SILVER

-CHF 729-


ART.NR. WE1988U

**RADIO**  
R A C E L I N E




## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | 6061 T6 alloy, forged dropouts with int. chain tensioner       |
| <b>FORK</b>       | full crmo, 1" butted steerer tube                              |
| <b>BARS</b>       | 6061 T6 alloy  |
| <b>GRIPS</b>      | RADIO, diamond knurling, closed end, 115mm length              |
| <b>STEM</b>       | RADIO, Cobalt toploader, ext. 40mm, alloy                      |
| <b>HEADSET</b>    | Tange, int. headset, sealed, threadless, 1"                    |
| <b>LEVER</b>      | rear, Promax, XL-378   |
| <b>BRAKES</b>     | rear, Promax, MV-85  |
| <b>CRANKS</b>     | RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 145mm length |
| <b>BB</b>         | RADIO, BSA square taper, sealed                                |
| <b>PEDALS</b>     | RADIO, Xenon pedal, slim profile, alloy, crmo axle             |
| <b>CHAIN</b>      | KMC, Z33, 1/2" - 3/32"   |
| <b>SPROCKET</b>   | RADIO, 38T, alloy  |
| <b>DRIVER</b>     | RADIO, 16T cog, 1/2" - 3/32", sealed driver                    |
| <b>FRONT HUB</b>  | RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle      |
| <b>REAR HUB</b>   | RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette       |
| <b>RIMS</b>       | Alienation, Ankle Biter, 28H, alloy                            |
| <b>SEAT</b>       | RADIO, Mini, combo seat  |
| <b>SEAT POST</b>  | RADIO, 22.2mm alloy seatpost                                   |
| <b>SEAT CLAMP</b> | RADIO, seat clamp, forged, alloy                               |
| <b>TIRES</b>      | Tioga, Power-Block, 20" x 1-1/8"                               |
| <b>WEIGHT</b>     | 7,10 kg - 15.65lbs   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 2.25" |
| H - BAR WIDTH     | 21"   |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                     |       |
|---------------------|-------|
| A - TOP TUBE LENGTH | 17.5" |
| B - CHAIN STAY      | 13.1" |
| C - HEAD TUBE ANGLE | 72°   |
| D - SEAT TUBE ANGLE | 70°   |
| E - BB HEIGHT       | 10.6" |

# XENON JUNIOR

BLACK / SILVER

-CHF 759-


ART.NR. WE1988V

**RADIO**  
R A C E L I N E




## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | 6061 T6 alloy, forged dropouts with int. chain tensioner       |
| <b>FORK</b>       | full crmo, 1" butted steerer tube                              |
| <b>BARS</b>       | 6061 T6 alloy  |
| <b>GRIPS</b>      | RADIO, diamond knurling, closed end, 130mm length              |
| <b>STEM</b>       | RADIO, Cobalt toploader, ext. 40mm, alloy                      |
| <b>HEADSET</b>    | Tange, int. headset, sealed, threadless, 1"                    |
| <b>LEVER</b>      | rear, Promax, XL-378   |
| <b>BRAKES</b>     | rear, Promax, MV-85  |
| <b>CRANKS</b>     | RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 155mm length |
| <b>BB</b>         | RADIO, BSA square taper, sealed                                |
| <b>PEDALS</b>     | RADIO, Xenon pedal, slim profile, alloy, crmo axle             |
| <b>CHAIN</b>      | KMC, Z33, 1/2" - 3/32"   |
| <b>SPROCKET</b>   | RADIO, 38T, alloy  |
| <b>DRIVER</b>     | RADIO, 14T cog, 1/2" - 3/32", sealed driver                    |
| <b>FRONT HUB</b>  | RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle      |
| <b>REAR HUB</b>   | RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette       |
| <b>RIMS</b>       | Alienation, Ankle Biter, 28H, alloy                            |
| <b>SEAT</b>       | RADIO, Mini, combo seat  |
| <b>SEAT POST</b>  | RADIO, 22.2mm alloy seatpost                                   |
| <b>SEAT CLAMP</b> | RADIO, seat clamp, forged, alloy                               |
| <b>TIRES</b>      | Tioga, Power-Block, 20" x 1-1/8"                               |
| <b>WEIGHT</b>     | 7,25 kg - 15.98lbs   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 4.25" |
| H - BAR WIDTH     | 22.8" |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY

|                     |        |
|---------------------|--------|
| A - TOP TUBE LENGTH | 18.5"  |
| B - CHAIN STAY      | 12.85" |
| C - HEAD TUBE ANGLE | 73°    |
| D - SEAT TUBE ANGLE | 71°    |
| E - BB HEIGHT       | 10.6"  |

# XENON EXPERT

BLACK / SILVER

-CHF 799-


ART.NR. WE1988W

**RADIO**  
R A C E L I N E




## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | 6061 T6 alloy, forged dropouts with int. chain tensioner       |
| <b>FORK</b>       | full crmo, 1-1/8" butted steerer tube                          |
| <b>BARS</b>       | 6061 T6 alloy  |
| <b>GRIPS</b>      | RADIO, zigzag tread, open end, rubber plug incl., 145mm length |
| <b>STEM</b>       | RADIO, Cobalt toploader, ext. 50mm, alloy                      |
| <b>HEADSET</b>    | FSA, Pro, int. headset, sealed, threadless, 1-1/8"             |
| <b>LEVER</b>      | rear, Promax, XL-378   |
| <b>BRAKES</b>     | rear, Promax, MV-85  |
| <b>CRANKS</b>     | RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length |
| <b>BB</b>         | RADIO, BSA square taper, sealed                                |
| <b>PEDALS</b>     | RADIO, Xenon pedal, slim profile, alloy, crmo axle             |
| <b>CHAIN</b>      | KMC, Z33, 1/2" - 3/32"   |
| <b>SPROCKET</b>   | RADIO, 39T, alloy  |
| <b>DRIVER</b>     | RADIO, 15T cog, 1/2" - 3/32", sealed driver                    |
| <b>FRONT HUB</b>  | RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle      |
| <b>REAR HUB</b>   | RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette       |
| <b>RIMS</b>       | Alienation, Ankle Biter, 28H, alloy                            |
| <b>SEAT</b>       | RADIO, pivotal, no padding                                     |
| <b>SEAT POST</b>  | RADIO, 26.8mm, pivotal alloy                                   |
| <b>SEAT CLAMP</b> | RADIO, Xenon seat clamp, quick-release, alloy                  |
| <b>TIRES</b>      | Tioga, Power-Block, 20" x 1-3/8"                               |
| <b>WEIGHT</b>     | 7,88 kg - 17.37lbs   |



### BAR GEOMETRY

|                   |       |
|-------------------|-------|
| G - BAR RISE      | 5.75" |
| H - BAR WIDTH     | 24.4" |
| I - BAR BACKSWEEP | 8°    |
| J - BAR UPSWEEP   | 2°    |



### FRAME GEOMETRY


|                     |       |
|---------------------|-------|
| A - TOP TUBE LENGTH | 19.5" |
| B - CHAIN STAY      | 13.6" |
| C - HEAD TUBE ANGLE | 73°   |
| D - SEAT TUBE ANGLE | 71°   |
| E - BB HEIGHT       | 11"   |

# XENON PRO

BLACK / WHITE


-CHF 899-

ART.NR. WE1988X



## BAR GEOMETRY

|                   |        |
|-------------------|--------|
| G - BAR RISE      | 7.5"   |
| H - BAR WIDTH     | 26.75" |
| I - BAR BACKSWEEP | 11°    |
| J - BAR UPSWEEP   | 3.5°   |



## FRAME GEOMETRY

|                     |        |
|---------------------|--------|
| A - TOP TUBE LENGTH | 20.75" |
| B - CHAIN STAY      | 14.3"  |
| C - HEAD TUBE ANGLE | 74°    |
| D - SEAT TUBE ANGLE | 72°    |
| E - BB HEIGHT       | 11.5"  |

**RADIO**  
R A C E L I N E

## SPECS

|                   |  |
|-------------------|--|
| <b>FRAME</b>      | 6061 T6 alloy, forged dropouts with int. chain tensioner   |
| <b>FORK</b>       | full crmo, 1-1/8" butted steerer tube  |
| <b>BARS</b>       | 4130 seamless crmo   |
| <b>GRIPS</b>      | RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length                                       |
| <b>STEM</b>       | RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy                                     |
| <b>HEADSET</b>    | FSA, Pro, int. headset, sealed, threadless, 1-1/8"   |
| <b>LEVER</b>      | rear, Promax, XL-378   |
| <b>BRAKES</b>     | rear, Promax, MV-88  |
| <b>CRANKS</b>     | RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy, 175mm length, 24mm spindle                        |
| <b>BB</b>         | RADIO, BSA24, alloy, cnc external bearing cups, sealed   |
| <b>PEDALS</b>     | RADIO, Xenon pedal, slim profile, alloy, crmo axle   |
| <b>CHAIN</b>      | KMC, Z33, 1/2" - 3/32"   |
| <b>SPROCKET</b>   | RADIO, Xenon Pro sprocket, 44T, alloy  |
| <b>DRIVER</b>     | RADIO, 16T cog, 1/2" - 3/32", sealed driver  |
| <b>FRONT HUB</b>  | RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T                |
| <b>REAR HUB</b>   | RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T                  |
| <b>RIMS</b>       | front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy               |
| <b>SEAT</b>       | RADIO, pivotal, no padding   |
| <b>SEAT POST</b>  | RADIO, pivotal, no padding   |
| <b>SEAT CLAMP</b> | RADIO, 26.8mm, pivotal alloy   |
| <b>TIRES</b>      | RADIO, Xenon seat clamp, quick-release, alloy<br>Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6" |
| <b>WEIGHT</b>     | 9,05 kg - 19.95lbs   |

# XENON PRO XL

BLACK / WHITE

-CHF 899-


ART.NR. WE1988Y

**RADIO**  
R A C E L I N E




## SPECS

|                   |   |
|-------------------|---|
| <b>FRAME</b>      | 6061 T6 alloy, forged dropouts with int. chain tensioner  |
| <b>FORK</b>       | full crmo, 1-1/8" butted steerer tube   |
| <b>BARS</b>       | 4130 seamless crmo  |
| <b>GRIPS</b>      | RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length  |
| <b>STEM</b>       | RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy  |
| <b>HEADSET</b>    | FSA, Pro, int. headset, sealed, threadless, 1-1/8"  |
| <b>LEVER</b>      | rear, Promax, XL-378  |
| <b>BRAKES</b>     | rear, Promax, MV-88   |
| <b>CRANKS</b>     | RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy, 175mm length, 24mm spindle   |
| <b>BB</b>         | RADIO, BSA24, alloy, cnc external bearing cups, sealed  |
| <b>PEDALS</b>     | RADIO, Xenon pedal, slim profile, alloy, crmo axle  |
| <b>CHAIN</b>      | KMC, Z33, 1/2" - 3/32"  |
| <b>SPROCKET</b>   | RADIO, Xenon Pro sprocket, 44T, alloy   |
| <b>DRIVER</b>     | RADIO, 16T cog, 1/2" - 3/32", sealed driver   |
| <b>FRONT HUB</b>  | RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T   |
| <b>REAR HUB</b>   | RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T<br>front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy |
| <b>RIMS</b>       |   |
| <b>SEAT</b>       | RADIO, pivotal, no padding  |
| <b>SEAT POST</b>  | RADIO, 26.8mm, pivotal alloy  |
| <b>SEAT CLAMP</b> | RADIO, Xenon seat clamp, quick-release, alloy   |
| <b>TIRES</b>      | Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"   |
| <b>WEIGHT</b>     | 9,05 kg - 19.95lbs  |



### BAR GEOMETRY

|                   |        |
|-------------------|--------|
| G - BAR RISE      | 7.5"   |
| H - BAR WIDTH     | 26.75" |
| I - BAR BACKSWEEP | 11°    |
| J - BAR UPSWEEP   | 3.5°   |



### FRAME GEOMETRY

|                     |        |
|---------------------|--------|
| A - TOP TUBE LENGTH | 20.75" |
| B - CHAIN STAY      | 14.3"  |
| C - HEAD TUBE ANGLE | 74°    |
| D - SEAT TUBE ANGLE | 72°    |
| E - BB HEIGHT       | 11.5"  |

# HELIUM CRUISER 24"

BLACK

-CHF 949-


ART.NR. WE1988Z

**RADIO**  
R A C E L I N E




## SPECS

|            |   |
|------------|---|
| FRAME      | 6061 T6 alloy, forged dropouts with int. chain tensioner  |
| FORK       | full crmo, 1-1/8" butted steerer tube   |
| BARS       | 4130 seamless crmo  |
| GRIPS      | RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length  |
| STEM       | RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy  |
| HEADSET    | FSA, Pro, int. headset, sealed, threadless, 1-1/8"  |
| LEVER      | rear, Promax, XL-378  |
| BRAKES     | rear, Promax, MV-88   |
| CRANKS     | RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy, 175mm length, 24mm spindle   |
| BB         | RADIO, BSA24, alloy, cnc external bearing cups, sealed  |
| PEDALS     | RADIO, Xenon pedal, slim profile, alloy, crmo axle  |
| CHAIN      | KMC, Z33, 1/2" - 3/32"  |
| SPROCKET   | RADIO, Xenon Pro sprocket, 44T, alloy   |
| DRIVER     | RADIO, 16T cog, 1/2" - 3/32", sealed driver   |
| FRONT HUB  | RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T   |
| REAR HUB   | RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T<br>front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, |
| RIMS       | 36H, double wall, alloy   |
| SEAT       | RADIO, pivotal, no padding  |
| SEAT POST  | RADIO, 26.8mm, pivotal alloy  |
| SEAT CLAMP | RADIO, Xenon seat clamp, quick-release, alloy   |
| TIRES      | Tiaga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"   |
| WEIGHT     | 9,05 kg - 19.95lbs  |



### BAR GEOMETRY

|                   |        |
|-------------------|--------|
| G - BAR RISE      | 7.5"   |
| H - BAR WIDTH     | 26.75" |
| I - BAR BACKSWEEP | 11°    |
| J - BAR UPSWEEP   | 3.5°   |



### FRAME GEOMETRY

|                     |        |
|---------------------|--------|
| A - TOP TUBE LENGTH | 20.75" |
| B - CHAIN STAY      | 14.3"  |
| C - HEAD TUBE ANGLE | 74°    |
| D - SEAT TUBE ANGLE | 72°    |
| E - BB HEIGHT       | 11.5"  |



**amster**  
bikes & parts

[WWW.RADIOBIKES.COM](http://WWW.RADIOBIKES.COM) / [WWW.WETHEPEOPLEBMX.DE](http://WWW.WETHEPEOPLEBMX.DE)

WE MAKE THINGS GmbH • Richard-Byrd-Str. 12 • D-50829 Cologne

tel: +49-221.500.57-20 • fax: +49 221 5000 57-29