



amster
bikes & parts

3

*Part
of your
Ride*





3



*Part
of your
Ride*

Strike Duo Series - High-Lights and Features

Powerful Double LED front light with oval beam for road and / or trail use

NEW

AKKU STAND ANZEIGE

Ab 10 % Restkapazität beginnt der On/Off Button als Warnung zu blinken.

"SECRET" MODE HIGH-LOW

Halten Sie den On/Off Button 5s gedrückt, um zwischen dem 7-Modi-Loop auf den 2-Modi Loop High-Low zu wechseln, so kann bei Gegenverkehr schnell in den Low-Modus geschaltet werden.

IPX7 / WASSERSCHUTZ

Schützt vor Schäden nach kurzzeitigen Untertauchen (max. 1m Wassertiefe / max. 30min.)

DUAL LITHIUM ION ACCU

BBB's Wahl zu hochwertigen Akkus bietet gegenüber Mitbewerberprodukten deutliche Vorteile.

Höhere Lichtleistung (Helligkeit) über ca. 80% der Leuchtdauer und generell längere Leuchtdauer. Integrierter Überhitzungs- und Überladeschutz.

SEITLICHE SICHTBARKEIT

Um die Sicherheit zu erhöhen bieten viele BBB Lichter eine sehr gute seitliche Sichtbarkeit mit einem Winkel über 180°.

ROBUSTES ALU GEHÄUSE

Das Gehäuse besteht aus einem einteiligen Aluminiumprofil, das für eine optimale Wärmeableitung sorgt und sehr langlebig ist.

HEAVY DUTY BEFESTIGUNG

Sicherer, stabiler Halter mit Silicon Spannband. Kompatibel für Standard- oder Aerolenker (Ø22-52mm).



DUO LED / OVALER LICHTKEGEL

Zwei hochwertige LED's mit präziser Optik bieten gefühlt helleres Licht als die angegebenen Lumen und einen sauberen, klaren und gebündeltes Licht. Der ovale Lichtkegel dient zur optimalen Trail Ausleuchtung mit weniger Beeinträchtigung des Gegenverkehrs.



BEHALTE DIE KONTROLLE

Bediene das Licht ohne den Lenker loszulassen. Alle Strike Duo-Modelle sind mit der Fernbedienung kompatibel.

(im Lieferumfang von BLS-173, -174, -175, bereits enthalten)

SCHNELL - AUFLADUNG

Kurze Ladezeit bei Verwendung eines 2A-Netzsteckers



BLS-175 StrikeDuo 1600, Combo



H8274D

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

Set, vorne StrikeDuo 1600 Lumen BLS-172, hinten Signal BLS-137
Kit, avant StrikeDuo 1600 Lumen BLS-172, arrière Signal BLS-137

149.90

StrikeDuo BLS-172

Output / Runtime: 1600 Lumen / 84 Lux (2h), 50 Lumen / 2 Lux (65h), Dayflash 160h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 5200 mAh
Charge time / port: 4:00 hours (2A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 110 x 43 x 30mm / 214 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

Signal BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Dayflash 31h
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / USB-C

Modes steady: Low, Standard, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
Fixation: Ø 5-42mm aero compatible
Diverse: On/Off button flashes at 10% accu capacity

BLS-174 StrikeDuo 1200, Combo



H8274E

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

Set, vorne StrikeDuo 1200 Lumen BLS-171, hinten Signal BLS-137
Kit, avant StrikeDuo 1200 Lumen BLS-171, arrière Signal BLS-137

119.90

StrikeDuo BLS-171

Output / Runtime: 1200 Lumen (1:45h), 50 Lumen (40h), Dayflash 100h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 3200 mAh
Charge time / port: 2:30 hours (1.5A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 95 x 43 x 30mm / 185 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

Signal BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Dayflash 31h
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / USB-C

Modes steady: Low, Standard, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
Fixation: Ø 5-42mm aero compatible
Diverse: On/Off button flashes at 10% accu capacity

BLS-179 StrikeDuo Remote



H8274F

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

Kompatibel mit Frontlicht StrikeDuo BLS-171, BLS-172, BLS-173
Compatible avec l'éclairage StrikeDuo BLS-171, BLS-172, BLS-173

13.90

StrikeDuo BLS-179

length: 30 cm
fixation: Mount your light everywhere on your bike.

BLS-173 StrikeDuo 2000



H8274A

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

Frontlicht StrikeDuo 2000 Lumen, Akku/USB-C, inkl. Remote, schwarz 139.90
Éclairage avant StrikeDuo 2000 Lumen, accu/USB-C, télécommande incl. noir

StrikeDuo BLS-173

Output / Runtime: 2000 Lumen / 110 Lux (2h), 50 Lumen / 3 Lux (80h), Dayflash 200h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 6700 mAh
Charge time / port: 4:30 hours (2A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 110 x 43 x 30mm / 218 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, remote, On/Off button flashes at 10% accu capacity

BLS-172 StrikeDuo 1600



H8274B

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

Frontlicht StrikeDuo 1600 Lumen mit USB-Akku, schwarz 119.90
Éclairage avant StrikeDuo 1600 Lumen avec accu-USB, noir

StrikeDuo BLS-172

Output / Runtime: 1600 Lumen / 84 Lux (2h), 50 Lumen / 2 Lux (65h), Dayflash 160h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 5200 mAh
Charge time / port: 4:00 hours (2A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 110 x 43 x 30mm / 214 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, On/Off button flashes at 10% accu capacity

BLS-171 StrikeDuo 1200



H8274C

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021


Frontlicht StrikeDuo 1200 Lumen mit USB-Akku, schwarz 89.90
Éclairage avant StrikeDuo 1200 Lumen avec accu-USB, noir

StrikeDuo BLS-171

Output / Runtime: 1200 Lumen (1:45h), 50 Lumen (40h), Dayflash 100h
Light Type: Dual LED with oval beam (1:1.5)
Battery: Dual Lithium Ion 3200 mAh
Charge time / port: 2:30 hours (1.5A) / USB-C

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 95 x 43 x 30mm / 185 grams
Fixation: HeavyDuty silicon strap Ø 22-52mm (BLS-194)
Diverse: Alu-Case, On/Off button flashes at 10% accu capacity



BLS-132 Strike 1000 Lumen*



H8266D

Frontlicht Strike 1000 Lumen mit USB-Akku, schwarz
Éclairage avant Strike 1000 Lumen avec accu-USB, noir

87.00

Strike BLS-132

Output / Runtime: 1000 Lumen / 69 Lux (1:30h), 15 Lumen / (60h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 300mAh

Charge time / port: 3:45 hours (2A) / Micro USB

Modes steady: City, Low, Standard, High, Boost (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 112 x 37 x 38mm / 130 grams

Fixation: Ø 5-52mm aero compatible

BLS-132 Strike 1000 Lumen*



H8251M

Frontlicht Strike 1000 Lumen mit USB-Akku, schwarz-silber
Éclairage avant Strike 1000 Lumen avec accu-USB, noir-argent

87.00

Strike BLS-132

Output / Runtime: 1000 Lumen / 69 Lux (1:30h), 15 Lumen / (60h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 300mAh

Charge time / port: 3:45 hours (2A) / Micro USB

Modes steady: City, Low, Standard, High, Boost (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 112 x 37 x 38mm / 130 grams

Fixation: Ø 5-52mm aero compatible

BLS-131 Strike 500 Lumen*



H8251L

Frontlicht Strike 500 Lumen mit USB-Akku, schwarz-silber
Éclairage avant Strike 500 Lumen avec accu-USB, noir-argent

65.00

Strike BLS-131

Output / Runtime: 500 Lumen / 66 Lux (1:30h), 15 Lumen / (60h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 300mAh

Charge time / port: 3:45 hours (2A) / Micro USB

Modes steady: City, Low, Standard, High, Boost (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Size / Weight: 112 x 37 x 38mm / 130 grams

Fixation: Ø 5-52mm aero compatible

BLS-161 NanoStrike 600 Lumen



H8265U

Frontlicht Strike 600 Lumen mit USB-Akku, schwarz
Éclairage avant Strike 600 Lumen avec accu-USB, noir

55.00

NanoStrike BLS-161

Output / Runtime: 600 Lumen / 50 Lux (1:30h), 15 Lumen / (80h)

Light Type: LED with round beam (1:1)

Battery: USB rechargeable Lithium Polymer, 2000mAh

Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, Low, City (saves last mode)

Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 95 grams

Fixation: BLS-192, for Ø 22-52mm and is aerobar compatible.

BLS-165 NanoStrike 600 Combo



H8265W

Set vorne NanoStrike 600 Lumen BLS-161, hinten Signal BLS-137
Kit avant NanoStrike 600 Lumen BLS-161, arrière Signal BLS-137

85.00

NanoStrike BLS-161

Output / Runtime: 600 Lumen / 50 Lux (1:30h), 15 Lumen / (80h)
Light Type: LED with round beam (1:1)
Battery: USB rechargeable Lithium Polymer, 2000mAh
Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, Low, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 95 grams
Fixation: BLS-192, for Ø 22-52mm and is aerobar compatible.

Signal BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (31h)
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
Fixation: Ø 5-42mm aero compatible
Diverse: On/Off button flashes at 10% accu capacity

BLS-164 NanoStrike 400 Combo



H8265V

Set vorne NanoStrike 400 Lumen BLS-130, hinten Signal BLS-152
Kit avant NanoStrike 400 Lumen BLS-130, arrière Signal BLS-152

64.00

NanoStrike BLS-130

Output / Runtime: 400 Lumen / 31 Lux (2h), 15 Lumen / 1.5 Lux (48h)
Light Type: LED with round beam (1:1)
Battery: USB rechargeable Lithium Polymer, 1050mAh
Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 65 grams
Fixation: BLS-192, for Ø 22-52mm and is aerobar compatible.

Spark BLS-152

Output / Runtime: 10 Lumen / 1.4 Lux (3h), 3 Lumen / 0.5 Lux (28h)
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 23 grams
Fixation: Ø 5-42mm aero compatible

BLS-130 NanoStrike 400 Lumen



H8266C

Frontlicht Strike 400 Lumen mit USB-Akku, schwarz
Éclairage avant Strike 400 Lumen avec accu-USB, noir

45.00

NanoStrike BLS-130

Output / Runtime: 400 Lumen / 31 Lux (2h), 15 Lumen / 1.5 Lux (48h)
Light Type: LED with round beam (1:1)
Battery: USB rechargeable Lithium Polymer, 1050mAh
Charge time / port: 3:30 hours (1.5A) / Micro USB

Modes steady: Boost, High, Standard, City (saves last mode)
Modes flash: Day Flash and Flash » double-click (saves last mode)

Weight: 65 grams
Fixation: BLS-192, for Ø 22-52mm and is aerobar compatible.

3

*Part
of your
Ride*



Signal Brake - High-Lights and Features

Intelligent LED rear light with brake and parking function

NEW

LED ANZEIGE INFORMATION

BLAUE LED: als Batterie- und Ladeanzeige
GRÜNE LED: wenn die Bremsfunktion eingeschaltet ist oder sich die Lampe im "Standby-Modus" befindet.

UNGLAUBLICHE SICHTBARKEIT

Die große Fläche der COB-LED-Leuchte sorgt für optimale Sichtbarkeit von vorne und seitlichem Winkel von über 180°.

HERVORRAGENDE SICHTBARKEIT AM TAG

Diese Leuchte hat ein Blitzlicht mit hellen 50 Lumen damit Sie auch tagsüber im Straßenverkehr auffallen.

UNIVERSAL

Die Leuchte wird mit einer Halterung geliefert, die an runden und Aero-Sattelstützen (Ø5-42mm) montiert werden kann.

PARK MODUS

Wenn sich das Licht nicht bewegt, schaltet es automatisch in den "Parkmodus":

- nach 1 min. = Das Licht dimmt
- nach 3 min. = Standby-Modus
- nach 60 min. = AUS

BREMS-LICHT TECHNOLOGIE

Der hoch empfindliche G-Sensor registriert deinen Bremsvorgang und aktiviert während 2.5 Sekunden das Bremslicht mit der höchsten Stufe über 50 Lumen im Dauermodus (kein Blinken).



LEUCHT-SICHERHEITS MODUS

Bei geringem Akku Stand wird automatisch der Blitzmodus aktiviert. Ab diesem Zeitpunkt beträgt die Leuchtdauer noch ca. 4:00 Stunden.

WÄHLE AUS 4 MODI AUS

- Dauerlicht 2-20 (20) Lumen
- Blitzlicht 2-20 (3) Lumen
- DayFlash 20-50 (50) Lumen
- SteadyFlash 1-20 (10+20) Lumen (merkt sich den letzten Modus)

AUTO MODUS (WERKSEINSTLLUNG)

Im "Auto Modus" sind alle Funktionen inklusive Brems- und Parkmode aktiviert.

MANUAL MODUS

Im "Manuell Modus" sind Brems- und Parkmodus deaktiviert.

Wechsel zwischen Auto - Manual Modus
(On/Off Button 3 Sekunden gedrückt halten.)

INNOVATIVER ON/OFF BUTTON

Mit dem Schalter auf der Rückseite drücken Sie einfach die ganze Leuchte gegen die Sattelstütze, um sie ein- oder auszuschalten.

IPX7 / WASSERSCHUTZ

Schützt vor Schäden nach kurzzeitigen Untertauchen (max. 1m Wassertiefe / max. 30min.)



BLS-167 Signal Brake

**BRAKE LIGHT TECHNOLOGY**

The G sensor activates the 50 lumen bright brake light for 2.5 seconds when you apply the brakes.

H8274G

NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

Rücklicht Signal Brake, Halter: Ø5-42mm, schwarz
Éclairage Signal Brake, support: Ø5-42mm, noir

44.90

Signal Brake BLS-167

Output / Runtime: 20 Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (20h), Dayflash 30h
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / USB-C

Modes steady: Variable Lumen, Brake function, Parking mode (saves last mode)
Modes flash: Flash, Day Flash and Steady Flash » double-click (saves last mode)

Weight: 30 grams
Fixation: Ø 5-42mm aero compatible
Diverse: Brake light, On/Off button flashes at 10% accu capacity

BLS-137 SignalRear



USB PORT

HIDDEN ON/OFF
BUTTON

SIDE VISIBILITY

H8260S

SIGNAL hinten mit USB-Akku, 5 Modi, mit DayFlash, Schnellverschluss 34.00
SIGNAL arrière avec USB-Accu, 5 mode, avec DayFlash, fermeture rapide

Signal BLS-137

Output / Runtime: 20Lumen / <0.5 Lux (2:30h), 2 Lumen / <0.5 Lux (21h), Dayflash 31h
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
Fixation: Ø 5-42mm aero compatible

BLS-136 SignalFront



H8260R

SIGNAL vorne mit USB-Akku, 5 Modi, mit DayFlash, Schnellverschluss 34.00
SIGNAL avant avec USB-Accu, 5 mode, avec DayFlash, fermeture rapide

SignalFront BLS-136

Output / Runtime: 100 Lumen / (3h), 6 Lumen / (39h)
Light Type: COB-LED
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, Standard, High (saves last mode)
Modes flash: Flash, Day Flash (saves last mode)

Weight: 29 grams
Fixation: Ø 5-42mm aero compatible

BLS-138 SignalCombo



H8260T

Set SIGNAL mit USB-Akku, 5 Modi, mit DayFlash, Schnellverschluss 64.00
Kit SIGNAL avec USB-Accu, 5 mode, avec DayFlash, fermeture rapide

Set: SignalFront BLS-136 & Signal BLS-137

BLS-153 Spark 2.0 Combo



H8266B

Set Spark 2.0 mit USB-Akku, 5 Modi, mit DayFlash, Schnellverschluss
 Kit Spark 2.0 avec USB-Accu, 5 mode, avec DayFlash, fermeture rapide 42.90

Spark BLS-151

Output / Runtime: 100 Lumen / 1.5 Lux (3h), 12 Lumen / <0.5 Lux (27h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 26 grams
 Fixation: Ø 5-42mm aero compatible

Spark BLS-152

Output / Runtime: 10 Lumen / 1.4 Lux (3h), 3 Lumen / 0.5 Lux (28h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 23 grams
 Fixation: Ø 5-42mm aero compatible

BLS-151 Spark 2.0 front



H8265X

Spark 2.0 vorne mit USB-Akku, 4 Modi, **1 Stück**, Schnellverschluss
 Spark 2.0 avant avec USB-Accu, 4 mode, **1 pièce**, fermeture rapide 22.50

Spark BLS-151

Output / Runtime: 100 Lumen / 1.5 Lux (3h), 12 Lumen / <0.5 Lux (27h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 26 grams
 Fixation: Ø 5-42mm aero compatible

H8265Y

Spark 2.0 vorne, USB, 4 Modi, **Box à 12 Stück**, Schnellverschluss
 Spark 2.0 avant, USB, 4 mode, **box à 12 pièce**, fermeture rapide 270.00

BLS-152 Spark 2.0 rear



H8265Z

Spark 2.0 hinten mit USB-Akku, 4 Modi, **1 Stück**, Schnellverschluss
 Spark 2.0 arrière avec USB-Accu, 4 mode, **1 pièce**, fermeture rapide 22.50

Spark BLS-152

Output / Runtime: 10 Lumen / 1.4 Lux (3h), 3 Lumen / 0.5 Lux (28h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 1:45 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash, Day Flash (saves last mode)

Weight: 23 grams
 Fixation: Ø 5-42mm aero compatible

H8266A

Spark 2.0 hinten, USB, 4 Modi, **Box à 12 Stück**, Schnellverschluss
 Spark 2.0 arrière, USB, 4 mode, **box à 12 pièce**, fermeture rapide 270.00

Why Choose BBB

- + Longer Runtimes
- + Oval light beam
- + High Quality LED



- 
- A person wearing a white helmet and dark winter clothing is riding a bicycle at night. A very bright, circular light source, likely a headlight, is positioned in front of the rider, creating a strong glow and lens flare effect. The background is dark and blurry, suggesting a snowy or icy environment.
- + More stable light output
 - + Protectet against overcharging and overheating
 - + Clean light bundle

BLS-148 Spot Combo*

H8251S

Set SPOT mit USB-Akku, Halterung: fix und mit silicon-strap, schwarz
 Kit SPOT avec USB-accu, support: fix et avec silicon-strap, noir

24.90

Vorne / avant BLS-146

Output / Runtime: 24 Lumen / <0.5 Lux (4h), 12 Lumen / <0.5 Lux (16h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 59mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

Hinten / arrière BLS-147

Output / Runtime: 4 Lumen / <0.5 Lux (3h), 2 Lumen / <0.5 Lux (16h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 52mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

Silicone-Strap: 12-38mm included.

BLS-147 Spot*

H8251R

SPOT hinten mit USB-Akku, Halterung: fix und mit silicon-strap, schwarz
 SPOT arrière avec USB-accu, support: fix et avec silicon-strap, noir

12.90

Hinten / arrière BLS-147

Output / Runtime: 4 Lumen / <0.5 Lux (3h), 2 Lumen / <0.5 Lux (16h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 52mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm
 Diverse: Brake light, On/Off button flashes at 10% accu capacity

Silicone-Strap: 12-38mm included.

BLS-146 Spot*

H8251Q

SPOT vorne mit USB-Akku, Halterung: fix und mit silicon-strap, schwarz
 SPOT avant avec USB-accu, support: fix et avec silicon-strap, noir

11.90

Vorne / avant BLS-146

Output / Runtime: 24 Lumen / <0.5 Lux (4h), 12 Lumen / <0.5 Lux (16h)
 Battery: USB rechargeable Lithium Polymer, 300mAh
 Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
 Modes flash: Flash

Size / Weight: 2 x 29 x 59mm / 19 grams
 Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

Silicone-Strap: 12-38mm included.

BLS-142 StudCombo



H8251P

Set STUD (BLS-141) & SPOT (BLS-147), USB-Akku, schwarz
Kit STUD (BLS-141) & SPOT (BLS-147), USB-Accu, noir

39.90

Vorne / avant BLS-141

Output / Runtime: 130 Lumen / 33 Lux (3h), 60 Lumen / 18 Lux (5h)
Battery: USB rechargeable Lithium Polymer, 1000mAh
Charge time / port: 2:00 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash

Size / Weight: 65 x 43 x 35mm / 52 grams
Fixation: Tool free TightFix BLS-191: 22-32mm

Hinten / arrière BLS-147

Output / Runtime: 4 Lumen / <0.5 Lux (3h), 2 Lumen / <0.5 Lux (16h)
Battery: USB rechargeable Lithium Polymer, 300mAh
Charge time / port: 0:30 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash

Size / Weight: 2 x 29 x 52mm / 19 grams
Fixation: TwistBracket: 22-32mm / Silicone-Strap: 12-38mm

BLS-141 Stud



H8251O

STUD vorne mit USB-Akku, schmales Licht, Seiten Visibilität, schwarz
STUD avant avec USB-accu, faisceau plat, visibilité latérale, noir

24.90

Vorne / avant BLS-141

Output / Runtime: 130 Lumen / 33 Lux (3h), 60 Lumen / 18 Lux (5h)
Battery: USB rechargeable Lithium Polymer, 1000mAh
Charge time / port: 2:00 hours (2A) / Micro USB

Modes steady: Low, High (saves last mode)
Modes flash: Flash

Size / Weight: 65 x 43 x 35mm / 52 grams
Fixation: Tool free TightFix BLS-191: 22-32mm



BLS-123 SpyCombo CR2032*



H8233H

Set Spy Combo 17 / 7 Lumen 4x CR2032, Halterungen, schwarz
Kit Spy Combo 17 / 7 Lumen 4 x CR2032, avec supports, noir

16.90

Vorne / avant BLS-121

Output / Runtime: 17 Lumen / <0.5 Lux (50h - 150h)

Battery: 2x CR2032

Modes steady: High

Modes flash: Flash

Weight: 23 grams

Fixation: O-ring mount to install almost anywhere on the bike

Hinten / arrière BLS-122

Output / Runtime: 7 Lumen / <0.5 Lux (50h - 150h)

Battery: 2x CR2032

Modes steady: High

Modes flash: Flash

Weight: 23 grams

Fixation: O-ring mount to install almost anywhere on the bike

Diverse: Brake light, On/Off button flashes at 10% accu capacity

BLS-121 / BLS-17 Lumen CR2032*



H8233D

Frontlicht Spy 17 Lumen, 2x CR2032, **1 Stück**, mit Halterung, schwarz
Lumière avant Spy 17 Lumen, 2x CR2032, **1 pièce**, avec support, noir

7.00

Vorne / avant BLS-121

Output / Runtime: 17 Lumen / <0.5 Lux (50h - 150h)

Battery: 2x CR2032

Modes steady: High

Modes flash: Flash

Weight: 23 grams

Fixation: O-ring mount to install almost anywhere on the bike

BLS-122 Spy 7 Lumen CR2032*



H8233F

Rücklicht Spy 7 Lumen, 2x CR2032, **1 Stück**, mit Halterung, schwarz
Lumière arrière Spy 7 Lumen, 2x CR2032, **1 pièce**, avec support, noir

7.00

Hinten / arrière BLS-122

Output / Runtime: 7 Lumen / <0.5 Lux (50h - 150h)

Battery: 2x CR2032

Modes steady: High

Modes flash: Flash

Weight: 23 grams

Fixation: O-ring mount to install almost anywhere on the bike

BLS-76 EcoCombo



H8169F

Set EcoBeam BLS-75 und RearLaser BLS-78, Silicon-Strap, schwarz
Kit EcoBeam BLS-75 und RearLaser BLS-78, avec silicon-strap, noir

21.90

Vorne / avant BLS-75

Output / Runtime: 41 Lumen / (70h - 220h)
Battery: 3x AAA included

Modes steady: Standard
Modes flash: Flash

Weight: 74 grams

Hinten / arrière BLS-78

Output / Runtime: 2 Lumen / (120h - 240h)
Battery: 2x AAA included

Modes steady: Standard
Modes flash: Flash

Weight: 61 grams

BLS-75 EcoBeam



H8169C

Frontlicht EcoBeam, 1 LED, Silicon Verschluss, schwarz
Éclairage EcoBeam, 1 LED, support: avec silicon-strap, noir

13.50

Vorne / avant BLS-75

Output / Runtime: 41 Lumen / (70h - 220h)
Battery: 3x AAA included

Modes steady: Standard
Modes flash: Flash

Weight: 74 grams

BLS-78 RearLaser



H8173K

Rücklicht RearLaser, 3 LED's, Halter: Ø22-32mm, schwarz
Éclairage RearLaser, 3 LED's, support: Ø22-32mm, noir

9.90

Hinten / arrière BLS-78

Output / Runtime: 2 Lumen / (120h - 240h)
Battery: 2x AAA included

Modes steady: Standard
Modes flash: Flash

Weight: 61 grams

BLS-194 StrapFix StrikeDuo



NEW

Verfügbar ab / Disponible à partir de: 31.07.2021

H8274H

Siliconbandhalterung StrapFix StrikeDuo, für Frontlichter BBB, Ø22-52mm, 0°
Support bande silicone StrapFix StrikeDuo, pour lumières BBB avant, Ø22-52mm, 0°

12.90

BLS-192 StrapFix



H8260V

Siliconbandhalterung StrapFix, für Frontlichter BBB, Ø22-45mm, 0°, 24g
Support bande silicone StrapFix, pour lumières BBB avant, Ø22-32mm, 0°, 24g

11.00

BLS-191 TightFix



H8260U

Werkzeugfreie Halterung TightFix Frontlichter BBB, Ø22-32mm, 0°, 28g
Support sans outil TightFix, pour lumières BBB avant, Ø22-32mm, 0°, 28g

7.00

BLS-98 CenterMount



H8218P

Zentrum Halterung TightFix Frontlichter BBB, Ø 25,4-35mm
Support centre TightFix, pour lumières BBB avant, Ø 25,4-35mm

11.00

BLS-99 GoMount



H8245Q

BBB Frontlichthalter, Montage an GoPro Adapter, kompatibel mit Vorbau BHS-09 oder BHS-37 von BBB, 14g, schwarz
Support lumière BBB, montage sur adaptateur GoPro, compatible avec potence BHS-09 ou BHS-37 de BBB, 14g, noir

9.90

BLS-70 HelmetMount



H8173G

Helmhalter Klettverschluss, BBB Lichter mit TightFix, schwarz
Support pour casque avec velcro, pour éclairages BBB avec TightFix, noir

9.90

BLS-193 CrownFix



H8263V

BBB Frontlichthalter, Montage an Gabel, mit GoPro Adapter, Alu
Support lumière BBB, montage sur fourche, avec adaptateur GoPro, alu

19.90

BLS-146 Silicone strap Spot



H8261J

Silicone Strap BLS-146-148, RearLaser BLS-78, 12-38mm, schwarz
Silicone Strap BLS-146-148, RearLaser BLS-78, 12-38mm, noir

2.00

Lenkerhalterungen für Beleuchtung / support guidon éclairage



H8181S

Halterung Beleuchtung Spark BLS-46,-47,-48 / Signal BLS-81,-82,-83
Support éclairage Spark BLS-46,-47,-48 / Signal BLS-81,-82,-83

4.00

BLS-139 Strike Accu



H8260G

Ersatzakku Strike BLS-131 / 132, blau
Accu replacement Strike BLS-131 / 132, bleu

26.00

Accu: LG 18650 Lithium ion, 2600mAh, 3.7V
Features: protected against over- and undercharging
Weight: 26 grams
Size: 18 x 18 x 70 mm

BLS-93 EnergyBar



H8169H

Ersatzakku Strike BLS-71 / 72 / 73, schwarz
Accu replacement Strike BLS-71 / 72 / 73, noir

24.00

Accu: High quality lithium ion polymer, 2600mAh, 3.7V
Weight: 56 grams
Size: 77 x 23 x 23 mm

BLS-97 EnergyPack



H8218O

Ersatzakku Scope BLS-67/68/69, ohne USB Port, mit Klettmontagebügel 65.00
Accu replacement Scope BLS-67/68/69, sans USB Port, avec sangle velcros

Accu: Panasonic Lithium Ion, 3200mAh, 7.2V
Features: Waterproof, anti-scratch silicone protection
Weight: 140 grams
Size: 86 x 46 x 27mm

BSM-81 EnergyPack



H8187I

Ladegerät USB oder Lampen, BLS-67/68/69, mit Netzteil, Klettverschluss 99.00
Chargeur USB ou lampes, BLS-67/68/69, avec sangle velcros et chargeur

Accu: Panasonic Lithium Ion, 3200mAh, 7.2V
Features: Waterproof, anti-scratch silicone protection, 5-stage battery level indicator, for USB rechargeable devices like smartphones, lamps etc.
Weight: 140 grams
Size: 86 x 46 x 27mm

BLS-92 PowerConverter



H8103J

USB-Netzteil zum Laden der BBB USB-Lichter, schwarz
Adaptateur électrique USB pour charger éclairages BBB avec USB, noir

15.00

TECHNICAL SPECIFICATIONS

ITEM No.	Modes	Light Output Lumen (lm)	Illuminance Lux at 1 Metre / Candela (cd)	Illuminance Lux at 10 Metres	Beam Distance Metres	Runtime * Hours	Charging Time Hours	Batteries Brand/Type
HEAD LIGHT								
BLS-136 Signal	High	57	22.5	< 0.50	9	3:00 (+4:00 Flash)	1:45	Lithium polymer
	Standard	15	6	< 0.50		11:15 (+4:00 Flash)		3.7V x 300mAh
	Low	6	2.6	< 0.50		23:30 (+4:00 Flash)		
	Flash	8	3.3	< 0.50		36:00		
	Day Flash	100	40	< 0.50		35:00 (+4:00 Flash)		
BLS-151 Spark 2.0	High	45	78	0.7	18	3:00 (+4:00 Flash)	1:45	Lithium polymer
	Low	14	25	< 0.50		10:00 (+3:00 Flash)		3.7V x 300mAh
	Flash	12	21	< 0.50		27:00		
	Day Flash	100	156	1.5		25:00 (+2:00 Flash)		
	High	40	5	< 0.50		3:00	2:00	Lithium polymer
BLS-125 Spy USB	Low	20	16	< 0.50		6:00		3.7V x 220mAh
	Flash	40	32	< 0.50		25:00		
	High	17	50	< 0.50		50:00	n.a.	2x CR2032
	Flash	17	50	< 0.50		150:00		
	High	24	11	< 0.50		4:00 (+2:00 Flash)	0:30	Lithium polymer
BLS-146 Spot	Low	12	5	< 0.50		8:00 (+4:00 Flash)		4.2V x 300mAh
	Flash	24	11	< 0.50		16:00		
	Steady	20	9	< 0.50		2:30 (+4:00 Flash)	1:45	Lithium polymer
	Flash	3	1.5	< 0.50		20:00 (+4:00 Flash)		3.7V x 300mAh
	Day/Flash	50	24	< 0.50		30:00 (+4:00 Flash)		
BLS-137 Signal	Steady/Flash	10+20	9	< 0.50		3:00 (+4:00 Flash)		
	High	20	9	< 0.50		2:30 (+4:00 Flash)	1:45	Lithium polymer
	Standard	6	3	< 0.50		9:45 (+4:00 Flash)		3.7V x 300mAh
	Low	2	1	< 0.50		21:00 (+4:00 Flash)		
	Flash	3	1.5	< 0.50		32:00		
BLS-152 Spark 2.0	Day Flash	50	24	< 0.50		31:00 (+4:00 Flash)		
	High	10	4.7	1.4		3:00 (+5:00 Flash)	1:45	Lithium polymer
	Low	3	1.8	0.5		10:00 (+4:00 Flash)		3.7V x 300mAh
	Flash	3	1.8	0.5		28:00		
	Day Flash	20				20:00 (+2:00 Flash)		
BLS-86 Sentry	High	11	9	< 0.50		2:00	1:30	Lithium polymer
	Low	5	4.2	< 0.50		4:00		3.7V x 550mAh
	Flash	5	4.2	< 0.50		8:00		
	Flash	15	11.1	< 0.50		25:00		

REAR LIGHT

TECHNICAL SPECIFICATIONS

ITEM No.	MODES	LIGHT OUTPUT LUMEN (LM)	ILLUMINANCE LUX AT 1 METRE / CANDELA (CD)	ILLUMINANCE LUX AT 10 METRES	BEAM DISTANCE METRES	RUNTIME * HOURS	CHARGING TIME HOURS	BATTERIES BRAND/TYPE
HEAD LIGHT								
BLS-173 StrikeDuo 2000	Boost	2000	11500	110	210	2:00	4:30 (2A)	LG 18650
	High	1300	7400	74	170	3:15	6:30 (1A)	3.7V x 6700mAh
	Standard	800	4800	48	130	5:30		
	Low	350	2100	21	90	12:30		
	City	50	300	3	35	80:00		
	Flash	200	950	9		120:00		
	Day Flash	400	1800	18		200:00		
	Boost	1600	8000	84	180	2:00	4:00 (2A)	LG 18650
BLS-172 Strike Duo 1600	High	1000	5000	50	140	2:30	5:15 (1A)	3.7V x 5200mAh
	Standard	500	2300	24	90	6:30		
	Low	250	1200	12	70	14:00		
	City	50	270	2	30	65:00		
	Flash	200	950	9		100:00		
	Day Flash	400	1800	18		160:00		
	Boost	1200				1:45	2:30 (1.5A)	18500
	High	800				2:20		3.7V x 3200mAh
BLS-171 Strike Duo 1200	Standard	500				4:00		
	Low	250				8:30		
	City	50				40:00		
	Flash	200				60:00		
	Day Flash	400				100:00		
	Boost	600	5050	50	142	1:30	3:45	Lithium polymer
	High	350	3000	30	110	3:30		3.7V x 2000mAh
	Standard	150	1200	10	69	10:00		
BLS-130 NanoStrike 600	City	15	120	1.5	22	80:00		
	Flash	100	80	9		70:00		
	Day Flash	400	3400	31		75:00		
	Boost	400	3120	31	112	2:00	3:30	Lithium polymer
	High	250	2030	20	90	4:00		3.7V x 1000mAh
	Standard	130	1020	10	64	8:00		
	City	15	150	1.5	24	48:00		
	Flash	100	900	9		37:00		
BLS-141 Stud	Day Flash	400	3120	31		42:00		
	High	130	2300	33	96	3:00	2:00	Lithium polymer
	Low	60	1300	18	72	5:00		
	Flash	130	2300	33		5:00		

TECHNICAL SPECIFICATIONS

ITEM No.	MODES	LIGHT OUTPUT LUMEN (LM)	ILLUMINANCE LUX AT 1 METRE / CANDELA (CD)	ILLUMINANCE LUX AT 10 METRES	BEAM DISTANCE METRES	RUNTIME * HOURS	CHARGING TIME HOURS	BATTERIES BRAND/TYPE
REAR LIGHT								
BLS-126 Spy USB	High	15	11.1	< 0.50		300	200	Lithium polymer
	Low	7.5	5.6	< 0.50		600		3.7V x 220mAh
	Flash	15	11.1	< 0.50		25.00		
BLS-122 Spy	High	7	30	< 0.50		50.00	n.a.	2x CR2032
	Flash	7	30	< 0.50		150.00		
BLS-147 Spot	High	4	2	< 0.50		4.00 (+2.00 Flash)	0.30	Lithium polymer
	Low	2	1	< 0.50		8.00 (+4.00 Flash)		4.2V x 300mAh
	Flash	4	2	< 0.50		16.00		

UNIQUE FEATURES

HEAD LIGHTS

MODE	STUD	NANOSTRIKE 400	NANOSTRIKE 600	STRIKE 500	STRIKE 1000	STRIKE 1000 BLACK
DAY FLASH		X	X	X	X	X
CITY MODE (15 LUMENS)		X	X	X	X	X
MEMORY MODE FUNCTION		X	X	X	X	X
STRAPFIX (BLS-192)		X	X	X		X
CENTRE MOUNT (BLS-98)					X	
REPLACEABLE BATTERY					X	X
FLATTENED BEAM	X					

REAR AND VISIBILITY LIGHTS

MODE	SPY	SPOT	SPOT DUO	SPARK 2.0	SPY USB	SIGNAL	SENTRY
DAY FLASH				X		X	
RUN TIME SAFETY MODE		X	X	X		X	
MEMORY MODE FUNCTION				X		X	
STRAP		X	X	X		X	
SELF LOCKING USB PORT				X		X	
FIXED BRACKET		X					



3

Part
of your
Ride



amster
bikes & parts