

amsler
bikes & parts

W.T.P

2020

BMX & LIFESTYLE

BOMBTRACK™
BICYCLE COMPANY

RADIO

RADIO™
R A C E L I N E

W.T.P

RADIO

RADIOTM
R A C E L I N E

BOMBTRACKTM
B I C Y C L E C O M P A N Y

PAGE 1

PAGE 16

PAGE 39

PAGE 45





WETHEPEOPLE

Preis- und Spezifikationsänderungen vorbehalten | Les prix et les spécifications sont sujettes à changement

'23 YEARS AGO WE SET OUT TO CRAFT A
NEW KIND OF A BIKE.'

A bike that was designed by the very people we were building it for, a bike where no detail was spared and no possibility was overlooked.

Every year is a chance for us to stay true to this philosophy and a challenge for us to rewrite how a BMX bike should look, feel and most importantly - **RIDE**.

PRIME 12"


METALLIC GREEN



-CHF 299-


ART.NR. WE1987A

W.T.P



BAR GEOMETRY

G - BAR RISE	5.15"
H - BAR WIDTH	19.7"
I - BAR BACKSWEEP	9°
J - BAR UPSWEEP	2.5°



FRAME GEOMETRY

A - TOP TUBE LENGTH	12.2"
B - CHAIN STAY LENGTH	8.15"
C - HEAD TUBE ANGLE	72°
D - SEAT TUBE ANGLE	70°
E - BB HEIGHT	7.4"
F - SEAT TUBE LENGTH	4.75"

SPECS/

FRAME	1020 hi-ten
FORK	SALT "Prime" fork, 1020 hi-ten, 26mm offset
BAR	SALT "Prime" bar, 1020 hi-ten
GRIPS	SALT "Prime" grips
STEM	SALT "Prime" front loading stem, 30mm reach
HEADSET	SALT "AM" A-headset, 1" loose ball
GYRO	-
LEVER	-
BRAKES	-
CRANKS	-
BB	-
PEDALS	-
CHAIN	-
SPROCKET	-
DRIVER	-
FRONT HUB	SALT "Prime" alloy hub, loose ball 3/8"s, 16h
REAR HUB	SALT "Prime" alloy hub, loose ball 3/8"s, 16h
HUB GUARDS	-
FRONT RIM	SALT "Beam" rim, straight single wall, 16h
REAR RIM	SALT "Beam" rim, straight single wall, 16h
SEAT	WETHEPEOPLE "Prime" combo seat with alloy post
SEAT POST	-
SEAT CLAMP	SALT "AM" alloy seat clamp
TIRES	KENDA "Kontakt" 1.75" front & rear
PEGS	-
WEIGHT	4.47kg (9.85lbs)

SEED 16"


METALLIC MINT



-CHF 449-


ART.NR. WF2080A

W.T.P



BAR GEOMETRY

G - BAR RISE	6.77"
H - BAR WIDTH	23.6"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	16"
B - CHAIN STAY LENGTH	11"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	9.75"
F - SEAT TUBE LENGTH	6.67"

SPECS/

FRAME	1020 hi-ten
FORK	SALT „AM 16“ fork, 1020 hi-ten, 4130 crmo steerer, 28mm offset
BARS	SALT „SEED“ bar, 1020 hi-ten
GRIPS	WETHEPEOPLE „ARROW 115“ grips
STEM	SALT „JUNIOR“ top load stem, 40mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT „SEED“ alloy brake lever
BRAKES	SALT „AM“ alloy u-brake rear
CRANKS	SALT „ROOKIE“ tubular 3pc crank crmo 127mm, 8 spline
BB	SALT „SPANISH“ 19mm, press fit, sealed bearing
PEDALS	SALT „JUNIOR PRO“ nylon/fiberglass pedals
CHAIN	SALT „AM“ chain, Z1 type
SPROCKET	SALT „COMP“ alloy 25t sprocket
DRIVER	10t, 1pc cassette driver, loose ball bearing
FRONT HUB	SALT „AM“ alloy hub, loose ball 3/8“s axle, 28h
REAR HUB	SALT „AM“ cassette hub, semi sealed, 10t, 14mm hollow axle, 28h
HUB GUARDS	-
FRONT RIM	SALT „FRACTION“ single wall rim, 28h
REAR RIM	SALT „FRACTION“ single wall rim, 28h
SEAT	WETHEPEOPLE „SEED“ pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	ÉCLAT „PURE“ 6061-T6 forged alloy seat clamp
TIRES	SALT „TRACER“ tires 2.2“ front & rear
PEGS	-
WEIGHT	9.46kg / 20.87lbs

CRS 18"


METALLIC PURPLE



-CHF 499-


ART.NR. WF2080C

W.T.P



BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - SEAT TUBE LENGTH	7.5"

SPECS/

FRAME	4130 crmo down tube, 1020 hi-ten
FORK	SALT „AM 18“ fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BARS	SALT „CRS 18“ bar, 1020 hi-ten
GRIPS	SALT „EX“, 138mm, flangless grips
STEM	SALT „AM“ top load stem, 45mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT „AM“ alloy brake lever
BRAKES	SALT „AM“ alloy u-brake rear SALT „ROOKIE“ tubular 3pc crank crmo 152mm, 8 Spline
CRANKS	
BB	SALT „SPANISH“ 19mm, press fit, sealed bearing
PEDALS	ÉCLAT „SURGE“ nylon/fiberglass pedals
CHAIN	SALT „AM“ chain, Z1 type
SPROCKET	SALT „GATEWAY“ steel 25t sprocket
DRIVER	9t, 1pc cassette driver, sealed bearing SALT „AM“ alloy hub, loose ball, male 3/8“s axle, 36h
FRONT HUB	
REAR HUB	SALT „AM“ cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT „FRACTION“ single wall rim, 36h
REAR RIM	SALT „FRACTION“ single wall rim, 36h
SEAT	WETHEPEOPLE „CRS 18“ pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	ÉCLAT „PURE“ 6061-T6 forged alloy seat clamp
TIRES	SALT „TRACER“ tires 2.2“ front & rear
PEGS	-
WEIGHT	TBC kg / TBC lbs

CRS 18" FS


METALLIC YELLOW



-CHF 529-


ART.NR. WF2080D

W.T.P



BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - SEAT TUBE LENGTH	7.5"

SPECS/

FRAME	4130 crmo down tube, 1020 hi-ten
FORK	SALT „AM 18“ fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BARS	SALT „CRS 18“ bar, 1020 hi-ten
GRIPS	SALT „EX“, 138mm, flangless grips
STEM	SALT „AM“ top load stem, 45mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	SALT „AM“ rotor
LEVER	SALT „AM“ alloy brake lever
BRAKES	SALT „AM“ alloy u-brake rear
CRANKS	SALT „ROOKIE“ tubular 3pc crank crmo 152mm, 8 Spline
BB	SALT „SPANISH“ 19mm, press fit, sealed bearing
PEDALS	ÉCLAT „SURGE“ nylon/fiberglass pedals
CHAINS	SALT „AM“ chain, Z1 type
PROCKET	SALT „GATEWAY“ steel 25t sprocket
DRIVER	9t, 1pc cassette driver, sealed bearing
FRONT HUB	SALT „AM“ alloy hub, loose ball, male 3/8“s axle, 36h
REAR HUB	SALT „AM“ cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT „FRACTION“ single wall rim, 36h
REAR RIM	SALT „FRACTION“ single wall rim, 36h
SEAT	WETHEPEOPLE „CRS 18“ pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	ÉCLAT „PURE“ 6061-T6 forged alloy seat clamp
TIRES	SALT „TRACER“ tires 2.2“ front & rear
PEGS	-
WEIGHT	TBC kg / TBC lbs

CRS 20" FC


TOOTHPASTE GREEN



-CHF 549-


ART.NR. WF2080E

W.T.P



BAR GEOMETRY

G - BAR RISE	8.8"
H - BAR WIDTH	29.1"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.25"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	8.4"

SPECS/

FRAME	4130 crmo down tube, 1020 hi-ten
FORK	SALT „AM 20“ fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BARS	SALT „CRS 20“ bar, 1020 hi-ten
GRIPS	SALT „EX“, 154mm, flangless grips
STEM	SALT „PRO“ top load stem, 50mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT „AM“ alloy brake lever
BRAKES	SALTPLUS „GEO XL“ alloy u-brake rear
CRANKS	SALT „ROOKIE“ tubular 3pc crank crmo 165mm, 8 Spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	ÉCLAT „SURGE“ nylon/fiberglass pedals
CHAINS	SALT „AM“ chain, Z1 type
PROCKET	SALT „GATEWAY“ steel 25t sprocket
DRIVER	9t, 1pc freecoaster driver, sealed bearing
FRONT HUB	SALT „AM“ alloy hub, loose ball, male 3/8“s axle, 36h
REAR HUB	SALT „PRO“ freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT „FRACTION“ single wall rim, 36h
REAR RIM	SALT „FRACTION“ single wall rim, 36h
SEAT	ÉCLAT „BIOS“ mid padded pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	ÉCLAT „PURE“ 6061-T6 forged alloy seat clamp
TIRES	SALT „TRACER“ tires 2.35“ front & rear
PEGS	-
WEIGHT	TBC kg / TBC lbs


JUSTICE 20"

MATT TRANSLUCENT RED




-CHF 599-

ART.NR. WF2080F



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY	13.2"
C - LENGTH	76°
D - HEAD TUBE ANGLE	71°
E - SEAT TUBE ANGLE	11.75°
F - BB HEIGHT	9"

W.T.P

SPECS/

FRAME	4130 trimoly, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS „JUSTICE“ fork, 4130 full crmo , butted crmo steerer, 26mm offset
BARS	SALTPLUS „HQ“ bar, full 4130 crmo
GRIPS	WETHEPEOPLE „REMOTE“ flangeless grips
STEM	SALT „ZION“ top load stem, 50mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT „AM“ alloy brake lever
BRAKES	ÉCLAT „TALON“ alloy u-brake rear
CRANKS	SALT „REVO“ square profile 3pc crank crmo 165mm, 8 spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ nylon/fiberglass pedals
CHAINS	SALT „AM“ chain, Z1 type
PROCKET	SALT „GATEWAY“ steel 25t sprocket
DRIVER	9t, 1pc cassette driver, sealed bearing
FRONT HUB	SALT „PRO“ hub, fully sealed, 3/8“s male axle, 36h
REAR HUB	SALT „PRO“ cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT „PRO“ nylon/fiberglass front (x2) & rear (x2) hub guards
FRONT RIM	SALT „VALON“ single wall rim, 36h
REAR RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
SEAT	ÉCLAT „BIOS“ fat padded pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS „STING“ tires 2.35“ front & rear
PEGS	-
WEIGHT	TBC kg / TBC lbs

REASON 20"


MATT BLACK



-CHF 669-


ART.NR. WF2080G

W.T.P



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.1"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	9"

SPECS/

FRAME	4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS „REASON“ fork, 4130 full crmo, butted crmo steerer, 22mm offset
BARS	SALTPLUS „HQ“ 4pc bar, 4130 full crmo
GRIPS	WETHEPEOPLE „REMOTE“ flangeless grips
STEM	SALT „ZION“ top load stem, 50mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT „AM“ alloy brake lever
BRAKES	ÉCLAT „TALON“ alloy u-brake rear
CRANKS	SALT „REVO“ square profile 3pc crank crmo 165mm, 8 spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ nylon/fiberglass pedals
CHAINS	SALT „AM“ chain, Z1 type
PROCKET	SALTPLUS „SOLIDUS“ alloy 25t solid sprocket
DRIVER	9t, 1pc freecoaster driver, sealed bearing
FRONT HUB	SALT „PRO“ hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT „PRO“ freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT „PRO“ nylon/fiberglass front (x2) & rear (x2) hub guards
FRONT RIM	SALT „VALON“ single wall rim, 36h
REAR RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
SEAT	ÉCLAT „BIOS“ fat padded pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS „BURN“ tires 2.35" front & rear
PEGS	SALT „AM“ steel pegs, 4.15" long, x2
WEIGHT	TBC kg / TBC lbs

REASON 20"


MATT LILAC



-CHF 669-


ART.NR. WF2080H

W.T.P



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.1"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	9"

SPECS/

FRAME	4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS „REASON“ fork, 4130 full crmo, butted crmo steerer, 22mm offset
BARS	SALTPLUS „HQ“ 4pc bar, 4130 full crmo
GRIPS	WETHEPEOPLE „REMOTE“ flangeless grips
STEM	SALT „ZION“ top load stem, 50mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing holes for removable gyro tabs
GYRO	
LEVER	SALT „AM“ alloy brake lever
BRAKES	ÉCLAT „TALON“ alloy u-brake rear
CRANKS	SALT „REVO“ square profile 3pc crank crmo 165mm, 8 spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ nylon/fiberglass pedals
CHAINS	SALT „AM“ chain, Z1 type
PROCKET	SALTPLUS „SOLIDUS“ alloy 25t solid sprocket
DRIVER	9t, 1pc freecoaster driver, sealed bearing
FRONT HUB	SALT „PRO“ hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT „PRO“ freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT „PRO“ nylon/fiberglass front (x2) & rear (x2) hub guards
FRONT RIM	SALT „VALON“ single wall rim, 36h
REAR RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
SEAT	ÉCLAT „BIOS“ fat padded pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS „BURN“ tires 2.35" front & rear
PEGS	SALT „AM“ steel pegs, 4.15" long, x2
WEIGHT	TBC kg / TBC lbs


CRYSIS 20"

BLUE




-CHF 729-

ART.NR. WF2080I



BAR GEOMETRY

G - BAR RISE	9" / 9.25"
H - BAR WIDTH	29.5" / 29.75"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5" / 21"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.65"
F - SEAT TUBE LENGTH	8.75" / 9"

W.T.P

SPECS/

FRAME	4130 full crmo frame, tapered SS & CS removable pivots & guides, 127mm head tube
FORK	SALTPLUS „CRYSIS“ fork, 4130 full crmo, 4130 crmo steerer, 26mm offset
BARS	SALTPLUS „CRYSIS“ 2pc bar, 4130 full crmo
GRIPS	ÉCLAT „FILTER“ flangeless grips
STEM	WETHEPEOPLE „LOGIC“ top load stem, 50mm reach, full cnc
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT „MOTO“ alloy brake lever
BRAKES	ÉCLAT „TALON“ alloy u-brake rear
CRANKS	SALTPLUS „ULTRA“ square profile 3pc „TSS“ crank crmo 170mm, 8 spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	ÉCLAT „SLASH“ nylon/fiberglass pedals
CHAINS	WETHEPEOPLE „SUPPLY“ chain, Z510HX type
PROCKET	WETHEPEOPLE „LOGIC“ 6061-T6 alloy, cnc sprocket, 25t
DRIVER	9t, 1pc cassette driver, sealed bearing
FRONT HUB	SALTPLUS „PRO“ hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	SALTPLUS „PRO“ cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT „PRO“ nylon/fiberglass front (x2) & rear (x2) hub guards
FRONT RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
REAR RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
SEAT	ÉCLAT „BIOS“ mid padded pivotal seat
SEAT POST	SALT „AM“ pivotal seat post
SEAT CLAMP	WETHEPEOPLE „LOGIC“ seat clamp, 4130 crmo
TIRES	WETHEPEOPLE „OVERBITE“ tires 2.35" front & rear
PEGS	-
WEIGHT	TBC kg / TBC lbs


VERSUS 20"

BRUSHED METALLIC RED




-CHF 779-

ART.NR. WF2080J



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.65"
B - CHAIN STAY	12.75"
C - LENGTH	75.5°
D - HEAD TUBE ANGLE	71°
E - SEAT TUBE ANGLE	11.55°
F - BB HEIGHT	7.75"

W.T.P

SPECS/

FRAME	4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS „VERSUS“ fork, 4130 full crmo, butted crmo steerer, 26mm offset
BARS	SALTPLUS „VERSUS“ 2pc bar, 4130 full crmo
GRIPS	WETHEPEOPLE „MANTA“ flangeless grips, ÉCLAT „TECH-BOLT“ barends
STEM	WETHEPEOPLE „INDEX“ front load stem, 50mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing
GYRO	SALTPLUS „GEO“ cnc alloy rotor, SALT „DUAL“ upper cable
LEVER	SALT „MOTO“ alloy brake lever
BRAKES	ÉCLAT „TALON“ alloy u-brake rear
CRANKS	SALTPLUS „ULTRA“ square profile 3pc „TSS“ crank crmo 170mm, 8 spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	ÉCLAT „CONTRA“ nylon/fiberglass pedals
CHAINS	WETHEPEOPLE „SUPPLY“ chain, Z510HX type
PROCKET	WETHEPEOPLE „LOGIC“ 6061-T6 alloy, cnc sprocket, 25t
DRIVER	9t, 1pc cassette driver, sealed bearing
FRONT HUB	SALTPLUS „PRO“ hub, fully sealed, 3/8“s female bolts, 36h
REAR HUB	SALTPLUS „PRO“ cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALTPLUS „PRO“ nylon/fiberglass front (x2) & rear (x1) hub guards
FRONT RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
REAR RIM	SALTPLUS „SUMMIT“ double wall rim, 36h
SEAT	ÉCLAT „UNIFY“ slim padded combo seat
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	ÉCLAT „MIRAGE“ tires 2.25“ front & rear
PEGS	WETHEPEOPLE „MESSAGE“ 6061-T6 alloy pegs x2
WEIGHT	TBC kg / TBC lbs

P/12

TRUST 20"


MATT BLACK



-CHF 799-


ART.NR. WF2080K

W.T.P



BAR GEOMETRY

G - BAR RISE	9.4"
H - BAR WIDTH	29.6"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	21"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - SEAT TUBE LENGTH	9"

SPECS/

FRAME	4130 full crmo, tapered SS & CS, removable pivots & guides, 127mm head tube
FORK	SALTPLUS „TRUST“ fork, 4130 full crmo, butted crmo steerer, 26mm offset
BARS	SALTPLUS „HQ“ bar, 4130 full crmo
GRIPS	ÉCLAT „SHOGUN“ flangeless grips, ÉCLAT „TECH-BOLT“ barends
STEM	ÉCLAT „ONYX“ cold forged top load stem, 50mm reach
HEADSET	SALT „PRO“ int. headset, sealed bearing holes for removable gyro tabs
GYRO	SALT „MOTO“ alloy brake lever
LEVER	ÉCLAT „TALON“ alloy u-brake rear
BRAKES	SALTPLUS „ELITE“ (L&R) tubular 3pc crank crmo
CRANKS	170mm, 48 spline
BB	SALT „MID“ 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ nylon/fiberglass pedals
CHAINS	WETHEPEOPLE „SUPPLY“ chain, Z510HX type
PROCKET	ÉCLAT „ONYX“ cold forged alloy sprocket, 25t 9t, 1pc cassette driver, L&R switch drive, sealed bearing
DRIVER	SALTPLUS „TRAPEZ“ hub, fully sealed, 3/8“s female bolts, 36h
FRONT HUB	SALTPLUS „TRAPEZ“ cassette hub, fully sealed, 9t L&R switch drive, 14mm hollow axle, 36h
REAR HUB	SALTPLUS „PRO“ nylon/fiberglass (x2) front & (x2) rear hub guards
HUB GUARDS	ÉCLAT „TRIPPIN“ double wall rim, 36h
FRONT RIM	ÉCLAT „TRIPPIN“ double wall rim, 36h
REAR RIM	ÉCLAT „BIOS“ fat padded pivotal seat
SEAT	SALT „AM“ pivotal seat post
SEAT POST	WETHEPEOPLE „LOGIC“ seat clamp, 4130 crmo
SEAT CLAMP	ÉCLAT „DECODER“ tires 2.4“ front & rear
TIRES	SALT „AM“ nylon pegs, 4.5“ long, x2
PEGS	TBC kg / TBC lbs
WEIGHT	


BATTLESHIP 20" FC

RAW




-CHF 1199-

ART.NR. WF2080L



BAR GEOMETRY

G - BAR RISE	9.1"
H - BAR WIDTH	29"
I - BAR BACKSWEEP	11.5°
J - BAR UPSWEEP	2.5°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	13"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - SEAT TUBE LENGTH	9"

SPECS/

W.T.P

FRAME	WETHEPEOPLE „BATTLESHIP“ frame, 4130 full crmo, hydroformed gussets, removable pivots & guides
FORK	WETHEPEOPLE „BATTLESHIP“ fork, post liquid heat-treated butted sanko tubing, 1pc cnc steerer, 24mm offset
BARS	ÉCLAT „STRANGLER“ 4pc bar, post liquid heat-treated 4130 crmo, 25.4mm clamping
GRIPS	ÉCLAT „SHOGUN“ flangeless grips, ÉCLAT „TECH-BOLT“ barends
STEM	ÉCLAT „DOMAIN“, cnc alloy top load stem, 48mm reach, 25.4mm clamping
HEADSET	ÉCLAT „WAVE“ int. headset, sealed bearing
GYRO	-
LEVER	SALT „MOTO“ alloy brake lever
BRAKES	ÉCLAT „TALON“ alloy u-brake rear
CRANKS	WETHEPEOPLE „LOGIC“ 22mm tubular 3pc crank crmo, 165mm, 48 spline
BB	WETHEPEOPLE „COMPACT“ 22mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ nylon/fiberglass pedals
CHAINS	SALTPLUS „WARLOCK“ half-link chain
PROCKET	ÉCLAT „ELEVATE“ 6061-T6 alloy, 25t sprocket & nylon guard
DRIVER	9t, 1pc freecoaster driver, sealed bearing
FRONT HUB	WETHEPEOPLE „HELIX“ hub, fully sealed, 3/8“‘s female bolts, 36h
REAR HUB	WETHEPEOPLE „HELIX“ freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	WETHEPEOPLE „HELIX“ nylon/fiberglass (x2) front & (x2) rear hub guards
FRONT RIM	ÉCLAT „BONDI“ 38mm wide, flash welded double wall rim, 36h
REAR RIM	ÉCLAT „BONDI“ 38mm wide, flash welded double wall rim, 36h
SEAT	ÉCLAT „BIOS“ fat padded pivotal seat
SEAT POST	WETHEPEOPLE „TEAM“ pivotal seat post, 606-T6 alloy, 200mm long
SEAT CLAMP	WETHEPEOPLE „LOGIC“ seat clamp, 4130 crmo
TIRES	ÉCLAT „PREDATOR“ tires 2.30“ front & rear
PEGS	ÉCLAT „VENOM“ 4.8“, nylon/fiberglass pegs x2
WEIGHT	TBC kg / TBC lbs


ENVY 20"

MATT TRANSLUCENT GOLD




-CHF 1299-

ART.NR. WF2080M



BAR GEOMETRY

G - BAR RISE	9.4"
H - BAR WIDTH	29.8"
I - BAR BACKSWEEP	10.5°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5"
B - CHAIN STAY LENGTH	13.1"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - SEAT TUBE LENGTH	8.75"

SPECS/

W.T.P

FRAME	WETHEPEOPLE „ENVY XLT“, 4130 full crmo, hydroformed gussets, lasercut 6.0mm dropouts, 120mm head tube
FORK	ÉCLAT „STORM XLT“ fork, post liquid heat-treated & butted sanko tubing, 24mm offset
BARS	WETHEPEOPLE „ENVY XLT“ bar, 4130 full butted sanko, post liquid heat-treated, 25.4mm clamping
GRIPS	ÉCLAT „SHOGUN“ flangeless grips, ÉCLAT „TECH-BOLT“ barends
STEM	ÉCLAT „DUNE“, cnc alloy top load stem, 50mm reach, 25.4mm clamping
HEADSET	WETHEPEOPLE „COMPACT“ int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	ÉCLAT „SNIPER“ hinged alloy brake lever, two finger version
BRAKES	ÉCLAT „TALON“ alloy u-brake rear, with SALTPLUS „PROPELLER“ clear brake pads
CRANKS	ÉCLAT „TIBIA“ 22mm tubular 2.5pc crank crmo, 170mm, 48 spline
BB	ÉCLAT „CNC“ 22mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ nylon/fiberglass pedals
CHAINS	WETHEPEOPLE „DEMAND“ chain, K1 type
PROCKET	ÉCLAT „RS“ 6061-T6 alloy, 26t cnc sprocket
DRIVER	9t, 1pc cassette driver, sealed, TCS System
FRONT HUB	ÉCLAT „SEISMIC“ hub, 3/8s“ female bolts, 36h
REAR HUB	ÉCLAT „SEISMIC“ cassette hub, sb, 9t, 14mm axle, 36h, TCS driver (available in RSD or LSD)
HUB GUARDS	ÉCLAT nylon/fiberglass (x2) front & (x2) rear hub guards
FRONT RIM	ÉCLAT „E440“ double wall welded rim, 36h
REAR RIM	ÉCLAT „E440“ double wall welded rim, 36h
SEAT	ÉCLAT „BIOS“ fat padded pivotal seat
SEAT POST	ÉCLAT „TORCH“ 230mm alloy pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	ÉCLAT „MIRAGE“ tires 2.45“ front & 2.35“ rear
PEGS	-
WEIGHT	TBC kg / TBC lbs



RADIO

Preis- und Spezifikationsänderungen vorbehalten | Les prix et les spécifications sont sujettes à changement


REVO 14"

CYAN

-CHF 299-


ART.NR. WE2090A

RADIO



BAR GEOMETRY

G - BAR RISE	6.5"
H - BAR WIDTH	22.4"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	14.5"
B - CHAIN STAY LENGTH	10.6"
C - HEAD TUBE ANGLE	72°
D - SEAT TUBE ANGLE	73°
E - BB HEIGHT	8.75"
F - SEAT TUBE LENGTH	5.5"

SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE" hi-ten fork
BARS	hi-ten bar
GRIPS	RADIO "JUNIOR" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "JUNIOR" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front/RADIO "AM-V" alloy v-brake rear
CRANKS	RADIO "ROOKIE" OPC forged crank crmo 102mm
BB	USA size, loose ball
PEDALS	RADIO "ROOKIE" nylon pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	9T cassette driver
FRONT HUB	RADIO "ROOKIE" steel hub, lb, 20h
REAR HUB	RADIO "ROOKIE" cassette hub, lb, 9T, 20h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" railed seat
SEAT POST	RADIO "AM" alloy seat post
SEAT CLAMP	alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 14" x 2.0" front & rear
PEGS	-
WEIGHT	9.48kg / 20.8lbs

REVO 16"

LIME

-CHF 349-


ART.NR. WE2090B

RADIO




SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE" hi-ten fork
BARS	hi-ten bar
GRIPS	RADIO "JUNIOR" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "JUNIOR" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear
CRANKS	RADIO "ROOKIE" OPC forged crank crmo 140mm
BB	USA size, loose ball
PEDALS	RADIO "ROOKIE" nylon pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	9T cassette driver
FRONT HUB	RADIO "ROOKIE" steel hub, lb, 28h
REAR HUB	RADIO "ROOKIE" cassette hub, lb, 9T, 28h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" railed seat
SEAT POST	RADIO "AM" alloy seat post
SEAT CLAMP	alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 16" x 2.25" front & rear
PEGS	-
WEIGHT	10.42kg / 22.9lbs



BAR GEOMETRY

G - BAR RISE	6.8"
H - BAR WIDTH	23.6"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY


A - TOP TUBE LENGTH	15.75"
B - CHAIN STAY LENGTH	10.8"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	9.75"
F - SEAT TUBE LENGTH	6.6"

REVO 18"

BLACK


-CHF 369-

ART.NR. WE2090C



BAR GEOMETRY

G - BAR RISE	7.9"
H - BAR WIDTH	26.5"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	17.55"
B - CHAIN STAY LENGTH	12.55"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - SEAT TUBE LENGTH	7.3"

RADIO

SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE" hi-ten fork
BARS	hi-ten bar
GRIPS	RADIO "AM" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "JUNIOR" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear
CRANKS	RADIO "ROOKIE" OPC forged crank crmo 152mm
BB	USA size, loose ball
PEDALS	RADIO "ROOKIE" nylon pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	9T cassette driver
FRONT HUB	RADIO "ROOKIE" steel hub, 1b, 28h
REAR HUB	RADIO "ROOKIE" cassette hub, 1b, 9T, 28h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" mid padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 18" x 2.25" front & rear
PEGS	-
WEIGHT	11.21kg / 24.7lbs


REVO 18"

RED

-CHF 369-


ART.NR. WE2090D

RADIO



BAR GEOMETRY

G - BAR RISE	7.9"
H - BAR WIDTH	26.5"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	17.55"
B - CHAIN STAY LENGTH	12.55"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - SEAT TUBE LENGTH	7.3"

SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE" hi-ten fork
BARS	hi-ten bar
GRIPS	RADIO "AM" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "JUNIOR" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear
CRANKS	RADIO "ROOKIE" OPC forged crank crmo 152mm
BB	USA size, loose ball
PEDALS	RADIO "ROOKIE" nylon pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	9T cassette driver
FRONT HUB	RADIO "ROOKIE" steel hub, 1b, 28h
REAR HUB	RADIO "ROOKIE" cassette hub, 1b, 9T, 28h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" mid padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 18" x 2.25" front & rear
PEGS	-
WEIGHT	11.21kg / 24.7lbs


REVO 20" PRO

BLACK

-CHF 389-


ART.NR. WE2090E

RADIO



BAR GEOMETRY

G - BAR RISE	8.6"
H - BAR WIDTH	28.75"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	7.9"

SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE" hi-ten fork
BARS	hi-ten bar
GRIPS	RADIO "AM" grips
STEM	RADIO "AM" top load stem, 50mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "AM" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear
CRANKS	RADIO "AM" 3PC forged crank crmo 165mm
BB	USA size, loose ball
PEDALS	RADIO "ROOKIE" nylon pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	9T cassette driver
FRONT HUB	RADIO "ROOKIE" steel hub, lb, 36h
REAR HUB	RADIO "ROOKIE" cassette hub, lb, 9T, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" mid padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 20" x 2.25" front & rear
PEGS	-
WEIGHT	12.63kgs / 27.8lbs


REVO 20" PRO

ORANGE

-CHF 389-


ART.NR. WE2090F

RADIO



BAR GEOMETRY

G - BAR RISE	8.6"
H - BAR WIDTH	28.75"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	7.9"

SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE" hi-ten fork
BARS	hi-ten bar
GRIPS	RADIO "AM" grips
STEM	RADIO "AM" top load stem, 50mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "AM" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front/RADIO "AM-U" alloy u-brake rear
CRANKS	RADIO "AM" 3PC forged crank crmo 165mm
BB	USA size, loose ball
PEDALS	RADIO "ROOKIE" nylon pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	9T cassette driver
FRONT HUB	RADIO "ROOKIE" steel hub, lb, 36h
REAR HUB	RADIO "ROOKIE" cassette hub, lb, 9T, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" mid padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 20" x 2.25" front & rear
PEGS	-
WEIGHT	12.63kgs / 27.8lbs


DICE 16"

NEON GREEN

-CHF 399-


ART.NR. WE2090G

RADIO



BAR GEOMETRY

G - BAR RISE	6.75"
H - BAR WIDTH	23.6"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	16"
B - CHAIN STAY LENGTH	11.1"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	9.75"
F - SEAT TUBE LENGTH	6.2"

SPECS/

FRAME	full 6061 alloy
FORK	RADIO "ROOKIE 16" 1020 hi-ten fork, tapered legs
BARS	RADIO "ROOKIE 16" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "AM" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy caliper brake front / RADIO "AM-U" alloy u-brake rear
CRANKS	RADIO "ROOKIE" tubular 3pc crank crmo 140mm, 8 spline
BB	BSA (68), 19mm, sealed
PEDALS	RADIO "VP225" nylon/fiberglass pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	10T cassette driver, lb
FRONT HUB	RADIO "AM" alloy hub, lb, 3/8"s male axle, 28h
REAR HUB	RADIO "AM" cassette hub, semi-sealed, 10t, 14mm axle, 28h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "ROOKIE" combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	SALT "TRACER" tires, 2.2" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


DICE 18"

MATT BLACK

-CHF 429-


ART.NR. WE2090H

RADIO



BAR GEOMETRY

G - BAR RISE	7.9"
H - BAR WIDTH	26.5"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	12.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - SEAT TUBE LENGTH	6.8"

SPECS/

FRAME	full 6061 alloy
FORK	RADIO "ROOKIE 18" 1020 hi-ten fork, tapered legs
BARS	RADIO "ROOKIE 18" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "ROOKIE" tubular 3pc crank crmo 152mm, 8 spline
BB	BSA (68), 19mm, sealed
PEDALS	RADIO "VP536" nylon/fiberglass pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	10T cassette driver, lb
FRONT HUB	RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, semi-sealed, 10t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" slim padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	SALT "TRACER" tires, 2.2" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


DICE 18"

NEON GREEN

-CHF 429-


ART.NR. WE2090I

RADIO



BAR GEOMETRY

G - BAR RISE	7.9"
H - BAR WIDTH	26.5"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	12.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - SEAT TUBE LENGTH	6.8"

SPECS/

FRAME	full 6061 alloy
FORK	RADIO "ROOKIE 18" 1020 hi-ten fork, tapered legs
BARS	RADIO "ROOKIE 18" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips
STEM	RADIO "JUNIOR" top load stem, 40mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	-
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "ROOKIE" tubular 3pc crank crmo 152mm, 8 spline
BB	BSA (68), 19mm, sealed
PEDALS	RADIO "VP536" nylon/fiberglass pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" steel 25T sprocket
DRIVER	10T cassette driver, lb
FRONT HUB	RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, semi-sealed, 10t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" slim padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	SALT "TRACER" tires, 2.2" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


DICE 20" FS

NEON GREEN

-CHF 469-


ART.NR. WE2090J

RADIO



BAR GEOMETRY

G - BAR RISE	8.8"
H - BAR WIDTH	28.9"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	7.9"

SPECS/

FRAME	full 1020 hi-ten
FORK	RADIO "ROOKIE 20" 1020 hi-ten fork, tapered legs
BARS	RADIO "ROOKIE 20" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips
STEM	RADIO "AM" front load stem, 48mm reach
HEADSET	FSA "A-HEADSET" loose ball
GYRO	SALT "AM" rotor with SALT "AM" rotor cables
LEVER	RADIO "AM" alloy brake lever, front & rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "ROOKIE" tubular 3pc crank crmo 165mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "VP536" nylon/fiberglass pedals
CHAIN	KMC "S1" chain
SPROCKET	RADIO "AM" steel 25T sprocket
DRIVER	9T cassette driver, lb
FRONT HUB	RADIO "ROOKIE" steel hub, lb 3/8"s, 36h
REAR HUB	RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" slim padded combo seat
SEAT POST	-
SEAT CLAMP	alloy seat clamp
TIRES	SALT "TRACER" tires, 2.35" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


EVOL 20"

MATT BLACK

-CHF 469-


ART.NR. WE2090K

RADIO



BAR GEOMETRY

G - BAR RISE	8.8"
H - BAR WIDTH	28.9"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.3"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	8.25"

SPECS/

FRAME	crmo top tube, 1020 hi-ten
FORK	RADIO "AM" 1020 hi-ten fork, crmo steerer, tapered legs
BARS	RADIO "AM 20" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, flangless
STEM	RADIO "AM" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "ROOKIE" tubular 3pc crank crmo 165mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "PRO" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RADIO "VISION" steel 25T sprocket
DRIVER	9T cassette driver, lb
FRONT HUB	RADIO "ROOKIE" steel hub, lb 3/8"s, 36h
REAR HUB	RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" slim padded combo seat
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 2.3" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


SAIKO 20"

GLOSSY BLACK

-CHF 499-


ART.NR. WE2090L

RADIO



BAR GEOMETRY

G - BAR RISE	8.2"
H - BAR WIDTH	28"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	19.25"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - SEAT TUBE LENGTH	8"

SPECS/

FRAME	crmo top tube & down tube, 1020 hi-ten
FORK	RADIO "SAIKO 20" 1020 hi-ten fork, crmo steerer, tapered legs
BARS	RADIO "SAIKO" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips
STEM	SALT "PRO" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "AM" tubular 3pc crank crmo 165mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "PRO" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RADIO "VISION" steel 25T sprocket
DRIVER	9T cassette driver, lb
FRONT HUB	RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "AM" rim, single wall
REAR RIM	RADIO "AM" rim, single wall
SEAT	RADIO "CENTURY" slim padded combo seat
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" alloy seat clamp
TIRES	SALT "TRACER" tires, 2.35" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


DARKO 20"

MATT BLACK

-CHF 529-


ART.NR. WE2090M

RADIO



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - SEAT TUBE LENGTH	8.6"

SPECS/

FRAME	crmo top tube & down tube, 1020 hi-ten, removable brake mounts & guides
FORK	RADIO "AM" 1020 hi-ten fork, crmo steerer, tapered legs
BARS	RADIO "DARKO" bar, 1020 hi-ten
GRIPS	RADIO "AM XL" grips
STEM	SALT "PRO" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "PRO" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RADIO "VISION" steel 25T sprocket
DRIVER	9T cassette driver, sealed bearing
FRONT HUB	RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully-sealed, 9t, 14mm axle, 36h
FRONT RIM	SALT "FRACTION" rim, single wall
REAR RIM	SALT "FRACTION" rim, single wall
SEAT	RADIO "CENTURY" fat padded combo seat
SEAT POST	-
SEAT CLAMP	integrated "SLIM" seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


DARKO 20"

GOLD

-CHF 529-


ART.NR. WE2090N

RADIO



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - SEAT TUBE LENGTH	8.6"

SPECS/

FRAME	crmo top tube & down tube, 1020 hi-ten, removable brake mounts & guides
FORK	RADIO "AM" 1020 hi-ten fork, crmo steerer, tapered legs
BARS	RADIO "DARKO" bar, 1020 hi-ten
GRIPS	RADIO "AM XL" grips
STEM	SALT "PRO" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	RADIO "AM" alloy u-brake rear
CRANKS	RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "PRO" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RADIO "VISION" steel 25T sprocket
DRIVER	9T cassette driver, sealed bearing
FRONT HUB	RADIO "AM" alloy hub, lb, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully-sealed, 9t, 14mm axle, 36h
FRONT RIM	SALT "FRACTION" rim, single wall
REAR RIM	SALT "FRACTION" rim, single wall
SEAT	RADIO "CENTURY" fat padded combo seat
SEAT POST	-
SEAT CLAMP	integrated "SLIM" seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


VALAC 20"

MINT / PURPLE FADE

-CHF 579-


ART.NR. WE20900

RADIO



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.8"
F - SEAT TUBE LENGTH	9"

SPECS/

FRAME	chainstays crmo, top tube & down tube, 1020 hi-ten, removable brake mounts & guides
FORK	RADIO "PRO" full crmo fork, crmo steerer, 26mm offset
BARS	RADIO "PRO" full crmo bar
GRIPS	RADIO "AM XL" grips
STEM	SALT "ZION" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" alloy brake lever, rear
BRAKES	SALTPLUS "GEO XL" alloy u-brake rear
CRANKS	RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "PRO" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RADIO "VISION" steel 25T sprocket
DRIVER	9T cassette driver, sealed bearing
FRONT HUB	SALT "EX" alloy hub, sb, male axle 3/8"s, 36h
REAR HUB	SALT "EX" alloy cassette hub, sb, 9t, 14mm axle, 36h
FRONT RIM	SALTPLUS "BRACE" rim, double wall
REAR RIM	SALTPLUS "BRACE" rim, double wall
SEAT	RADIO "CENTURY" fat padded combo seat
SEAT POST	-
SEAT CLAMP	integrated "SLIM" seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


ASTRON 20" FS

METALLIC TEAL

-CHF 599-


ART.NR. WE2090P

RADIO



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.6"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.6"
F - SEAT TUBE LENGTH	9"

SPECS/

FRAME	full crmo, removable brake mounts & guides
FORK	RADIO "PRO" full crmo fork, crmo steerer, 26mm offset
BARS	RADIO "PRO" full crmo bar
GRIPS	SALT "EX" grips, flangeless
STEM	SALT "COMP" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	SALT "AM" rotor with SALT "AM" rotor cables
LEVER	SALT "MOTO" alloy brake lever, rear
BRAKES	SALTPLUS "GEO XL" alloy u-brake rear
CRANKS	RADIO "AM" tubular 3pc crank crmo 170mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "SLIM" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RADIO "VISION" steel 25T sprocket
DRIVER	9T cassette driver, sealed bearing
FRONT HUB	RADIO "PRO" alloy hub, sb, 3/8"s female axle, 36h
REAR HUB	RADIO "PRO" alloy cassette hub, sb, 9t, 14mm hollow axle, 36h
FRONT RIM	SALTPLUS "BRACE" rim, double wall
REAR RIM	SALTPLUS "BRACE" rim, double wall
SEAT	RADIO "CENTURY" slim padded combo seat
SEAT POST	-
SEAT CLAMP	integrated "SLIM" seat clamp
TIRES	SALTPLUS "BURN" tires, 2.30" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


COMRAD 20"

MATT BLACK

-CHF 799-


ART.NR. WE2090Q

RADIO



BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.1"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	21"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - SEAT TUBE LENGTH	9.25"

SPECS/

FRAME	full crmo, removable brake mounts & guides
FORK	RADIO "PRO" full crmo fork, crmo steerer, 26mm offset
BARS	SALTPLUS "HQ" full crmo 4pc bar
GRIPS	RADIO "FREQUENCY XL" grips, flangeless
STEM	RADIO "AXIS" top load stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing holes for removable gyro tabs
GYRO	holes for removable gyro tabs
LEVER	SALT "MOTO" alloy brake lever, rear
BRAKES	ÉCLAT "TALON" alloy u-brake rear
CRANKS	RADIO "PRO" tubular 3pc crank crmo 170mm, 8 spline
BB	mid size, press fit, sealed bearing
PEDALS	RADIO "PRO" nylon/fiberglass pedals
CHAIN	SALTPLUS "WARLOCK" half link chain
SPROCKET	RADIO "47" Leon Hoppe signature sprocket guard, 25T, 6061-T6
DRIVER	9T freecoaster driver, sealed bearing, RSD
FRONT HUB	SALT "EX" alloy hub, sb, 3/8" female axle, 36h, w/x2 SALTPLUS "PRO" nylon hubguards
REAR HUB	SALTPLUS "VERTEX" alloy freecoaster hub, sb, 9t, 14mm hollow axle, 36h, w/x2 SALTPLUS "PRO" nylon hubguards
FRONT RIM	SALTPLUS "BRACE" rim, double wall
REAR RIM	SALTPLUS "BRACE" rim, double wall
SEAT	RADIO "CENTURY" fat padded combo seat
SEAT POST	-
SEAT CLAMP	integrated "SLIM" seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


FIEND 26"

METALLIC RED

-CHF 799-


ART.NR. WE2090R

RADIO



BAR GEOMETRY

G - BAR RISE	50MM
H - BAR WIDTH	740MM
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	22.3"
B - CHAIN STAY LENGTH	15.8"
C - HEAD TUBE ANGLE	70°
D - SEAT TUBE ANGLE	75°
E - BB HEIGHT	25MM DROP
F - SEAT TUBE LENGTH	11"

SPECS/

FRAME	6061-T6 alloy, tapered head tube
FORK	RST "OMEGA T26" 100mm travel
BARS	RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless
STEM	RADIO "DJ" front load stem, alloy, 40mm reach
HEADSET	FSA "NO.57E" int. a-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A", front & rear
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front & rear
CRANKS	RADIO "PRO" forged alloy 2pc crank 170mm, 24mm spindle
BB	RADIO "BSA24" sealed bearing
PEDALS	RADIO "SLIM" nylon/fiberglass pedals
CHAIN	KMC "X8" chain
SPROCKET	RADIO "AM" steel sprocket 32T
DRIVER	SUN RACE 12-32T, 8 speed
FRONT HUB	RADIO "AM-DJ" disc hub, alloy, sealed, QR, 32h
REAR HUB	RADIO "AM-DJ" disc cassette hub, alloy, sealed, QR, 32h
FRONT RIM	RADIO "DB30" rim, double wall
REAR RIM	RADIO "DB30" rim, double wall
SEAT	RADIO "DJ" medium padded combo seat
SEAT POST	-
SEAT CLAMP	RADIO "QUICK RELEASE" alloy seat clamp
TIRES	RADIO "ROOKIE" tires, 2.2" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


GRIFFIN 26"

METALLIC BLUE

-CHF 1099-


ART.NR. WE2090S

RADIO



BAR GEOMETRY

G - BAR RISE	50MM
H - BAR WIDTH	760MM
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	22.6"
B - CHAIN STAY LENGTH	15"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	72°
E - BB HEIGHT	20MM DROP
F - SEAT TUBE LENGTH	11"

SPECS/

FRAME	6061-T6 alloy, tapered head tube, forged yoke
FORK	MANITOU "CIRCUS SPORT" 100mm travel
BARS	RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless
STEM	RACE FACE "CHESTER 35" front load stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated a-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear
BRAKES	TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear, 160mm rotor
CRANKS	SALTPLUS "ULTRA" square profile 3pc "TSS" crank crmo 170mm, 8 spline
BB	RADIO "BSA19" sealed bearing
PEDALS	RADIO "SLIM" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" alloy 25T sprocket
DRIVER	10T cassette driver, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, sealed, 15mm alloy through axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB32" rim, double wall
REAR RIM	RADIO "DB32" rim, double wall
SEAT	RADIO "DJ" medium padded combo seat
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" alloy seat clamp
TIRES	MAXXIS "DTH" tires, 2.3" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


GRIFFIN PRO 26"

GLOSSY BLACK

-CHF 1399-


ART.NR. WE2090T

RADIO



BAR GEOMETRY

G - BAR RISE	50MM
H - BAR WIDTH	760MM
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	22.8"
B - CHAIN STAY LENGTH	15"
C - HEAD TUBE ANGLE	70°
D - SEAT TUBE ANGLE	70°
E - BB HEIGHT	14MM DROP
F - SEAT TUBE LENGTH	10.2"

SPECS/

FRAME	6061-T6 hydroformed & butted alloy, tapered head tube, forged yoke
FORK	MANITOU "CIRCUS EXPERT" 100mm travel
BAR	RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless
STEM	RACE FACE "CHESTER 35" front load stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated a-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear
BRAKES	TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear, 160mm rotor
CRANKS	RACE FACE "AEFFECT" crank alloy, 170mm
BB	RACE FACE "AEFFECT" BSA, sealed bearing
PEDALS	RADIO "SLIM" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RACE FACE "AEFFECT" alloy 28T sprocket
DRIVER	10T cassette driver, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, sealed, 15mm alloy through axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB-T25" rim, double wall, sleeved
REAR RIM	RADIO "DB-T25" rim, double wall, sleeved
SEAT	RADIO "DJ" medium padded combo seat
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" alloy seat clamp
TIRES	MAXXIS "DTH" tires, 2.3" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs


SIREN 26"

MATT BLACK

-CHF 2799-


ART.NR. WE2090U

RADIO



BAR GEOMETRY

G - BAR RISE	50MM
H - BAR WIDTH	760MM
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	3°



FRAME GEOMETRY

A - TOP TUBE LENGTH	22.8"
B - CHAIN STAY LENGTH	16"
C - HEAD TUBE ANGLE	70°
D - SEAT TUBE ANGLE	75°
E - BB HEIGHT	3MM RISE
F - SEAT TUBE LENGTH	305MM

SPECS/

FRAME	6061-T6 hydroformed & butted alloy, tapered head tube, 100mm travel
FORK	ROCK SHOX "PIKE DJ" 100mm travel/REAR SHOCK: ROCK SHOX "RS-MONARCH R" 190x51
BARS	RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless
STEM	RACE FACE "CHESTER 35" front load stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated a-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front, SRAM "DB-LVL-A1" rear
BRAKES	TEKTRO "ARIES" mechanical disc brake front, SRAM "DB-LVL-A1" hydraulic disc brake rear, 160mm rotor
CRANKS	RACE FACE "AEFFECT" crank alloy, 170mm
BB	RACE FACE "AEFFECT" BSA, sealed bearing
PEDALS	RADIO "SLIM" nylon/fiberglass pedals
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	RACE FACE "AEFFECT" alloy 28T sprocket
DRIVER	10T cassette driver, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, sealed, 15mm alloy through axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB-T25" rim, double wall, sleeved
REAR RIM	RADIO "DB-T25" rim, double wall, sleeved
SEAT	RADIO "PIVOTAL" fat padded seat
SEAT POST	RADIO "PIVOTAL" seat post, alloy
SEAT CLAMP	RADIO "SLIM" alloy seat clamp
TIRES	MAXXIS "DTH" tires, 2.3" front & rear
PEGS	-
WEIGHT	tba kg / tba lbs



RADIOTM

R A C E L I N E

Preis- und Spezifikationsänderungen vorbehalten | Les prix et les spécifications sont sujettes à changement

'RADIO RACELINE'

Combines over 20 years of experience of creating BMX bikes together with input from some of the world's best racers and industry players to create a revolutionary and all-encompassing line up of bikes built to take you to the finish line, unlike anything else.

Tested on the track and designed in conjunction with a team with BMX race knowledge spanning 3 decades, RADIO RACELINE enters the market with an incredibly well thought out and powerful line of pure bred race machines.


XENON MINI

BLACK / SILVER

-CHF 729-


ART.NR. WE1988U

RADIO
R A C E L I N E



BAR GEOMETRY

G - BAR RISE	2.25"
H - BAR WIDTH	21"
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	17.5"
B - CHAIN STAY	13.1"
C - HEAD TUBE ANGLE	72°
D - SEAT TUBE ANGLE	70°
E - BB HEIGHT	10.6"

SPECS/

FRAME	6061 T6 alloy, forged dropouts with int. chain tensioner
FORK	full crmo, 1" butted steerer tube
BARS	6061 T6 alloy
GRIPS	RADIO, diamond knurling, closed end, 115mm length
STEM	RADIO, Cobalt toploader, ext. 40mm, alloy
HEADSET	Tange, int. headset, sealed, threadless, 1"
LEVER	rear, Promax, XL-378
BRAKES	rear, Promax, MV-85
CRANKS	RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 145mm length
BB	RADIO, BSA square taper, sealed
PEDALS	RADIO, Xenon pedal, slim profile, alloy, crmo axle
CHAIN	KMC, Z33, 1/2"- 3/32"
SPROCKET	RADIO, 38T, alloy
DRIVER	RADIO, 16T cog, 1/2"- 3/32", sealed driver
FRONT HUB	RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle
REAR HUB	RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette
RIMS	Alienation, Ankle Biter, 28H, alloy
SEAT	RADIO, Mini, combo seat
SEAT POST	RADIO, 22.2mm alloy seatpost
SEAT CLAMP	RADIO, seat clamp, forged, alloy
TIRES	Tioga, Power-Block, 20" x 1-1/8"
WEIGHT	7,10 kg - 15.65lbs


XENON JUNIOR

BLACK / SILVER

-CHF 759-


ART.NR. WE1988V

RADIO
R A C E L I N E



BAR GEOMETRY

G - BAR RISE	4.25"
H - BAR WIDTH	22.8"
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	18.5"
B - CHAIN STAY	12.85"
C - HEAD TUBE ANGLE	73°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	10.6"

SPECS/

FRAME	6061 T6 alloy, forged dropouts with int. chain tensioner
FORK	full crmo, 1" butted steerer tube
BARS	6061 T6 alloy
GRIPS	RADIO, diamond knurling, closed end, 130mm length
STEM	RADIO, Cobalt toploader, ext. 40mm, alloy
HEADSET	Tange, int. headset, sealed, threadless, 1"
LEVER	rear, Promax, XL-378
BRAKES	rear, Promax, MV-85
CRANKS	RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 155mm length
BB	RADIO, BSA square taper, sealed
PEDALS	RADIO, Xenon pedal, slim profile, alloy, crmo axle
CHAIN	KMC, Z33, 1/2"- 3/32"
SPROCKET	RADIO, 38T, alloy
DRIVER	RADIO, 14T cog, 1/2"- 3/32", sealed driver
FRONT HUB	RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle
REAR HUB	RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette
RIMS	Alienation, Ankle Biter, 28H, alloy
SEAT	RADIO, Mini, combo seat
SEAT POST	RADIO, 22.2mm alloy seatpost
SEAT CLAMP	RADIO, seat clamp, forged, alloy
TIRES	Tioga, Power-Block, 20" x 1-1/8"
WEIGHT	7,25 kg - 15.98lbs


XENON EXPERT

BLACK / SILVER

-CHF 799-


ART.NR. WE1988W

RADIO
RACE LINE



BAR GEOMETRY

G - BAR RISE	5.75"
H - BAR WIDTH	24.4"
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	2°



FRAME GEOMETRY

A - TOP TUBE LENGTH	19.5"
B - CHAIN STAY	13.6"
C - HEAD TUBE ANGLE	73°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11"

SPECS/

FRAME	6061 T6 alloy, forged dropouts with int. chain tensioner
FORK	full crmo, 1-1/8" butted steerer tube
BARS	6061 T6 alloy
GRIPS	RADIO, zigzag tread, open end, rubber plug incl., 145mm length
STEM	RADIO, Cobalt toploader, ext. 50mm, alloy
HEADSET	FSA, Pro, int. headset, sealed, threadless, 1-1/8"
LEVER	rear, Promax, XL-378
BRAKES	rear, Promax, MV-85
CRANKS	RADIO, Cobalt 3pc crank, forged/cnc, alloy crank, 165mm length
BB	RADIO, BSA square taper, sealed
PEDALS	RADIO, Xenon pedal, slim profile, alloy, crmo axle
CHAIN	KMC, Z33, 1/2"- 3/32"
SPROCKET	RADIO, 39T, alloy
DRIVER	RADIO, 15T cog, 1/2"- 3/32", sealed driver
FRONT HUB	RADIO, Xenon hub, alloy cnc, fully sealed, 28T, 3/8" axle
REAR HUB	RADIO, Xenon hub, alloy cnc, fully sealed, 28T, cassette
RIMS	Alienation, Ankle Biter, 28H, alloy
SEAT	RADIO, pivotal, no padding
SEAT POST	RADIO, 26.8mm, pivotal alloy
SEAT CLAMP	RADIO, Xenon seat clamp, quick-release, alloy
TIRES	Tioga, Power-Block, 20" x 1-3/8"
WEIGHT	7,88 kg - 17.37lbs

XENON PRO

BLACK / WHITE




-CHF 899-

ART.NR. WE1988X

RADIO
R A C E L I N E


SPECS/

FRAME	6061 T6 alloy, forged dropouts with int. chain tensioner
FORK	full crmo, 1-1/8" butted steerer tube
BARS	4130 seamless crmo
GRIPS	RADIO, Xenon grip, diamond knurling, clamp on grip, 139mm length
STEM	RADIO, Xenon Pro stem, toploader, ext. 53mm, cold forged/cnc alloy
HEADSET	FSA, Pro, int. headset, sealed, threadless, 1-1/8"
LEVER	rear, Promax, XL-378
BRAKES	rear, Promax, MV-88
CRANKS	RADIO, Xenon Pro, 2pc crank, cold forged/cnc, alloy, 175mm length, 24mm spindle
BB	RADIO, BSA24, alloy, cnc external bearing cups, sealed
PEDALS	RADIO, Xenon pedal, slim profile, alloy, crmo axle
CHAIN	KMC, Z33, 1/2"- 3/32"
SPROCKET	RADIO, Xenon Pro sprocket, 44T, alloy
DRIVER	RADIO, 16T cog, 1/2"- 3/32", sealed driver
FRONT HUB	RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt axle, highend front hub, 32T
REAR HUB	RADIO, Xenon Pro hub, alloy cnc, fully sealed, female bolt, highend cassette hub, 36T
RIMS	front: Alex, DUS30, 32H, double wall, alloy / rear: Alex, DUS30, 36H, double wall, alloy
SEAT	RADIO, pivotal, no padding
SEAT POST	RADIO, 26.8mm, pivotal alloy
SEAT CLAMP	RADIO, Xenon seat clamp, quick-release, alloy
TIRES	Tioga, Power-Block, front: 20"x1.75" / rear: 20"x1.6"
WEIGHT	9,05 kg - 19.95lbs



BAR GEOMETRY

G - BAR RISE	7.5"
H - BAR WIDTH	26.75"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3.5°



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY	14.3"
C - HEAD TUBE ANGLE	74°
D - SEAT TUBE ANGLE	72°
E - BB HEIGHT	11.5"



BOMBTRACK™

B I C Y C L E C O M P A N Y

Preis- und Spezifikationsänderungen vorbehalten | Les prix et les spécifications sont sujettes à changement

'THE BOMBTRACK SHOW ROLLS ONWARDS'

Here we are, another year further down the trail.

ARISE GEARED

GLOSSY BLUE FADE

-CHF 1399-



SIZE /

	XS	S	M	L	XL
SEAT TUBE LENGTH (MM)	460	490	520	550	580
HORIZONTAL TT LENGTH (MM)	522	544	565	587	608
SEAT ANGLE (°)	73	73	73	73	73
HEAD ANGLE (°)	69	70,5	70,5	71	71
HEADTUBE LENGTH (MM)	100	123	151	179	208
BB DROP (MM)	75	75	75	75	75
CHAINSTAY LENGTH (MM)	440	440	440	440	440
FORK OFFSET (MM)	55	55	55	55	55
TRAIL (MM)	75,8	65,9	65,9	62,7	62,7
WHEELBASE LENGTH (MM)	1027	1037	1059	1077	1099
STANDOVER (MM)	748	767	795	824	852
REACH (MM)	359	373	386	398	411
STACK (MM)	533	561	587	616	644
FRONT CENTER (MM)	598	608	630	647	669
AXLE TO CROWN (MM)	400	400	400	400	400

ART. NR. /

XS	WD2080A
S	WD2080B
M	WD2080C
L	WD2080D
XL	WD2080E

SPECS/

WHEEL SIZE	700C
COLOR	Glossy Blue Fade
FRAME	4130 double butted crmo frame, heat treated front triangle, rack / fender mounts
FORK	4130 crmo, tapered double butted blades, TA, with rack / fender mounts
HANDLEBAR	BOMBTRACK Origin flat bar, 31.8 mm, 8° backsweep
GRIPS	BOMBTRACK LOCK 145 mm grips
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	NECO H282 sealed external headset, 1.1/8"
LEVERS	SHIMANO BL-M200 hydraulic brake levers
SHIFTER	SHIMANO DEORE SL-M6000 RAPIDFIRE PLUS shifter 1 x 10
BRAKES	SHIMANO BR-M200 post mount hydraulic disc brake with 160 mm rotors
CRANKSET	BOMBTRACK TAF19 aluminum crank, 24 mm spindle
BB	BSA sealed BB, external cups
PEDALS	WELLGO B109N flat pedal
CHAIN	KMC X10 chain, 1/2" x 11/128", 114L
CHAINRING	BOMBTRACK RIDGE aluminum chainring, 42 T, 1/2" x 11/128", incl. Chainguard
CASSETTE	MICROSHIFT CS-H103 10-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	MICROSHIFT RD-M665M rear derailleur, clutch, medium cage
FRONT HUB	BOMBTRACK ORIGIN sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK ORIGIN sealed disc hub, 11-speed, 12 x 142 mm thru-axle
FRONT RIM	BOMBTRACK TX20 double wall, 19, 32h
REAR RIM	BOMBTRACK TX20 double wall, 19, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK BEECH aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 29.8 mm
FRONT TIRE	KENDA FLINTRIDGE tire, 700C x 40C
REAR TIRE	KENDA FLINTRIDGE tire, 700C x 40C
FENDERS	-
RACK	BOMBTRACK DECK front rack
LIGHTS	-
WEIGHT (SZE M)	11,9

ARISE TOUR

GLOSSY DARK CHERRY

-CHF 1999-



SIZE /

	XS	S	M	L	XL
SEAT TUBE LENGTH (MM)	460	490	520	550	580
HORIZONTAL TT LENGTH (MM)	522	544	565	587	608
SEAT ANGLE (°)	73	73	73	73	73
HEAD ANGLE (°)	69	70,5	70,5	71	71
HEADTUBE LENGTH (MM)	100	123	151	179	208
BB DROP (MM)	75	75	75	75	75
CHAINSTAY LENGTH (MM)	440	440	440	440	440
FORK OFFSET (MM)	55	55	55	55	55
TRAIL (MM)	75,8	65,9	65,9	62,7	62,7
WHEELBASE LENGTH (MM)	1027	1037	1059	1077	1099
STANDOVER (MM)	748	767	795	824	852
REACH (MM)	359	373	386	398	411
STACK (MM)	533	561	587	616	644
FRONT CENTER (MM)	598	608	630	647	669
AXLE TO CROWN (MM)	400	400	400	400	400

ART. NR. /

XS	WD2081A
S	WD2082B
M	WD2083C
L	WD2084D
XL	WD2085E

SPECS/

WHEEL SIZE	700C
COLOR	Glossy Dark Cherry
FRAME	4130 double butted crmo frame, heat treated front triangle, rack / fender mounts
FORK	4130 crmo, tapered double butted blades, TA, with rack / fender mounts
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK ESCAPE bar tape
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	FSA ORBIT MX sealed external headset, 1.1/8"
LEVERS	TEKTRO RL-340 brake levers
SHIFTER	MICROSHIFT BS-M10 bar end shifter 2 x 10
BRAKES	TRP SPYRE C post mount mechanic disc brakes with 160 mm rotors
CRANKSET	BOMBTRACK AMES forged aluminum crank, 24 mm spindle
BB	BSA sealed BB, external cups
PEDALS	-
CHAIN	KMC X10 chain, 1/2" x 11/128", 114L
CHAINRING	steel, subcompact, 46 / 30 T, 1/2" x 11/128"
CASSETTE	MICROSHIFT CS-H103 10-speed cassette, 11 - 42 T
FRONT DERAILLEUR	MICROSHIFT FD-R552-B front derailleur
REAR DERAILLEUR	MICROSHIFT RD-M62L rear derailleur, long cage
FRONT HUB	KT dynamo hub, 6-bolt disc, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK ORIGIN sealed disc hub, 11-speed, 12 x 142 mm thru-axle
FRONT RIM	BOMBTRACK TX20 double wall, i19, 36h
REAR RIM	BOMBTRACK TX20 double wall, i19, 36h
SADDLE	BOMBTRACK ORIGIN saddle
SEAT POST	BOMBTRACK CEDAR aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 29.8 mm
FRONT TIRE	KENDA KWICK TENDRIL tire, 700C x 35C
REAR TIRE	KENDA KWICK TENDRIL tire, 700C x 35C
FENDERS	BOMBTRACK PIPE plastic fenders, 50 mm
RACK	TUBUS TARA front, LOGO EVO rear
LIGHTS	SUPERNOVA E3 PURE 3 front, E3 TAIL LIGHT 2 rear
WEIGHT (SIZE M)	14,5

HOOK 1

GLOSSY STONE GREY

-CHF 1599-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	495	525	545	565
HORIZONTAL TT LENGTH (MM)	525	545	562	579
SEAT ANGLE (°)	74	74	73,5	73,5
HEAD ANGLE (°)	71	72	72	72
HEADTUBE LENGTH (MM)	110	130	150	170
BB DROP (MM)	60	60	60	60
CHAINSTAY LENGTH (MM)	425	425	425	425
FORK OFFSET (MM)	45	45	45	45
TRAIL (MM)	71,5	65,1	65,1	65,1
WHEELBASE LENGTH (MM)	1004	1015	1027	1045
STANDOVER (MM)	781	798	816	835
REACH (MM)	370	383	389	400
STACK (MM)	542	564	583	602
FRONT CENTER (MM)	587	597	610	627
AXLE TO CROWN (MM)	401	401	401	401

ART. NR. /

S	WD2082A
M	WD2082B
L	WD2082C
XL	WD2082D

SPECS/

WHEEL SIZE	700C
COLOR	Glossy Stone Grey
FRAME	4130 double butted, crmo frame, heat treated front triangle, rack / fender mounts
FORK	aluminum disc fork, 1.1/2'' - 1.1/8'' tapered steerer, rack / fender mounts
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	FSA NO.21/12B/44 sealed external aheadset, 1.1/2'' - 1.1/8''
LEVERS	SHIMANO SORA ST-R3000 STI mechanic
SHIFTER	SHIMANO SORA ST-R3000 STI 2 x 9
BRAKES	TEKTRO MIRA post mount mechanic disc brakes with 160 mm rotors
CRANKSET	BOMBTRACK LYER forged aluminum crank, direct mount interface, 30 mm spindle
BB	T47 sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X9 chain, 1/2'' x 11/128'', 114L
CHAINRING	aluminum, subcompact, 48 / 32 T, 1/2'' x 11/128''
CASSETTE	MICROSHIFT CS-H092 9-speed cassette, 11 - 36 T
FRONT DERAILLEUR	MICROSHIFT FD-R352-B front derailleur
REAR DERAILLEUR	MICROSHIFT RD-M46L rear derailleur, long cage
FRONT HUB	BOMBTRACK TITLE-DISC sealed, 6-bolt disc hub, QR axle
REAR HUB	BOMBTRACK TITLE-DISC sealed hub, 11-speed, 6-bolt disc, QR axle
FRONT RIM	BOMBTRACK TX20 double wall, 19, 32h
REAR RIM	BOMBTRACK TX20 double wall, 19, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK BEECH aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 29.8 mm
FRONT TIRE	KENDA FLINTRIDGE tire, 700C x 35C
REAR TIRE	KENDA FLINTRIDGE tire, 700C x 35C
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SZE M)	11,9

HOOK EXT

MATT FOREST GREEN

-CHF 2599-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	510	540	570	600
HORIZONTAL TT LENGTH (MM)	541	558	575	592
SEAT ANGLE (°)	72,5	72,5	72,5	72,5
HEAD ANGLE (°)	70,3	71	72	72,5
HEADTUBE LENGTH (MM)	110	130	150	170
BB DROP (MM)	70	70	70	70
CHAINSTAY LENGTH (MM)	425	425	425	425
FORK OFFSET (MM)	48	48	48	48
TRAIL (MM)	72,1	67,3	61	57,8
WHEELBASE LENGTH (MM)	1010	1021	1028	1039
STANDOVER (MM)	773	789	815	840
REACH (MM)	370	380	389	399
STACK (MM)	544	566	589	610
FRONT CENTER (MM)	595	606	612	624
AXLE TO CROWN (MM)	397	397	397	397

ART. NR. /

S	WD2083A
M	WD2083B
L	WD2083C
XL	WD2083D

SPECS/

WHEEL SIZE	27.5"
COLOR	Matt Forest Green
FRAME	COLUMBUS CROMOR double butted tubing, rack / fender mounts
FORK	full carbon disc fork, TA, 1.1/2" - 1.1/8" tapered steerer, with fender / triple cage mounts
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK ESCAPE bar tape
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	FSA NO.21/12B/44 sealed external headset, 1.1/2" - 1.1/8"
LEVERS	SRAM RIVAL 1 double tap hydraulic
SHIFTER	SRAM RIVAL 1 double tap 1 x 11
BRAKES	SRAM RIVAL flat mount hydraulic disc brakes with 160 mm rotors
CRANKSET	BOMBTRACK LYER forged aluminum crank, direct mount interface, 30 mm spindle
BB	T47 sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 chain, 1/2" x 11/128", 114L
CHAINRING	CNC machined aluminum, narrow-wide, 40 T, 1/2" x 11/128"
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM RIVAL 1 rear derailleur, clutch, long cage
FRONT HUB	BOMBTRACK ORIGIN sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK ORIGIN sealed disc hub, 11-speed, 12 x 142 mm thru-axle
FRONT RIM	WTB ST Light i23 double wall, TCS 2.0, 32h
REAR RIM	WTB ST Light i21 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK PINE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 29.8 mm
FRONT TIRE	WTB RANGER TCS LIGHT folding tire 27.5" x 2.0"
REAR TIRE	WTB RANGER TCS LIGHT folding tire 27.5" x 2.0"
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11

HOOK EXT C

MATT METALLIC BLACK

-CHF 3299-



SIZE /

	XS	S	M	L	XL
SEAT TUBE LENGTH (MM)	490	520	540	560	580
HORIZONTAL TT LENGTH (MM)	525	535	545	560	575
SEAT ANGLE (°)	75	74	73	73	73
HEAD ANGLE (°)	71	71	72	72	72
HEADTUBE LENGTH (MM)	120	140	150	170	190
BB DROP (MM)	69	67	67	67	65
CHAINSTAY LENGTH (MM)	435	435	435	435	435
FORK OFFSET (MM)	50	50	50	50	50
TRAIL (MM)	69	66	62	59	59
WHEELBASE LENGTH (MM)	1024	1027	1021	1032	1042
STANDOVER (MM)	767	784	796	816	835
REACH (MM)	376	375	371	380	384
STACK (MM)	539	558	569	590	607
FRONT CENTER (MM)	599	601	595	606	616
AXLE TO CROWN (MM)	395	395	395	395	395

ART. NR. /

XS	WD2084A
S	WD2084B
M	WD2084C
L	WD2084D
XL	WD2084E

SPECS/

WHEEL SIZE	27.5"
COLOR	Matt Metallic Black
FRAME	TORAY T700/T800 Hi-Mod carbon, rack / fender mounts, 68 mm T47 shell
FORK	full carbon disc fork, TA, 1.1/2" - 1.1/8" tapered steerer, with fender / triple cage mounts
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK ESCAPE bar tape
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	FSA NO.42/ACB sealed integrated headset, 1.1/2" - 1.1/8"
LEVERS	SRAM RIVAL 1 double tap hydraulic
SHIFTER	SRAM RIVAL 1 double tap 1 x 11
BRAKES	SRAM RIVAL flat mount hydraulic disc brakes with 160 mm F / 140 mm R rotors
CRANKSET	BOMBTRACK LYER forged aluminum crank, direct mount interface, 30 mm spindle
BB	T47 sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 chain, 1/2" x 11/128", 114L
CHAINRING	CNC machined aluminum, narrow-wide, 40 T, 1/2" x 11/128"
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM RIVAL 1 rear derailleur, clutch, long cage
FRONT HUB	HUNT ADVENTURE SPORT sealed hub, 6-bolt disc, 12 x 100 mm TA
REAR HUB	HUNT ADVENTURE SPORT sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm TA
FRONT RIM	HUNT ADVENTURE SPORT double wall asymmetric rim, TLC, 120, 28h
REAR RIM	HUNT ADVENTURE SPORT double wall asymmetric rim, TLC, 120, 28h
SADDLE	BOMBTRACK PRO saddle
SEAT POST	BOMBTRACK PINE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK PRIME forged aluminum seat clamp, 31.8 mm
FRONT TIRE	WTB VENTURE TCS LIGHT folding tire 27.5" x 2.0"
REAR TIRE	WTB VENTURE TCS LIGHT folding tire 27.5" x 2.0"
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	9,6

TENSION 1

MATT BLACK/LIGHT BLUE

-CHF 1999-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	500	530	560	590
HORIZONTAL TT LENGTH (MM)	534	552	570	586
SEAT ANGLE (°)	73	73	73	73
HEAD ANGLE (°)	71	71,5	72	72
HEADTUBE LENGTH (MM)	115	162	162	179
BB DROP (MM)	65	65	65	65
CHAINSTAY LENGTH (MM)	425	425	425	425
FORK OFFSET (MM)	45	45	45	45
TRAIL (MM)	70,9	67,6	64,5	64,5
WHEELBASE LENGTH (MM)	1000	1014	1028	1044
STANDOVER (MM)	771	800	815	838
REACH (MM)	370	374	392	403
STACK (MM)	535	582	584	600
FRONT CENTER (MM)	583	598	611	627
AXLE TO CROWN (MM)	397	397	397	397

ART. NR. /

S	WD2085A
M	WD2085B
L	WD2085C
XL	WD2085D

SPECS/

WHEEL SIZE	700C
COLOR	Matt Black / Light Blue
FRAME	6061-T6 double butted aluminum, tapered head tube, TA dropouts, 86.5 mm T47 shell
FORK	full carbon TA disc fork, 1.1/2'' - 1.1/8'' tapered steerer with fender mounts
HANDLEBAR	BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	FSA ORBIT C40 sealed integrated aheadset, 1.1/2'' - 1.1/8''
LEVERS	SRAM APEX 1 double tap hydraulic
SHIFTER	SRAM APEX 1 double tap 1 x 11
BRAKES	SRAM APEX flat mount hydraulic disc brakes with 140 mm rotors
CRANKSET	BOMBTRACK LYER forged aluminum crank, direct mount interface, 30 mm spindle
BB	T47 sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 chain, 1/2'' x 11/128'', 114L
CHAINRING	CNC machined aluminum, narrow-wide, 40 T, 1/2'' x 11/128''
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM APEX 1 rear derailleur, clutch, long cage
FRONT HUB	BOMBTRACK ORIGIN sealed disc hub, 12 x 100 mm thru-axle
REAR HUB	BOMBTRACK ORIGIN sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
FRONT RIM	WTB ST i19 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i19 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK PRO saddle
SEAT POST	BOMBTRACK BEECH aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 31.8 mm
FRONT TIRE	CHALLENGE GRIFO TLR folding tire, tanwall, 700C x 33C
REAR TIRE	CHALLENGE GRIFO TLR folding tire, tanwall, 700C x 33C
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	9,4

TENSION C

GLOSSY BLACK/TANGER YELLOW

-CHF 3399-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	520	540	560	580
HORIZONTAL TT LENGTH (MM)	535	545	560	575
SEAT ANGLE (°)	74	73,5	73	73
HEAD ANGLE (°)	71,5	72	72	72
HEADTUBE LENGTH (MM)	123	140	160	180
BB DROP (MM)	64	64	64	64
CHAINSTAY LENGTH (MM)	425	425	425	425
FORK OFFSET (MM)	45	45	45	45
TRAIL (MM)	70	66,7	66,7	66,7
WHEELBASE LENGTH (MM)	1007	1008	1018	1033
STANDOVER (MM)	788	805	823	842
REACH (MM)	378	378	382	391
STACK (MM)	546	565	584	603
FRONT CENTER (MM)	591	591	601	616
AXLE TO CROWN (MM)	400	400	400	400

ART. NR. /

S	WD1995A
M	WD1995B
L	WD1995C
XL	WD1995D

SPECS/

WHEEL SIZE	700C
COLOR	Glossy Black / Tanger Yellow
FRAME	TORAY T700/T800 Hi-Mod carbon, TA dropout, replaceable hanger, 68 mm T47 shell
FORK	full carbon TA disc fork, 1.1/2" - 1.1/8" tapered steerer
HANDLEBAR	RITCHEY COMP BUTANO drop bar, 31.8 mm, 4° backsweep, 12° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	RITCHEY COMP 4-AXIS 44 forged aluminum stem, -6°
HEADSET	FSA ORBIT C40 sealed integrated headset, 1.1/2" - 1.1/8"
LEVERS	SRAM FORCE 1 double tap hydraulic
SHIFTER	SRAM FORCE 1 double tap 1 x 11
BRAKES	SRAM FORCE flat mount hydraulic disc brakes with 140 mm rotors
CRANKSET	SRAM FORCE 1 carbon crank
BB	T47 sealed BB for 30 mm spindle
PEDALS	-
CHAIN	KMC X11 chain, 1/2" x 11/128", 114L
CHAINRING	SRAM X-SYNC aluminum, narrow-wide, 40 T, 1/2" x 11/128"
CASSETTE	SRAM PG-1130 11-speed cassette, 11 - 36 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SRAM FORCE 1 rear derailleur, clutch, medium cage
FRONT HUB	HUNT 4 SEASON V2 sealed hub, 6-bolt disc, 12 x 100 mm thru-axle
REAR HUB	HUNT 4 SEASON V2 sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
FRONT RIM	HUNT 4 SEASON double wall asymmetric rim, TLC, 19, 24h
REAR RIM	HUNT 4 SEASON double wall asymmetric rim, TLC, 19, 24h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	RITCHEY COMP 2-BOLT aluminum seatpost 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK PRIME forged aluminum seat clamp, 31.8 mm
FRONT TIRE	CHALLENGE GRIFO TLR folding tire, tanwall, 700C x 33C
REAR TIRE	CHALLENGE GRIFO TLR folding tire, tanwall, 700C x 33C
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	8,5

BEYOND

MATT METALLIC GREEN

-CHF 1999-



SIZE /

	XS	S	M	L	XL
SEAT TUBE LENGTH (MM)	400	440	480	520	560
HORIZONTAL TT LENGTH (MM)	493	522	558	590	624
SEAT ANGLE (°)	75	75	74	73	73
HEAD ANGLE (°)	70	71	71	72	72
HEADTUBE LENGTH (MM)	95	125	145	160	180
BB DROP (MM)	55	55	70	70	70
CHAINSTAY LENGTH (MM)	425	425	455	455	455
FORK OFFSET (MM)	50	50	50	50	50
TRAIL (MM)	68	65	68	62	62
WHEELBASE LENGTH (MM)	999	1020	1065	1082	1109
STANDOVER (MM)	724	749	788	815	842
REACH (MM)	351	366	380	401	423
STACK (MM)	533	563	599	637	675
FRONT CENTER (MM)	580	601	619	636	663
AXLE TO CROWN (MM)	420	420	420	420	420

ART. NR. /

XS	WD2087A
S	WD2087B
M	WD2087C
L	WD2087D
XL	WD2087E

SPECS/

WHEEL SIZE	XS-S 27.5'', M-XL 29''
COLOR	Matt Metallic Green
FRAME	double butted crmo tubing, with cage, rack and fender mounts, 73 mm BSA shell
FORK	4130 crmo, tapered double butted blades, with fender / rack / triple cage mounts
HANDLEBAR	BOMBTRACK BEYOND travel bar, 31.8 mm, 22° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK WANDER forged aluminum stem, +17°
HEADSET	FSA NO.21/12/44 sealed external headset, 1.1/2'' - 1.1/8''
LEVERS	SRAM Apex double tap mechanic
SHIFTER	SRAM Apex double tap.2 x 10
BRAKES	TRP SPYRE C mechanic disc brakes with 180 mm F / 160 mm R rotors
CRANKSET	BOMBTRACK AMES forged aluminum crank, 24 mm spindle
BB	SRAM GXP BSA 73 mm
PEDALS	-
CHAIN	KMC X10 chain, 1/2'' x 11/128'', 114L
CHAINRING	SRAM X5 aluminum, 42 / 28 T
CASSETTE	SRAM PG-1020 10-speed cassette, 11 - 36 T
FRONT DERAILLEUR	SRAM X5 front derailleur, high clamp
REAR DERAILLEUR	SRAM GX rear derailleur, long cage
FRONT HUB	BOMBTRACK TITLE-DISC sealed, 6-bolt disc hub, 15 x 100 mm thru-axle
REAR HUB	BOMBTRACK TITLE-DISC sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
FRONT RIM	WTB ST i23 double wall, TCS 2.0, 32h
REAR RIM	WTB ST i23 double wall, TCS 2.0, 32h
SADDLE	BOMBTRACK ORIGIN saddle
SEAT POST	BOMBTRACK BEECH aluminum seatpost, 27.2 mm x 400 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 29.8 mm
FRONT TIRE	XS - S WTB RANGER TCS, 27.5'' x 2.0'', M - XL WTB RANGER TCS, 29'' x 2.0''
REAR TIRE	XS - S WTB RANGER TCS, 27.5'' x 2.0'', M - XL WTB RANGER TCS, 29'' x 2.0''
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	12,5

BEYOND JUNIOR

MATT METALLIC LIME GREEN

-CHF 1099-



SIZE /

	XXS
SEAT TUBE LENGTH (MM)	330
HORIZONTAL TT LENGTH (MM)	473
SEAT ANGLE (°)	74
HEAD ANGLE (°)	72
HEADTUBE LENGTH (MM)	100
BB DROP (MM)	30
CHAINSTAY LENGTH (MM)	390
FORK OFFSET (MM)	45
TRAIL (MM)	55
WHEELBASE LENGTH (MM)	919
STANDOVER (MM)	672
REACH (MM)	325
STACK (MM)	501
FRONT CENTER (MM)	531
AXLE TO CROWN (MM)	400

ART. NR. /

XXS WD2088

SPECS/

WHEEL SIZE	24"
COLOR	Matt Metallic Lime Green
FRAME	6061 aluminum, triple butted downtube, rack and fender mounts, replaceable hanger
FORK	6061 aluminum, double butted blades, QR disc, with fender / rack / triple cage mounts
HANDLEBAR	BOMBTRACK BEYOND travel bar, 31.8 mm, 22° flare
GRIPS	BOMBTRACK COMMAND bar tape
STEM	BOMBTRACK WANDER forged aluminum stem, +17°
HEADSET	NECO H282 sealed external headset, 1.1/8"
LEVERS	MICROSHIFT ADVENT SB-M090 dual control lever
SHIFTER	mechanic
	MICROSHIFT ADVENT SB-M090 dual control lever
BRAKES	TEKTRO MIRA mechanic disc brakes with 160 mm F / 140 mm R rotors
CRANKSET	BOMBTRACK MACH square taper crank
BB	BSA sealed BB, 118 mm, square taper
PEDALS	WELLGO LU-C29 aluminum pedal
CHAIN	KMC X9 chain, 1/2" x 11/128", 98L
CHAINRING	forged steel, narrow wide, 32T
CASSETTE	MICROSHIFT CS-H093 9-speed cassette, 11 - 42 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	MICROSHIFT RD-M6195M rear derailleur, clutch
FRONT HUB	BOMBTRACK TITLE-DISC sealed, 6-bolt disc hub, QR axle
REAR HUB	BOMBTRACK TITLE-DISC sealed hub, 11-speed, 6-bolt disc, QR axle
FRONT RIM	BOMBTRACK TX20 double wall, i19, 32h
REAR RIM	BOMBTRACK TX20 double wall, i19, 32h
SADDLE	BOMBTRACK DRIFT SADDLE
SEAT POST	BOMBTRACK BEECH aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	BOMBTRACK ORIGIN forged aluminum seat clamp, 31.8 mm
FRONT TIRE	KENDA SMALL BLOCK EIGHT, 24" x 1.95"
REAR TIRE	KENDA SMALL BLOCK EIGHT, 24" x 1.95"
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT	10,2

OUTLAW

MATT TEAL

-CHF 1699-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	500	530	550	580
HORIZONTAL TT LENGTH (MM)	544	561	582	605
SEAT ANGLE (°)	73,5	73,5	73	72,5
HEAD ANGLE (°)	70,2	70,5	71	71
HEADTUBE LENGTH (MM)	125	145	165	190
BB DROP (MM)	70	70	70	70
CHAINSTAY LENGTH (MM)	424	424	424	424
FORK OFFSET (MM)	50	50	50	50
TRAIL (MM)	68,9	67	63,8	63,8
WHEELBASE LENGTH (MM)	1025	1041	1052	1070
STANDOVER (MM)	773	789	808	833
REACH (MM)	379	390	399	409
STACK (MM)	558	578	599	622
FRONT CENTER (MM)	611	626	638	655
AXLE TO CROWN (MM)	398	398	398	398

ART. NR. /

S	WD2089A
M	WD2089B
L	WD2089C
XL	WD2089D

SPECS/

WHEEL SIZE	650B
COLOR	Matt Teal
FRAME	full 4130 crmo, double butted tubing, tapered head tube, sliding dropouts
FORK	aluminum QR disc fork, 1.1/2" - 1.1/8" tapered steerer, with fender / rack mounts
HANDLEBAR	BOMBTRACK Origin flat bar, 31.8 mm, 8° backsweep
GRIPS	BOMBTRACK TAB 129 mm grips
STEM	BOMBTRACK ROAM forged aluminum stem, -7°
HEADSET	FSA NO.21/12/44 sealed external headset, 1.1/2" - 1.1/8"
LEVERS	SHIMANO BL-M200 hydraulic brake levers
SHIFTER	-
BRAKES	SHIMANO BL-M200 post mount hydraulic disc brake with 160 mm rotors
CRANKSET	GATES CARBON S300 CDX aluminum crank, 24 mm spindle
BB	BSA sealed BB, external cups, for 24 mm spindle
PEDALS	ECLAT SLASH flatpedal
CHAIN	GATES CARBON CDN 115T belt
CHAINRING	GATES CARBON S300 CDX 55T
CASSETTE	GATES CARBON CDX 20T cog
FRONT DERAILLEUR	-
REAR DERAILLEUR	-
FRONT HUB	BOMBTRACK TITLE-DISC sealed, 6-bolt disc hub, female axle
REAR HUB	BOMBTRACK TITLE-DISC sealed hub, 11-speed, 6-bolt disc, female axle
FRONT RIM	BOMBTRACK TX20 double wall, i19, 28h
REAR RIM	BOMBTRACK TX20 double wall, i19, 28h
SADDLE	BOMBTRACK COMP saddle
SEAT POST	BOMBTRACK CEDAR aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	WTB HORIZON tire, 650B x 47C
REAR TIRE	WTB HORIZON tire, 650B x 47C
FENDERS	-
RACK	BOMBTRACK DECK frontrack
LIGHTS	-
WEIGHT (SZE M)	10,9

OXBRIDGE

METALLIC MAROON

-CHF 899-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	510	540	570	600
HORIZONTAL TT LENGTH (MM)	528	546	566	585
SEAT ANGLE (°)	73	73	73	73
HEAD ANGLE (°)	69,5	71	71,5	72
HEADTUBE LENGTH (MM)	101	126	153	181
BB DROP (MM)	65	65	65	65
CHAINSTAY LENGTH (MM)	416	416	416	416
FORK OFFSET (MM)	50	50	50	50
TRAIL (MM)	73	64	60	58
WHEELBASE LENGTH (MM)	1003	1009	1024	1039
STANDOVER (MM)	757	787	815	844
REACH (MM)	372	381	392	403
STACK (MM)	511	541	568	597
FRONT CENTER (MM)	596	601	617	632
AXLE TO CROWN (MM)	365	365	365	365

ART. NR. /

S	WD2090A
M	WD2090B
L	WD2090C
XL	WD2090D

SPECS/

WHEEL SIZE	700C
COLOR	Metallic Maroon
FRAME	4130 crmo front triangle, crmo dropouts with fender mounts, 68 mm BSA shell
FORK	full 4130 crmo fork, 1'' steerer, with rack and fender mounts
HANDLEBAR	BOMBTRACK HORIZON flat bar, 560 mm, 25.4 mm, 8° backsweep
GRIPS	BOMBTRACK SPACE 130 mm grip with leather bar tape
STEM	BOMBTRACK JAUNT forged aluminum quill stem, -17°
HEADSET	FSA DURON X sealed external headset, 1'' threaded
LEVERS	PROMAX 249A aluminum brake levers
SHIFTER	-
BRAKES	TEKTRO R359 aluminum caliper brakes
CRANKSET	BOMBTRACK AF22 aluminum crank, square taper
BB	BSA sealed BB, 113.5 mm, square taper
PEDALS	BOMBTRACK STROLL aluminum pedal
CHAIN	KMC Z1 chain, 1/2'' x 1/8''
CHAINRING	BOMBTRACK BIRO aluminum, 44 T, 1/18''
CASSETTE	16 T freewheel, 1/2'' x 3/32''
FRONT DERAILLEUR	-
REAR DERAILLEUR	-
FRONT HUB	BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
REAR HUB	BOMBTRACK DROME sealed freewheel hub, 10 mm female bolt axle
FRONT RIM	BOMBTRACK M20 double wall, 118, 28h
REAR RIM	BOMBTRACK M20 double wall, 118, 28h
SADDLE	BOMBTRACK TEAM saddle
SEAT POST	BOMBTRACK MYRTLE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	KENDA KWICK ROLLER tire, 700C x 28C
REAR TIRE	KENDA KWICK ROLLER tire, 700C x 28C
FENDERS	BOMBTRACK STAY aluminum fenders 35 mm
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	10,4

OXBRIDGE GEARED

METALLIC BLUE

-CHF 999-



SIZE /

	S	M	L	XL
SEAT TUBE LENGTH (MM)	510	540	570	600
HORIZONTAL TT LENGTH (MM)	528	546	566	585
SEAT ANGLE (°)	73	73	73	73
HEAD ANGLE (°)	69,5	71	71,5	72
HEADTUBE LENGTH (MM)	101	126	153	181
BB DROP (MM)	65	65	65	65
CHAINSTAY LENGTH (MM)	416	416	416	416
FORK OFFSET (MM)	50	50	50	50
TRAIL (MM)	73	64	60	58
WHEELBASE LENGTH (MM)	1003	1009	1024	1039
STANDOVER (MM)	757	787	815	844
REACH (MM)	372	381	392	403
STACK (MM)	511	541	568	597
FRONT CENTER (MM)	596	601	617	632
AXLE TO CROWN (MM)	365	365	365	365

ART. NR. /

S	WD2091A
M	WD2091B
L	WD2091C
XL	WD2091D

SPECS/

WHEEL SIZE	700C
COLOR	Metallic Blue
FRAME	4130 front triangle, crmo dropouts with rack / fender mounts, 68 mm BSA shell
FORK	full 4130 crmo fork, 1" steerer, with rack and fender mounts
HANDLEBAR	BOMBTRACK LATITUDE drop bar, 25.4 mm
GRIPS	BOMBTRACK BACKSPACE bar tape (faux leather)
STEM	BOMBTRACK JAUNT forged aluminum quill stem, -17°
HEADSET	FSA DURON X sealed external headset, 1" threaded
LEVERS	TEKTRO RL-340 brake levers
SHIFTER	DIA COMPE ENE downtube friction shifters
BRAKES	TEKTRO R359 aluminum caliper brakes
CRANKSET	BOMBTRACK AF22 aluminum crank, square taper
BB	BSA sealed BB, 107 mm, square taper
PEDALS	BOMBTRACK STROLL aluminum pedal
CHAIN	KMC X8 chain, 1/2" x 3/32"
CHAINRING	BOMBTRACK BIRO aluminum, 50 / 34 T, 1/2" x 11/128"
CASSETTE	SHIMANO CLARIS CS-HG50-8 8-speed cassette, 11 - 28 T
FRONT DERAILLEUR	SHIMANO CLARIS FD-R2000-B front derailleur
REAR DERAILLEUR	SHIMANO CLARIS RD-R2000-SS rear derailleur, short cage
FRONT HUB	BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
REAR HUB	BOMBTRACK DROME sealed cassette hub, 10 mm female bolt axle
FRONT RIM	BOMBTRACK M20 double wall, 118, 28h
REAR RIM	BOMBTRACK M20 double wall, 118, 28h
SADDLE	BOMBTRACK HARRIS saddle
SEAT POST	BOMBTRACK MYRTLE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	KENDA KWICK ROLLER tire, 700C x 28C
REAR TIRE	KENDA KWICK ROLLER tire, 700C x 28C
FENDERS	-
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11

TRINITY

METALLIC TEAL

-CHF 999-



SIZE /

	S	M
SEAT TUBE LENGTH (MM)	520	550
HORIZONTAL TT LENGTH (MM)	530	565
SEAT ANGLE (°)	74	74
HEAD ANGLE (°)	71	70,8
HEADTUBE LENGTH (MM)	110	140
BB DROP (MM)	70	70
CHAINSTAY LENGTH (MM)	434	434
FORK OFFSET (MM)	50	50
TRAIL (MM)	64	65
WHEELBASE LENGTH (MM)	1018	1054
STANDOVER (MM)	670	690
REACH (MM)	383	408
STACK (MM)	516	544
FRONT CENTER (MM)	593	630
AXLE TO CROWN (MM)	365	365

ART. NR. /

S	WD2092A
M	WD2092B

SPECS/

WHEEL SIZE	700C
COLOR	Metallic Teal
FRAME	4130 crmo front triangle, integrated derailleur hanger, rack / fender mountsfull 4130 crmo fork, 1'' steerer, with rack and fender mounts
FORK	
HANDLEBAR	BOMBTRACK LONGITUDE north road bars, 25.4 mm
GRIPS	BOMBTRACK SPACE 130 mm grip
STEM	BOMBTRACK JAUNT forged aluminum quill stem, -17°
HEADSET	FSA DURON X sealed external headset, 1'' threaded
LEVERS	PROMAX 249A brake levers
SHIFTER	DIA COMPE ENE downtube friction shifter
BRAKES	TEKTRO R359 aluminum caliper brakes
CRANKSET	BOMBTRACK AF22 6061 aluminum crank, square taper
BB	BSA sealed BB, 107 mm, square taper
PEDALS	BOMBTRACK STROLL aluminum pedal
CHAIN	KMC X9 chain, 1/2'' x 11/128'', 114L
CHAINRING	BOMBTRACK BIRO aluminum, 44 t
CASSETTE	SHIMANO CS-HG400-9 9-speed cassette, 11 - 34 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 rear derailleur, long cage
FRONT HUB	BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
REAR HUB	BOMBTRACK DROME sealed cassette hub, 10 mm female bolt axle
FRONT RIM	BOMBTRACK M20 double wall, i18, 28h
REAR RIM	BOMBTRACK M20 double wall, i18, 28h
SADDLE	BOMBTRACK SAUNTER saddle
SEAT POST	BOMBTRACK MYRTLE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	KENDA KWICK ROLLER tire, 700C x 28C
REAR TIRE	KENDA KWICK ROLLER tire, 700C x 28C
FENDERS	BOMBTRACK STAY aluminum fenders 35 mm
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11

TRINITY

METALLIC CHAMPAGNE

-CHF 999-



SIZE /

	S	M
SEAT TUBE LENGTH (MM)	520	550
HORIZONTAL TT LENGTH (MM)	530	565
SEAT ANGLE (°)	74	74
HEAD ANGLE (°)	71	70,8
HEADTUBE LENGTH (MM)	110	140
BB DROP (MM)	70	70
CHAINSTAY LENGTH (MM)	434	434
FORK OFFSET (MM)	50	50
TRAIL (MM)	64	65
WHEELBASE LENGTH (MM)	1018	1054
STANDOVER (MM)	670	690
REACH (MM)	383	408
STACK (MM)	516	544
FRONT CENTER (MM)	593	630
AXLE TO CROWN (MM)	365	365

ART. NR. /

S	WD2093A
M	WD2093B

SPECS/

WHEEL SIZE	700C
COLOR	Metallic Champagne
FRAME	4130 crmo front triangle, integrated derailleur hanger, rack / fender mountsfull 4130 crmo fork, 1'' steerer, with rack and fender mounts
FORK	
HANDLEBAR	BOMBTRACK LONGITUDE north road bars, 25.4 mm
GRIPS	BOMBTRACK SPACE 130 mm grip
STEM	BOMBTRACK JAUNT forged aluminum quill stem, -17°
HEADSET	FSA DURON X sealed external headset, 1'' threaded
LEVERS	PROMAX 249A brake levers
SHIFTER	DIA COMPE ENE downtube friction shifter
BRAKES	TEKTRO R359 aluminum caliper brakes
CRANKSET	BOMBTRACK AF22 6061 aluminum crank, square taper
BB	BSA sealed BB, 107 mm, square taper
PEDALS	BOMBTRACK STROLL aluminum pedal
CHAIN	KMC X9 chain, 1/2'' x 11/128'', 114L
CHAINRING	BOMBTRACK BIRO aluminum, 44 t
CASSETTE	SHIMANO CS-HG400-9 9-speed cassette, 11 - 34 T
FRONT DERAILLEUR	-
REAR DERAILLEUR	SHIMANO ALIVIO RD-T4000 rear derailleur, long cage
FRONT HUB	BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
REAR HUB	BOMBTRACK DROME sealed cassette hub, 10 mm female bolt axle
FRONT RIM	BOMBTRACK M20 double wall, i18, 28h
REAR RIM	BOMBTRACK M20 double wall, i18, 28h
SADDLE	BOMBTRACK SAUNTER saddle
SEAT POST	BOMBTRACK MYRTLE aluminum seatpost, 27.2 mm x 300 mm
SEAT CLAMP	integrated seat clamp
FRONT TIRE	KENDA KWICK ROLLER tire, 700C x 28C
REAR TIRE	KENDA KWICK ROLLER tire, 700C x 28C
FENDERS	BOMBTRACK STAY aluminum fenders 35 mm
RACK	-
LIGHTS	-
WEIGHT (SIZE M)	11

BOMBTRACK™

BICYCLE COMPANY

WWW.BOMBTRACK.COM



Ihr Fachhändler / Votre Marchand

