



2020





INSIDE FELT

SINCE 1991

Wir bei Felt sind unserem Ziel immer treu geblieben: Wir wollen die besten Fahrräder der Welt entwerfen, entwickeln und bauen.

Alles fing Ende der 1980er Jahre an.

Damals bat Motocross-Star Johnny O'Mara den gewieften Motorradmechaniker Jim Felt, ihm ein Rad für das Zeitfahren zu bauen. Johnny O'Mara nahm als Training für Motocross an Triathlons teil. Als Triathlon-Leistungssportler hatte Jim Felt klare Vorstellungen, wie er die damaligen Designs verbessern konnte. Er konzentrierte sich darauf, die Fahrerposition für höchste aerodynamische Effizienz zu optimieren. Es funktionierte. Schon bald gewann Johnny O'Mara die ersten Rennen, und wenig später baute Jim Räder für viele der besten Triathleten der Welt. Als Paula Newby-Fraser 1991 den Kona Ironman auf einem Felt Rad gewann, war Jim Felt offiziell im Fahrradbusiness.

Seit jenen Anfangstagen hat sich die Marke Felt weit über Triathlon Bikes hinaus entwickelt. Heute bietet Felt komplette Modellreihen in allen Bereichen an: MTB, Strassenräder, Triathlon, Citybikes und BMX. Das Renommee der Felt Bikes umfasst diverse Siege in großen Rundfahrten, eine olympische Goldmedaille, Weltmeistertitel und zahlreiche nationale Titel.

Felt Bicycles - wir entwickeln, wir erneuern, aber wir bleiben nie stehen.

Felt n'a jamais renoncé à sa mission : concevoir, développer et fournir les meilleurs vélos au monde. Les origines de cette mission remontent à plus de deux décennies.

Tout a commencé à la fin des années 1980 quand la star du motocross Johnny O'Mara a demandé à son mécanicien Jim Felt de lui construire un vélo de contre-la-montre. Johnny faisait des triathlons comme entraînement au motocross.

En tant que triathlète lui aussi, Jim avait déjà ses propres idées pour améliorer les concepts de l'époque. Il s'est concentré sur l'optimisation de la position du cycliste afin de maximiser l'efficacité aérodynamique. Et ça a marché. Johnny a immédiatement commencé à gagner des courses, et Jim se mit rapidement à fabriquer des vélos pour les meilleurs triathlètes du monde. Quand Paula Newby-Fraser a gagné l'Ironman de Kona en 1991 sur un Felt, Jim a été officiellement propulsé dans le monde du vélo.

Depuis ses premiers pas, la marque Felt a grandi bien au-delà de ses racines de triathlon. Aujourd'hui il comprend une ligne de vélos complète pour le VTT, la route, le triathlon, les cités et le BMX. Le curriculum vitae de vélos Felt comprend victoires en grands tours, une médaille d'or olympique, championnats du monde, et de nombreux titres nationaux.

Felt Bicycles - nous concevons, nous innovons, mais nous ne restons jamais immobile.

INHALT

03

ROAD

AR
FR
Versatile
Women / JR
Piste

22

TRIATHLON

IA Disc
IA
B

28

CROSS / LIFESTYLE

FX
Breed (Gravel)
Broam (Touring)
Verza Speed (Lifestyle)

39

MOUNTAIN FULLY

Compulsion
Decree
Edict

51

MOUNTAIN HARDTAILS

Doctrine
Dispatch
Kids
BMX

69

E-BIKE

URBAN
MTB





03-21

AR

FR

Versatile

Women / JR

Piste

ROAD



AR Advanced Ultegra Di2 Disc

CHF 6999.00



FRAME

Felt Aero Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, aluminum replaceable rear derailleur hanger, internal electronic-specific cable routing, and high-frequency vibration reducing seat post insert.

FORK

Felt Aero Road UHC Advanced + TeXtreme carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

Shifter Shimano Ultegra Di2 R8070 11-speed shifters | front derailleurs Shimano Ultegra R8050 Di2 braze-on | rear derailleur Shimano Ultegra R8050 Di2 11-speed short cage

CASSETTE

Shimano 11-speed, 11-30T

CRANKSET

Shimano Ultegra R8000, 52/36T, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Token BB386 with 24mm bearings

BRAKE

front: Shimano BR-R8070 hydraulic disc, 160mm rotor | rear: Shimano Ultegra R8070 hydraulic disc, 140mm rotor

SEATPOST

Felt VariMount Aero Road UHC Advanced + TeXtreme carbon fiber with high-frequency vibration reducing insert, integrated battery holder, 350mm length*, 0/20mm offset (*Seatpost can be cut to length)

WHEELSET

Reynolds AR58 DB Custom carbon, tubeless ready, 21mm inner width, 58mm depth | front hub Reynolds straight-pull design, 12 x 100mm, rear hub Reynolds straight-pull design, 4 pawl, 24T ratchet, 11-speed, 12 x 142mm

TIRES

Continental Grand Prix 5000 folding, 700 x 25c

SIZES

54, 56, 58, 61cm

WEIGHT

7.78 kg

AR 2

Ultegra Di2

CHF 5799.00



FRAME

Felt Aero Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB30 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, internal electronic-specific cable routing

FORK

Felt Aero Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, AeroTaper 1.125" - 1.25" carbon fiber steerer tube, integrated crown race, crown, blades and dropouts

DRIVETRAIN

Shimano Ultegra R8050 Di2 shifters | front derailleur R8050 Di2 braze-on | rear derailleur R8050 Di2 11-speed short cage

CASSETTE

Shimano 11-speed, 11-28T

CRANKSET

Shimano Ultegra R8000, 52/36T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Token BB30 with 24mm bearings

BRAKE

Shimano Ultegra R8000 dual pivot calipers with brake pads for carbon rims

SEATPOST

Felt VariMount Aero Road TeXtreme carbon fiber 3T, 48 - 51cm: 280mm length, 5mm offset, 54 - 61cm: 350mm length, 25mm offset

WHEELSET

DT Swiss ARC1400 Dicut 62 carbon, tubeless ready | front hub DT 240 Spline, 100mm QR | rear hub DT 240 Spline, 130mm QR

TIRES

Continental Grand Prix 4000 S II folding, 700 x 25c

SIZES

51, 54, 56, 58, 61cm

WEIGHT

7.4 kg

AR FRD Disc Frameset

CHF 4299.00



FRAME

Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK

Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc

SEATPOST CLAMP

27.2m

SIZES

54, 56 cm

WEIGHT

TBA

AR Advanced Disc Frameset

CHF 2699.00



FRAME

Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK

Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc

SEATPOST CLAMP

27.2mm

SIZES

51, 54, 56, 58, 61cm

WEIGHT

TBA

FR Advanced

Ultegra Di2 Disc

CHF 5399.00



FRAME

Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK

Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc, standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano Ultegra R8070 Di2 shifters | front derailleur R8050 Di2 braze-on | rear derailleur R8050 Di2 11-speed short cage

CASSETTE

Shimano 11-speed, 11-30T

CRANKSET

Shimano Ultegra R8000, 52/36T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Token BB386 with 24mm bearings

BRAKE

front: Shimano BR-R8070 hydraulic disc, 160mm rotor | rear: Shimano BR-R8070 hydraulic disc, 140mm rotor

SEATPOST

Devox UHC Performance carbon fiber, 43 - 51cm: Ø27.2mm x 294mm length, 54 - 61cm: Ø27.2mm x 344mm length

WHEELSET

Reynolds AR41 DB Custom carbon, tubeless ready | front hub Reynolds Series 1, 12 x 100mm | rear hub Reynolds Series 1, 12 x 142mm

TIRES

Vittoria Rubino Pro G+ folding, 700 x 25c

SIZES

51, 54, 56, 58, 61cm

WEIGHT

7.28 kg

FR Advanced Ultegra Disc

CHF 3999.00



FRAME

Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK

Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc, standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano Ultegra R8020 shifters | front derailleur R8000 braze-on | rear derailleur R8000 11-speed short cage

CASSETTE

Shimano 11-speed, 11-30T

CRANKSET

Praxis Zayante Carbon, 52/36T X-Rings, 54 - 56cm: 172.5mm, 58cm: 175mm

BOTTOM BRACKET

Praxis Works M30 386EVO

BRAKE

front: Shimano BR-R8070 hydraulic disc, 160mm rotor | rear: Shimano BR-R8070 hydraulic disc, 140mm rotor

SEATPOST

Devox UHC Performance carbon fiber, 43 - 51cm: Ø27.2mm x 294mm length, 54 - 61cm: Ø27.2mm x 344mm length

WHEELSET

Reynolds AR41 DB Custom carbon, tubeless ready | front hub Reynolds Series 1, 12 x 100mm | rear hub Reynolds Series 1, 12 x 142mm

TIRES

Vittoria Rubino Pro G+ folding, 700 x 25c

SIZES

54, 56, 58cm

WEIGHT

7.37kg

FR Advanced

105 Disc

CHF 2699.00



FRAME

Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK

Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc, standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano 105 ST-R7020, 47cm: Short-reach shifters | front derailleur 105 R7000 braze-on | rear derailleur 105 R7000 11-speed short cage

CASSETTE

Shimano 11-speed, 11-30T

CRANKSET

Praxis Works Alba, 52/36T 51cm: 170mm, 54 - 56cm: 172.5mm, 58cm: 175mm

BOTTOM BRACKET

Praxis Works M30 386EVO

BRAKE

front: Shimano 105 BR-R7070 hydraulic disc, 160mm rotor | rear: Shimano 105 BR-R7070 hydraulic disc, 140mm rotor

SEATPOST

Devox UHC Performance carbon fiber, 51cm: Ø27.2mm x 294mm length, 54 - 58cm: Ø27.2mm x 344mm length

WHEELSET

Devox Road RSL1.9, tubeless compatible | front hub Devox RSL3D, 12 x 100mm | rear hub Devox RSL3D, 12 x 142mm

TIRES

Rubino IV G+ folding, 700 x 25c

SIZES

51, 54, 56, 58cm

WEIGHT

8.09 kg

FR 2

Ultegra Di2

CHF 3999.00



FRAME

Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MmC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK

Felt Race Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

DRIVETRAIN

Shimano Ultegra Di2 shifters | front derailleur Ultegra Di2 braze-on | rear derailleur Ultegra Di2 11-speed short cage

CASSETTE

Shimano 11-speed, 11-28T

CRANKSET

Shimano Ultegra w/Pioneer Power Meter, 52/36T, 54 - 56cm = 172.5mm , 58 - 61cm = 175mm

BOTTOM BRACKET

Token For BB386 Frame with Shimano Crankset

BRAKE

front: Shimano Ultegra dual pivot caliper | rear: Shimano Ultegra Direct Mount caliper

SEATPOST

3T Stylus 25 Team Stealth, Ø27.2mm , 54 - 61cm = 350mm

WHEELSET

MAVIC Ksyrium Elite Blue 25 | hubs MAVIC Ksyrium Elite

TIRES

MAVIC Yksion Pro GripLink 25mm front

SIZES

54, 56, 58, 61cm

WEIGHT

7.2 kg

FR Advanced Disc Frameset

CHF 2499.00



FRAME

Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK

Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc, standard, 12 x 100mm thru axle

SEATPOST CLAMP

Ø27.2mm

SIZES

51, 54, 56, 58cm

WEIGHT

TBA

FR 1

Frameset

CHF 1999.00



FRAME

Felt Race Road UHC Advanced + TeXtreme® carbon fiber, MmC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK

Felt Race Road UHC Ultimate + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

SEATPOST CLAMP

6061 Forged Aluminum, Steel 5mm Bolt, Ø27.2mm

SIZES

54, 56, 58, 61cm

WEIGHT

1.3 kg

VR Advanced

Ultegra Di2 Disc

CHF 4999.00



FRAME

Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano Ultegra Di2 R8070 shifters | front derailleur R8050 Di2 braze-on | rear derailleur R8050 Di2 11-speed long cage cage

CASSETTE

Shimano 11-speed, 11-34T

CRANKSET

Shimano Ultegra R8000, 50/34T, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Token BB386 with 24mm bearings

BRAKE

front: Shimano R8070 hydraulic disc, 160mm rotor | rear: Shimano R8070 hydraulic disc, 140mm rotor

SEATPOST

Devon UHC Performance carbon fiber with microadjust head, Ø27.2mm

WHEELSET

Reynolds AR29 DB Custom carbon, tubeless ready | front hub Reynolds Series 1, 12 x 100mm | rear hub Reynolds Series 1, 12 x 142mm

TIRES

Vittoria Rubino Pro G+ folding, 700 x 28c

SIZES

54, 56, 58, 61cm

WEIGHT

7.7 kg

VR 4

Ultegra Disc

CHF 2999.00



FRAME

Felt Variable Road UHC Performance carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Variable Road UHC Advanced carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, blades, flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano 105 ST-R7020 shifters | front derailleur R8000 braze-on | rear derailleur R8000 11-speed long cage

CASSETTE

Shimano 11-speed, 11-34T

CRANKSET

FSA Gossamer Pro ABS Adventure BB386EVO, 50/34T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58cm: 175mm

BOTTOM BRACKET

FSA BB386 with 30mm bearings

BRAKE

front: Shimano 105 BR-R7070 hydraulic disc, 160mm rotor | rear: Shimano 105 BR-R7070 hydraulic disc, 140mm rotor

SEATPOST

Devox Lite Road, Ø27.2mm x 330mm length

WHEELSET

Devox Variable Road VR2.1, tubeless compatible | front hub Devox RSL3D, 12 x 100mm | rear hub Devox RSL3D, 12 x 142mm

TIRES

Schwalbe DURANO RaceGuard folding, 700 x 28c

SIZES

51, 54, 56, 58cm

WEIGHT

8.5 kg

VR Advanced

105 Disc

CHF 2499.00



FRAME

Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano 105 ST-R7020 shifters | front derailleur R7000 braze-on | rear derailleur R7000 11-speed long cage

CASSETTE

Shimano 11-speed, 11-34T

CRANKSET

Shimano 105 R7000, 50/34T, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Token BB386 with 24mm bearings

BRAKE

front: Shimano 105 BR-R7070 hydraulic disc, 160mm rotor | rear: Shimano 105 BR-R7070 hydraulic disc, 140mm rotor

SEATPOST

Devox UHC Performance carbon fiber with microadjust head, Ø27.2mm x 344mm length

WHEELSET

Devox Variable Road VR2.1, tubeless compatible | front hub Devox RSL3D, 12 x 100mm | rear hub Devox RSL3D, 12 x 142mm

TIRES

Vittoria Rubino Pro G+, folding, 700 x 28c

SIZES

54, 56, 58, 61cm

WEIGHT

8.4 kg

VR 1Disc Frameset

CHF 2199.00



FRAME

Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing, 27.2mm seatpost size

FORK

Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, blades, flat mount disc standard, 12 x 100mm thru axle

SEATPOST CLAMP

Felt single bolt, Ø30.6mm

SIZES

54, 56, 58, 61cm

WEIGHT

1.7 kg

VR 3W

Ultegra Disc

CHF 3699.00



FRAME

Felt Fit Woman Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Fit Woman Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, blades, flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano Ultegra R8020 shifters | front derailleur R8000 braze-on | rear derailleur R8000 11-speed long cage cage

CASSETTE

Shimano 11-speed, 11-34T

CRANKSET

Shimano Ultegra R8000, 50/34T, 47cm: 165mm, 51cm: 170mm, 54cm: 172.5mm

BOTTOM BRACKET

Token BB386 with 24mm bearings

BRAKE

front: Shimano R8070 hydraulic disc, 160mm rotor | rear: Shimano R8070 hydraulic disc, 140mm rotor

SEATPOST

Devon UHC Performance carbon fiber with microadjust head, Ø27.2mm x 344mm length

WHEELSET

DT Swiss E1800 db 32, tubeless compatible | front hub DT Swiss 370db, 12 x 100mm | rear hub DT Swiss 370db, 12 x 142mm

TIRES

Vittoria Rubino Pro G+, 700 x 28c

SIZES

47, 51, 54cm

WEIGHT

8.1 kg

FR 3

Ultegra

CHF 2999.00



FRAME

Felt Race Road UHC Advanced, MmC with InsideOut construction, carbon fiber BB386 bottom bracket shell and carbon fiber dropouts, 7075 CNC aluminum replaceable rear derailleur hanger, mechanical (external) or electronic (internal) cable routing

FORK

Felt Race Road UHC Performance carbon fiber monocoque construction, size specific ControlTaper carbon fiber steer tube with integrated compression device and carbon fiber crown race, crown, blades and dropouts

DRIVETRAIN

Shimano Ultegra shifters | front derailleur Ultegra braze-on | rear derailleur Ultegra 11-speed short cage

CASSETTE

Shimano 11-speed, 11-28T

CRANKSET

Shimano Ultegra, 52/36T, 43 - 48cm = 165mm, 51cm = 170mm

BOTTOM BRACKET

Token For BB386 Frame with Shimano Crankset

BRAKE

front: Shimano Ultegra dual pivot caliper | rear: Shimano Ultegra direct mount caliper

SEATPOST

Felt UHC Performance carbon fiber, Ø27.2mm, 300mm length

WHEELSET

Shimano WH-RS21 | hubs Shimano WH-RS21

TIRES

Schwalbe DURANO RaceGuard, 700c x 25c

SIZES

43, 47, 51cm

WEIGHT

7.58 kg

FR 30W

105

CHF 1499.00



FRAME

Felt Fit Woman Road SuperLite Custom Butted 6061 aluminum, Dynaform TIG-welded construction, BB386 bottom bracket shell, replaceable rear derailleur hanger

FORK

Felt Fit Woman Road UHC Advanced carbon fiber blades and dropouts with size specific ControlTaper aluminum steer tube

DRIVETRAIN

Shimano 105 shifters | front derailleur 105 clamp-on, Ø34.9mm | rear derailleur 10511-speed long short cage

CASSETTE

Shimano 11-speed, 11-28T

CRANKSET

Shimano 105: 47cm = 165mm, 51cm = 170mm

BOTTOM BRACKET

Token For BB386 Frame with Shimano Crankset

BRAKES

Dual pivot caliper

SEATPOST

Felt Fit Woman Road UHC Performance carbon fiber, Ø27.2mm, 300mm length

WHEELSET

Felt Fit Women Road WRSL3 tubeless ready | hubs Felt R3

TIRES

Schwalbe Durano Race Guard, 700c x 25c

SIZES

47, 51cm

WEIGHT

8.21 kg

TK 2

CHF 1999.00

**FRAME**

Felt Aero Track UltraLite Custom Butted 7005 aluminum, threaded BB shell, horizontal dropouts w/ cast steel surfaces & integrated chain tensioners

FORK

Felt Aero Track UHC Performance carbon fiber blades & dropouts, 1.125" aluminum steer tube

DRIVETRAIN

Shimano Ultegra R8020 shifters | front derailleur R8000 braze-on | rear derailleur R8000 11-speed long cage

FREEWHEEL

15T x 1/8" w/ lockring

CRANKSET

TruVativ Omnium GXP 48T, 51 - 54cm = 165mm, 56cm = 167.5mm

BOTTOM BRACKET

Sram GXP

SEATPOST

Felt TkR bladed carbon fiber, Ø27.2mm, 300mm

WHEELSET

MAVIC ELLIPSE LIFT Clincher | hubs Mavic, QRM+

TIRES

Challenge Pista OT, 320tpi, 700c x 23c

SIZES

51, 54, 56cm

WEIGHT

7.4 kg



IA Advanced

Force AXS Disc

CHF 7299.00



FRAME

Felt Integrated Aero Tri Disc UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, 68mm BSA threaded bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, horizontal dropouts, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Dagger Disc UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steerer, upper cover, blades, dropouts, crown; internal disc-brake routing, flat-mount disc brake standard, 12 x 100mm thru axle

DRIVETRAIN

SRAM eTap Clics and Blips shifters | front derailleur Force eTap AXS braze-on | rear derailleur Force eTap AXS 12-speed

CASSETTE

SRAM XG 1270 12-speed, 10-28T

CRANKSET

SRAM Force DUB, 48/35T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58cm: 175mm

BOTTOM BRACKET

SRAM DUB BSA threaded

BRAKE

front: SRAM S-900 Aero HRD Disc, 140mm rotor | rear: SRAM S-900 Aero HRD Disc, 140mm rotor

SEATPOST

Felt VariMount Aero Tri UHC Advanced carbon fiber, 300mm length

WHEELSET

Reynolds AR58/62 DB Custom carbon, tubeless ready | front hub Reynolds Series 1, 12 x 100mm | rear hub Reynolds S. 1, 12 x 142mm

TIRES

Continental Grand Sport Race folding, 700 x 25c

SIZES

51, 54, 56, 58cm

WEIGHT

9.32 kg

IA Advanced

Ultegra Di2 Disc

CHF 5999.00



FRAME

Felt Integrated Aero Tri Disc UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, 68mm BSA threaded bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, horizontal dropouts, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Dagger Disc UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steerer, upper cover, blades, dropouts, crown; internal disc-brake routing, flat-mount disc brake standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano Dura-Ace Di2 R9160 w. right hand secondary shifter | FD: Ultegra R8050 Di2 braze-on | RD: R8050 Di2 11-speed short cage

CASSETTE

Shimano 11-speed, 11-28T

CRANKSET

Shimano Ultegra R8000, 52/36T, 48 -51cm: 165mm, 54 -56cm: 170mm

BOTTOM BRACKET

Shimano Hollowtech BSA threaded

BRAKE

front: TRP HD-T910 hydraulic disc, 140mm rotor | rear: TRP HD-T910 hydraulic disc, 140mm rotor

SEATPOST

Felt VariMount Aero Tri UHC Advanced carbon fiber, 300mm length

WHEELSET

Reynolds AR58/62 DB Custom carbon, tubeless ready | front hub Reynolds Series 1, 12 x 100mm | rear hub Reynolds S. 1, 12 x 142mm

TIRES

Continental Grand Sport Race folding, 700 x 25c

SIZES

51, 54, 56cm

WEIGHT

9.55 kg

IA FRD Disc Frameset

CHF 6499.00



FRAME

Felt Integrated Aero Tri Disc UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, 68mm BSA threaded bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, horizontal dropouts, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Dagger Disc UHC Ultimate + TeXtreme carbon fiber monocoque construction, 1.125" carbon fiber steerer, upper cover, blades, dropouts, crown; internal disc-brake routing, flat-mount disc brake standard, 12 x 100mm thru axle

SEATPOST CLAMP

Felt Internaloc integrated with titanium bolts

SIZES

51, 54, 56cm

WEIGHT

TBA

IA Advanced Disc Frameset

CHF 4999.00



FRAME

Felt Integrated Aero Tri Disc UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, 68mm BSA threaded bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, horizontal dropouts, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Dagger Disc UHC Advanced carbon fiber monocoque construction, 1.125" carbon fiber steerer, upper cover, blades, dropouts, crown; internal disc-brake routing, flat-mount disc brake standard, 12 x 100mm thru axle

SEATPOST CLAMP

Felt Internaloc integrated with titanium bolts

SIZES

48, 51, 54, 56cm

WEIGHT

TBA

B Performance

Ultegra

CHF 2399.00



FRAME

Felt Aero TT/Tri UHC Performance carbon fiber, MMC with InsideOut construction, 68mm BSA threaded bottom bracket shell, horizontal dropouts with integrated dropout adjusters, internal mechanical or electronic cable routing

FORK

Felt Aero TT/Tri UHC Performance carbon fiber blades and dropouts, 1.125" aluminum steerer tube

DRIVETRAIN

microSHIFT TT 11-speed shifters | front derailleur Shimano Ultegra R8000 braze-on | rear derailleur Ultegra R8000 11-speed short cage

CASSETTE

Shimano 11-speed, 11-28T

CRANKSET

Shimano 105 R7000, 52/36T, 48 - 51cm: 165mm, 54 - 56cm: 170mm, 58cm: 172.5mm

BOTTOM BRACKET

Shimano Hollowtech BSA threaded

BRAKE

front: Shimano 105 R7000 dual pivot caliper | rear: TRP T822 TT direct mount caliper brake

SEATPOST

Felt DA/B Aero UHC Advanced carbon fiber, 350mm length

WHEELSET

Devox 30A, tubeless compatible | front hub Devox TTR4, 100mm QR | rear hub Devox TTR3, 130mm QR

TIRES

Vittoria Zaffiro Pro Slick folding, 700 x 23c, 47cm: Vittoria Rubino G+, 650 x 23c

SIZES

48, 51, 54, 56, 58, 61cm

WEIGHT

8.82 kg



FX 1

Force CX1 Disc

CHF 4799.00



FRAME

Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Cyclocross UHC Ultimate + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125- 1.5" carbon fiber steerer tube, integrated crown and blades. Flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

SRAM Force CX1 shifters 1x11; rear derailleur SRAM Force CX1, 11-speed long cage

CASSETTE

SRAM 11-speed, 11-36T

CRANKSET

Quarq Prime Carbon, XSYNC 40T and 38T, 50cm: 170mm, 53cm: 172.5mm, 55 - 60cm: 175mm

BOTTOM BRACKET

Token BB386 with 30mm bearings

BRAKE

front: SRAM Force CX1 hydraulic disc flat mount, 160mm | rear: SRAM Force CX1 hydraulic disc flat mount, 140mm

SEATPOST

Zipp Service Course SL Beyond Black, Ø27.2mm x 330mm length

WHEELSET

Zipp/Devon 30 Course, tubeless compatible | front hub Devon Road RSL3, 12 x 100mm | rear hub Devon Road RSL3, 12 x 142mm

TIRES

Schwalbe X-One All Around MicroSkin TL-Easy, folding, 700 x 33c

SIZES

50, 53, 55, 57, 60cm

WEIGHT

7.9 kg

FX Advanced+

Force CX1 Disc

CHF 4499.00



FRAME

Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Cyclocross UHC Ultimate + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125- 1.5" carbon fiber steerer tube, integrated crown and blades. Flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

SRAM Force CX1 shifters 1x11; rear derailleur SRAM Force CX1, 11-speed long cage

CASSETTE

SRAM 11-speed, 11-36T

CRANKSET

Quarq Prime Carbon, XSYNC 40T and 38T, 53cm: 172.5mm, 55 - 57cm: 175mm

BOTTOM BRACKET

Token BB386 with 30mm bearings

BRAKE

front: SRAM Force Cx1 hydraulic disc flat mount, 160mm | rear: SRAM Force Cx1 hydraulic disc flat mount, 140mm

SEATPOST

Service Course SL Beyond Black, Ø27.2mm x 330mm length

WHEELSET

Zipp/Devon 30 Course, tubeless compatible | front hub Devon Road RSL3, 12 x 100mm | rear hub Devon Road RSL3, 12 x 142mm

TIRES

Schwalbe X-One All Around MicroSkin TL-Easy, folding, 700 x 33c

SIZES

53, 55, 57cm

WEIGHT

7.9 kg

FX Advanced+

GRX800 Disc

CHF 3199.00



FRAME

Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Cyclocross UHC Ultimate + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125- 1.5" carbon fiber steerer tube, integrated crown and blades. Flat mount disc standard, 12 x 100mm thru axle

DRIVETRAIN

Shimano GRX810 shifters 1x11; rear derailleur Shimano GRX812, 11-speed long cage

CASSETTE

Shimano 11-speed, 11-40T

CRANKSET

Shimano GRX810, 40T, 50cm: 170mm, 53-55cm: 172.5mm, 57cm: 175mm

BOTTOM BRACKET

Token BB386 with 24mm bearings

BRAKE

front: Shimano GRX810 hydraulic disc, flat mount, 140mm rotor | rear: Shimano GRX810 hydraulic disc, flat mount, 140mm rotor

SEATPOST

Devox Lite Road, Ø27.2mm x 300mm length

WHEELSET

Devox Variable Road Cx2.1, tubeless compatible | front hub Devox RSL3, 12 x 100mm | rear hub Devox RSL3, 12 x 142mm

TIRES

Schwalbe X-One All Around MicroSkin TL-Easy, folding, 700 x 33c

SIZES

50, 53, 55, 57cm

WEIGHT

TBA

FX Advanced+ Disc Frameset

CHF 2199.00



FRAME

Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK

Felt Cyclocross UHC Ultimate + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125- 1.5" carbon fiber steerer tube, integrated crown and blades. Flat mount disc standard, 12 x 100mm thru axle

SEATPOST CLAMP

Felt single bolt, Ø31.8mm

SIZES

50, 53, 55, 57cm

WEIGHT

TBA

MUELLER TUNNEL

1942

USES



Breed 20

Force CX1 Disc

CHF 2799.00



FRAME

Felt Gravel Race Disc Superlite custom butted aluminum, hydroform smooth welded construction, T47 86 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical cable routing

FORK

Felt Adventure Gravel UHC Advanced carbon fiber full monocoque construction, ControlTaper 1.125 - 1.5" carbon steerer tube, flat mount disc standard, 12 x 100mm thru axle with fender mounts

DRIVETRAIN

SRAM Force CX1 shifters 1x11; rear derailleur SRAM Force CX1, 11-speed long cage

CASSETTE

SRAM 11-speed, 11-42T

CRANKSET

Praxis Works Zayante Carbon-S 1x DM M30, 40T, 51cm: 170mm, 54cm: 172.5mm, 56 - 61cm: 175mm

BOTTOM BRACKET

Praxis Works M30 T47 86.5

BRAKE

front: SRAM Force CX1 hydraulic disc flat mount, 160mm rotor | rear: SRAM Force CX1 hydraulic disc flat mount, 140mm rotor

SEATPOST

Devox UHC Performance carbon fiber, 51cm: Ø27.2mm x 300mm length, 54 - 61cm: Ø27.2mm x 350mm length

WHEELSET

Devox GR2.1 SL, 650b Disc, tubeless compatible | front hub Devox GR3, 12 x 100mm | rear hub Devox GR3, 12 x 142mm

TIRES

Vittoria Terreno Dry, TNT Grey, tubeless ready, 650b x 47c

SIZES

51, 54, 56, 58, 61cm

WEIGHT

9.1 kg

Broam 30

GRX 600 Disc

CHF 1799.00



FRAME

Felt Adventure Road Disc Superlite custom butted aluminum, smooth welded construction, 68mm BSA threaded bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical cable routing

FORK

Felt Adventure Gravel UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube, flat mount disc standard, 12 x 100mm thru axle with mid-mount rack and fender mounts

DRIVETRAIN

Shimano GRX600 shifters | front derailleur GRX810 braze-on | rear derailleur GRX812, 11-speed long cage

CASSETTE

Shimano 11-speed, 11-34T

CRANKSET

Shimano GRX600 11 speed, 46/30T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Shimano Hollowtech BSA threaded

BRAKE

front: Shimano BR-RX400 hydraulic disc, 160mm rotor | rear: Shimano BR-RX400 hydraulic disc, 140mm rotor

SEATPOST

Devox Lite Road, 27.2mm x 330mm length

WHEELSET

Devox Adventure 2.1 Disc, tubeless compatible 21mm inner width, 23mm depth

TIRES

Maxxis Refuse with Max Shield, tubeless ready, folding, 700 x 40c

SIZES

51, 54, 56, 58, 61cm

WEIGHT

TBA

Verza Speed 10

105 Disc

CHF 1499.00



FRAME

Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125 - 1.5" head tube, flat mount disc standard, internal cable routing, replaceable derailleur hanger

FORK

Felt Fitness UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125 - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting

DRIVETRAIN

Shimano RS700 Rapidfire Plus shifters | front derailleur Shimano 105 5800, clamp-on | rear derailleur 105 5800, 11-speed long cage

CASSETTE

Shimano, 11-speed, 11-32T

CRANKSET

Shimano RS510, 50/34T, 51cm: 170mm, 54 - 56 cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

Shimano sealed cartridge external, BSA threaded, 68mm

BRAKE

front: Tektro R310 flat mount hydraulic disc, 160mm rotor | rear: Tektro R310 flat mount hydraulic disc, 140mm rotor

SEATPOST

Endurance Road UHC Performance carbon fiber, Ø27.2mm x 300mm

WHEELSET

Devox Road Disc double wall, tubeless ready | front hub 100mm QR | rear hub 135mm QR

TIRES

Kenda Kadence, K-Shield puncture protection, reflective strip, 60tpr, 700 x 30c

SIZES

51, 54, 56, 58, 61cm

WEIGHT

10.3 kg

Verza Speed 20

Tiagra Disc

CHF 1079.00

**FRAME**

Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125" - 1.5" head tube, flat mount disc standard, replaceable derailleur hanger

FORK

Felt Fitness UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting

DRIVETRAIN

Shimano Tiagra Rapidfire Plus shifters | front derailleur Tiagra, clamp-on | rear derailleur Tiagra, 10-speed long cage

CASSETTE

Shimano, 10-speed, 11-34T

CRANKSET

FSA Omega Adventure, 50/34T, 51cm: 170mm, 54 - 56cm: 172.5mm, 58 - 61cm: 175mm

BOTTOM BRACKET

FSA MegaExo sealed cartridge, BSA threaded, 68mm

BRAKE

front: Promax F1 flat mount hydraulic disc, 160mm rotor | rear: Promax F1 flat mount hydraulic disc, 140mm rotor

SEATPOST

Endurance Road UHC Performance carbon fiber, Ø27.2mm x 300mm

WHEELSET

Devex Road Disc, tubeless ready | front hub 100mm QR | rear hub 135mm QR

TIRES

Kenda Kadence, K-Shield puncture protection, reflective strip, 60tpi, 700 x 30c

SIZES

51, 54, 56, 58, 61cm

WEIGHT

10.59 kg

39-67

Compulsion

Decree

Edict

Doctrine

Dispatch

Kids / BMX

MOUNTAIN



Compulsion 1

Eagle GX

CHF 6499.00



FRAME

Felt All Mountain, 165mm travel, Equilink suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

FORK | SHOCK

FOX Performance Elite 36, 170mm, 15 x 110mm Boost | FOX Performance Float X2, 205 x 65mm Trunion

DRIVETRAIN

SRAM GX Eagle shifters 1x12 | rear derailleur SRAM GX Eagle 12-speed

CASSETTE

SRAM GX, 12-speed, 10-50T

CRANKSET

Descendant 7K Eagle, 34T, S/16": 170mm, M/18" - L/20": 175mm

BOTTOM BRACKET

SRAM GXP, BSA threaded, 73mm

BRAKE

front: SRAM Guide RS hydraulic disc, 180mm rotor | rear: SRAM Guide RS hydraulic disc, 180mm rotor

SEATPOST

KS LEV Integra dropper with South Paw, Ø30.9mm, S/16": 100mm travel, M/18": 125mm travel, L/ 20": 150mm travel

WHEELSET

Race Face Aeffect-R wheelset, tubeless ready | front hub Race Face, 15 x 110mm Boost | rear hub Race Face, XDdriver, 12 x 148mm Boost

TIRES

Maxxis DHF, EXO/TR, tubeless ready, 27.5 x 2.6"

SIZES

S/16", M/18", L/ 20"

WEIGHT

14.11 kg

Compulsion 3

Eagle NX

CHF 4499.00



FRAME

Felt All Mountain, 165mm travel, Equilink suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

FORK | SHOCK

FOX Performance 36, 170mm, 15 x 110mm Boost | FOX Performance Float DPX2, 205 x 65mm Trunnion

DRIVETRAIN

SRAM NX Eagle shifters 1x12 | rear derailleur SRAM NX Eagle 12-speed

CASSETTE

SRAM NX Eagle, 12-speed, 11-50

CRANKSET

SRAM NX Eagle, 34T, S/16": 170mm, M/18": 175mm

BOTTOM BRACKET

SRAM Powerspline, BSA threaded, 73mm

BRAKE

front: Shimano Deore MT-500 hydraulic disc, 180mm rotor | rear: Shimano Deore MT-500 hydraulic disc, 180mm rotor

SEATPOST

KS eTen i dropper with South Paw P, Ø30.9mm, S/16" - M/18": 100mm travel

WHEELSET

Double wall, tubeless compatible | front hub 15 x 110mm Boost | rear hub Shimano driver, 12 x 148mm Boost

TIRES

Maxxis DHF, EXO/TR, tubeless ready, 27.5 x 2.6"

SIZES

S/16", M/18"

WEIGHT

14.79 kg

Decree 1

Eagle X01

CHF 5999.00



FRAME

Felt Trail, 140mm travel, FAST suspension, UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1X specific, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

FORK | SHOCK

RockShox Pike RCT3 Debonair, Charger 2, 150mm, 15 x 110mm Boost | RockShox Super Deluxe RCT, Debonair, 205 x 62.5 Trunnion

DRIVETRAIN

SRAM X01 Eagle shifters 1x12 | rear derailleur SRAM X01 Eagle 12-speed

CASSETTE

SRAM XG1295, 12-speed, 10-50T

CRANKSET

SRAM X01 Eagle, 34T, S/16" - M/18": 170mm, L/20" - XL/22": 175mm

BOTTOM BRACKET

SRAM GXP, BSA threaded, 73mm

BRAKE

front: SRAM Guide RSC hydraulic disc, 180mm rotor | rear: SRAM Guide RSC hydraulic disc, 160mm rotor

SEATPOST

RockShox Reverb Stealth with 1X remote, Ø30.9mm, S/16": 100mm travel, M/18" - L/20": 125mm travel, XL/22": 150mm travel

WHEELSET

Race Face Affect-R wheelset, tubeless ready | front hub Race Face, 15 x 110mm Boost | rear hub Race Face, XDdriver, 12 x 148mm Boost

TIRES

Maxxis Minion DHF, 3C/EXO/TR, tubeless ready, 27.5 x 2.5"

SIZES

S/16", M/18"

WEIGHT

12.98 kg

Decree 3 Eagle GX

CHF 4499.00



FRAME

Felt Trail, 140mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1X specific, 12 x 148mm Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing

FORK | SHOCK

RockShox Revelation RC Charger, 150mm, 15 x 110mm Boost | RockShox Deluxe RT3, Debonair, 205 x 62.5mm Trunion

DRIVETRAIN

SRAM GX Eagle shifters 1x12 | rear derailleur SRAM GX Eagle 12-speed

CASSETTE

SRAM GX, 12-speed, 10-50T

CRANKSET

SRAM Stylo 6K Powerspline, 34T, S/16": 170mm, M/18" - XL/22": 175mm

BOTTOM BRACKET

SRAM Powerspline, BSA threaded, 73mm

BRAKE

front: Shimano Decre M6000 hydraulic disc, 180mm Centerline rotor | rear: 180mm Centerline rotor

SEATPOST

KS LEV SI with South Paw P, Ø30.9mm, S/16": 100mm travel, M/18" - L/ 20": 125mm travel, XL/ 22": 150mm travel

WHEELSET

Alex MD30, tubeless compatible | front hub 15 x 110mm Boost | rear hub XDdriver, 12 x 148mm Boost

TIRES

Maxxis Minion DHF, EXO/TR, tubeless ready, 27.5 x 2.5"

SIZES

M/18", L/ 20", XL/22"

WEIGHT

14.02 kg



Edict 1

Eagle XO1

CHF 5999.00



FRAME

Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK | SHOCK

RockShox SID RL Debonair, Charger 2, 100mm, remote, 15 x 110mm Boost | RS Deluxe RC3 Debonair, custom tune, 190 x 40mm

DRIVETRAIN

SRAM XO1 Eagle shifters 1x12 | rear derailleur SRAM XO1 Eagle 12-speed

CASSETTE

SRAM XG1295, 12-speed, 10-50T

CRANKSET

SRAM XO1 Eagle, 34T, S/16": 170mm, M/18" - XL/ 22": 175mm

BOTTOM BRACKET

SRAM GXP, BSA threaded, 73mm

BRAKE

front: SRAM Level TLM hydraulic disc, 180mm Centerline rotor | rear: SRAM Level TLM hydraulic disc, 160mm Centerline rotor

SEATPOST

Felt carbon post, forged head, 15mm offset, Ø30.9, S/16": 350mm, M/18" - XL/ 22": 400mm

WHEELSET

DT Swiss M1900 wheelset, tubeless ready | front hub DT, 15 x 110mm Boost | rear hub DT, XD driver, 12 x 148mm Boost

TIRES

Maxxis Ardent Race, EXO/TR, tubeless ready, 29 x 2.2"

SIZES

S/16", M/18", L/ 20", XL/ 22"

WEIGHT

11.35 kg

Edict 3

Eagle GX

CHF 3999.00



FRAME

Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK | SHOCK

RockShox Reba RL Solo air, 120mm, remote, 15 x 110mm Boost | RS Deluxe RL Debonair, custom tune, 190 x 40mm

DRIVETRAIN

SRAM GX Eagle shifters 1x12 | rear derailleur SRAM GX Eagle 12-speed

CASSETTE

SRAM GX, 12-speed, 10-50T

CRANKSET

SRAM Stylo 6K Powerspline, S/16": 170mm, M/18" - XL/ 22": 175mm

BOTTOM BRACKET

SRAM Powerspline, BSA threaded, 73mm

BRAKE

front: Shimano MT-500 hydraulic disc, 180mm rotor | rear: Shimano MT-500 hydraulic disc, 160mm rotor

SEATPOST

Felt butted 6061, dual bolt, 15mm offset, Ø30.9, S/16": 350mm, M/18" - XL/ 22": 400mm

WHEELSET

Alex MD25, tubeless compatible | front hub 15 x 110mm Boost | rear hub XD driver, 12 x 148mm Boost

TIRES

Maxxis Ardent, EXO/TR, tubeless ready, 29 x 2.25"

SIZES

S/16", M/18", L/ 20", XL/ 22"

WEIGHT

12.75 kg

Edict Advanced

Eagle NX

CHF 2999.00



FRAME

Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK | SHOCK

RockShox Recon RL, 120mm travel, lockout remote, 15 x 110mm Boost | RS Deluxe R, 190 x 40mm

DRIVETRAIN

SRAM NX Eagle shifters 1x12 | rear derailleur SRAM NX Eagle 12-speed

CASSETTE

SRAM SX Eagle, 12-speed, 11-50T

CRANKSET

SRAM SX Eagle, 32T, S/16": 170mm, M/18" - L/ 20": 175mm

BOTTOM BRACKET

SRAM DUB, BSA threaded, 73mm

BRAKE

front: Shimano MT400 hydraulic disc, 180mm rotor | rear: Shimano MT400 hydraulic disc, 160mm rotor

SEATPOST

Felt butted 6061, dual bolt, 15mm offset, Ø30.9, S/16": 350mm, M/18" - L/ 20": 400mm

WHEELSET

Alu Double wall, tubeless compatible | front hub 15 x 110mm Boost | rear hub, Shimano driver, 12 x 148mm Boost

TIRES

Maxxis Ardent, EXO/TR, tubeless ready, 29 x 2.25"

SIZES

S/16", M/18", L/ 20"

WEIGHT

TBA

Edict FRD Frameset

CHF 3899.00



FRAME

Felt XC, 100mm travel, FAST suspension, UHC Ultimate + TeXtreme carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing, ~30.9 seat post size

SHOCK

FOX Float DPS, dual lockout remote, 190 x 40mm Trunnion

SEATPOST CLAMP

Felt single clamp with titanium bolt, Ø34.9mm

THRU AXLES:

Rear: Felt leverless 12 x 148 x 166, thread: M12 x 1.0P x 18L, Syntace

SIZES

S/16", M/18", L/ 20", XL/ 22"

WEIGHT

TBA

Edict Advanced Frameset

CHF 2999.00



FRAME

Felt XC, 100mm travel, FAST suspension, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, post disc mount, replaceable derailleur hanger, 73mm threaded BB, carbon fiber rocker links, 1x specific, 12 x 148mm Syntace style thru axle, internal derailleur cable routing, Ø30.9 seat post size

SHOCK

FOX DPS Performance Elite Float, 190 x 40mm Trunnion

SEATPOST CLAMP

Felt single bolt, Ø34.9mm

THRU AXLES:

Rear: Felt leverless 12 x 148 x 166mm, thread: M12 x 1.0P x 18L, Syntace

SIZES

S/16", M/18", L/ 20"

WEIGHT

TBA





Doctrine 1

Eagle XO1

CHF 4999.00



FRAME

Felt XC, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain wiper, replaceable derailleur hanger, flat mount disc mounts, BB92, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK

RockShox Sid RL Debonair, Charger 2, 100mm, remote, 15 x 110mm Boost

DRIVETRAIN

SRAM XO1 Eagle shifters 1x12 | rear derailleur SRAM XO1 Eagle 12-speed

CASSETTE

SRAM XG1295, 12-speed, 10-50T

CRANKSET

SRAM XO1 Eagle, 34T, S/16": 170mm, M/18" - XL/ 22": 175mm

BOTTOM BRACKET

SRAM GXP BB92

BRAKE

front: SRAM Level TLM hydraulic disc, 180mm rotor | rear: SRAM Level TLM hydraulic disc, 160mm rotor

SEATPOST

Devox carbon post, forged head, 15mm offset, Ø27.2, S/16": 350mm, M/18" - L/20": 400mm

WHEELSET

DT Swiss M1900 wheelset, tubeless ready | front hub DT, 15 x 110mm Boost | rear hub DT, XD driver, 12 x 148mm Boost

TIRES

Schwalbe Rocket Ron front + Racing Ralph rear Evo, LiteSkin, Addix speed, folding, tubeless ready, 29 x 2.25"

SIZES

S/16", M/18", L/20"

WEIGHT

9.88 kg

Doctrine 2

Shimano XT

CHF 2999.00



FRAME

Felt XC, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, flat mount disc mounts, BB92, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

FORK

RockShox Sid RL Solo Air, 100mm travel, OneLoc remote, 15 x 110mm Boost

DRIVETRAIN

Shimano XT M8000 shifters 2x11 | front derailleur Shimano XT, direct mount | rear derailleur Shimano XT M8000, mid cage

CASSETTE

Shimano M8000, 11-speed, 11-42T

CRANKSET

Shimano XT M8000, 36/26T, S/16": 170mm, M/18" - XL/ 22": 175mm

BOTTOM BRACKET

Shimano

BRAKE

front: Shimano XT M8000 hydraulic disc, 180mm rotor | rear: Shimano XT M8000 hydraulic disc, 160mm rotor

SEATPOST

Devon carbon post, forged head, 15mm offset, Ø27.2, S/16": 350mm, M/18" - L/20": 400mm

WHEELSET

DT Swiss X1750, tubeless ready | front hub DT, 15 x 110mm Boost | rear hub DT, Shimano driver, 12 x 148mm Boost

TIRES

Schwalbe Rocket Ron front + Racing Ralph rear Evo, LiteSkin, Addix speed, folding, tubeless ready, 29 x 2.25"

SIZES

S/16", M/18", L/20"

WEIGHT

10.74 kg

Doctrine 1 Frameset

CHF 1599.00



FRAME

Felt XC, UHC Advanced carbon fiber, MMC with InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, flat mount disc mounts, BB92, 12 x 148mm Syntace style thru axle, internal derailleur cable routing

SEATPOST CLAMP

Felt single bolt, Ø31.8mm

SIZES

S/16", M/18", L/20"

WEIGHT

1.22 kg

Dispatch 9-30

SLX / XT 2x11

CHF 1499.00

**FRAME**

Felt XC, SuperLite aluminum, hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK

RockShox Recon RL Solo Air, 100mm travel, OneLoc remote

DRIVETRAIN

Shimano SLX M7000 shifters 2x11 | front derailleur SLX M7000, down swing | rear derailleur Shimano XT M8000, long cage

CASSETTE

Shimano M8000, 11-speed, 11-42T

CRANKSET

Praxis Cadet M30, 36/26T, S/16": 170mm, M/18" - XL/22": 175mm

BOTTOM BRACKET

Shimano, BSA threaded, 73mm

BRAKE

front: Shimano MT201 hydraulic disc, 180mm rotor | rear: Shimano MT201 hydraulic disc, 160mm rotor

SEATPOST

Devox butted 6061, dual bolt, 15mm offset, Ø27.2, S/16": 350mm, M/18" - XL/22": 400mm

WHEELSET

Double wall, tubeless compatible | front hub 100mm QR | rear hub 135mm QR

TIRES

Schwalbe Rapid Rob K-Guard, folding, tubeless ready, 29 x 2.25"

SIZES

S/16", M/18", L/20", XL/22"

WEIGHT

12.60 kg

Dispatch 9-45

Deore / XT 2x10

CHF 1299.00



FRAME

Felt XC, SuperLite aluminum, hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK

RockShox 30 Silver Solo Air, 100mm travel

DRIVETRAIN

Shimano Deore M6000 shifters 2x10 | front derailleur Deore M6025, down swing | rear derailleur Shimano XT M786, long cage

CASSETTE

Shimano HG-500, 10-speed, 11-42T

CRANKSET

Praxis Cadet M24, 36/26T, XS/14" - S/16": 170mm, M/18" - XL/22": 175mm

BOTTOM BRACKET

Shimano, BSA threaded, 73mm

BRAKE

front: Shimano MT200 hydraulic disc, 180mm rotor | rear: Shimano MT200 hydraulic disc, 160mm rotor

SEATPOST

Devox butted 6061, dual bolt, 15mm offset, Ø27.2, XS/14" - S/16": 350mm, M/18" - XL/22": 400mm

WHEELSET

Double wall, tubeless compatible | front hub 100mm QR | rear hub 135mm QR

TIRES

Schwalbe Smart Sam K-guard, 29 x 2.25

SIZES

XS/14", S/16", M/18", L/20", XL/22"

WEIGHT

12.98 kg

Dispatch 9-50

Deore 2x10

CHF 1199.00



FRAME

Felt XC, SuperLite aluminum, hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK

RockShox 30 Silver Solo Air, 100mm travel

DRIVETRAIN

Shimano Deore M6000 shifters 2x10 | front derailleur Deore M6025, down swing | rear derailleur Shimano Deore M6000, long cage

CASSETTE

Shimano HG-500, 10-speed, 11-42T

CRANKSET

Praxis Cadet M24, 36/26T, S/16": 170mm, M/18" - XL/22": 175mm

BOTTOM BRACKET

Shimano, BSA threaded, 73mm

BRAKE

front: Shimano MT200 hydraulic disc, 180mm rotor | rear: Shimano MT200 hydraulic disc, 160mm rotor

SEATPOST

Devon butted 6061, dual bolt, 15mm offset, Ø27.2, M/18" - XL/22": 400mm

WHEELSET

Double wall, tubeless compatible | front hub 100mm QR | rear hub 135mm QR

TIRES

Schwalbe Rapid Rob K-Guard, folding, tubeless ready, 29 x 2.25"

SIZES

M/18", L/20", XL/22"

WEIGHT

13.24 kg

Dispatch 9-60

Acera / Deore 2x9

CHF 849.00

**FRAME**

Felt XC, SuperLite aluminum, hydroform, ControlTaper head tube, replaceable derailleur hanger, IS disc mounts, 73mm threaded BB, 135mm OLD

FORK

SR/Suntour XCM-HLO, 100mm travel, preload, hydraulic lockout

DRIVETRAIN

Shimano Acera M3000 shifters 2x9 | front derailleur Deore, down swing | rear derailleur Deore M592, long cage

CASSETTE

SunRace CSM98, 9-speed, 11-36T

CRANKSET

Shimano Altus MT210, 36/22T, XS/14" - S/16": 170mm, M/18" - XL/22": 175mm

BOTTOM BRACKET

Shimano, sealed cartridge, BSA threaded, square taper axle, 73mm

BRAKE

front: Shimano MT200 hydraulic disc, 180mm rotor | rear: Shimano MT200 hydraulic disc, 160mm rotor

SEATPOST

Devon butted 6061, dual bolt, 15mm offset, Ø27.2, XS/14" - S/16": 350mm, M/18" - XL/22": 400mm

WHEELSET

Double wall, tubeless compatible | front hub 100mm QR | rear hub 135mm QR

TIRES

Schwalbe Rapid Rob K-Guard, folding, 29 x 2.25"

SIZES

XS/14", S/16", M/18", L/20", XL/22"

WEIGHT

TBA

Q24

Disc

CHF 649.00



FRAME

Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropouts, IS disc mounts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front derailleur clamp

FORK

SR Suntour M3020, 50mm travel

DRIVETRAIN

SRAM X5 shifters 1x9 | rear derailleur SRAM X5

CASSETTE

Sunrace 9-speed freewheel, 11-36T

CRANKSET

SRAM NX Powerspline, 28T, 155mm

BOTTOM BRACKET

SRAM Powerspline, BSA threaded, 68mm

BRAKE

front: Tektro M285 hydraulic disc, 160mm rotor | rear: Tektro M285 hydraulic disc, 160mm rotor

SEATPOST

Felt 6061, single bolt, 15mm offset, Ø27.2, 300mm

WHEELSET

Aluminum double wall | front hub aluminum, 100mm QR | rear hub Thread-on type, aluminum, 135mm QR

TIRES

Schwalbe Smart Sam, 24 x 2.35"

SIZES

24"

WEIGHT

12.75 kg

Q24

CHF 449.00

**FRAME**

Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropouts, IS disc mounts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front derailleur clamp

FORK

SR Suntour M3020, 50mm travel

DRIVETRAIN

Shimano Tourney Revo shifters 1x8 | rear derailleur Shimano Tourney TX

CASSETTE

Sunrace 8-speed freewheel, 13-34T

CRANKSET

Forged Aluminum with chainring guard, 34T, 155mm

BOTTOM BRACKET

Sealed cartridge, BSA threaded, square taper axle, 68mm

BRAKE

front: Tektro 855AL, V-type | rear: Tektro 855AL, V-type

SEATPOST

Felt 6061, single bolt, 15mm offset, Ø27.2, 300mm

WHEELSET

Aluminum double wall | front hub aluminum, 100mm QR | rear hub Thread-on type, aluminum, 135mm bolt-on

TIRES

Impac Ridgepac, 24 x 2.1"

SIZES

24"

WEIGHT

12.57 kg

Q24

CHF 449.00

**FRAME**

Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropouts, IS disc mounts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front derailleur clamp

FORK

SR Suntour M3020, 50mm travel

DRIVETRAIN

Shimano Tourney Revo shifters 1x8 | rear derailleur Shimano Tourney TX

CASSETTE

Sunrace 8-speed freewheel, 13-34T

CRANKSET

Forged Aluminum with chainring guard, 34T, 155mm

BOTTOM BRACKET

Sealed cartridge, BSA threaded, square taper axle, 68mm

BRAKE

front: Tektro 855AL, V-type | rear: Tektro 855AL, V-type

SEATPOST

Felt 6061, single bolt, 15mm offset, Ø27.2, 300mm

WHEELSET

Aluminum double wall | front hub aluminum, 100mm QR | rear hub Thread-on type, aluminum, 135mm bolt-on

TIRES

Impac Ridgepac, 24 x 2.1"

SIZES

24"

WEIGHT

12.57 kg

Q20

CHF 399.00

**FRAME**

Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropouts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front derailleur clamp

FORK

SR Suntour M3010, 40mm travel

DRIVETRAIN

Shimano Tourney Revo shifters 1x7 | rear derailleur Shimano Tourney

CASSETTE

Sunrace 7-speed freewheel, 13-34T

CRANKSET

Forged Aluminum with chainring guard, 38T, 140mm

BOTTOM BRACKET

Sealed cartridge, BSA threaded, square taper axle, 68mm

BRAKE

front: Tektro 855AL, V-type | rear: Tektro 855AL, V-type

SEATPOST

Felt 6061, single bolt, 15mm offset, Ø27.2, 250mm

WHEELSET

Aluminum single wall | front hub aluminum, 100mm bolt-on | rear hub Thread-on type, aluminum, 135mm bolt-on

TIRES

Impac Ridgepac, 20 x 2.0"

SIZES

20"

WEIGHT

11.04 kg

Q20

CHF 399.00

**FRAME**

Felt Q Kids Series, Dynaform 6061 aluminum, 1-1/8" head tube, forged dropouts, standard 68mm bottom bracket, 135mm OLD, Ø27.2mm seatpost, Ø31.8mm front derailleur clamp

FORK

SR Suntour M3010, 40mm travel

DRIVETRAIN

Shimano Tourney Revo shifters 1x7 | rear derailleur Shimano Tourney

CASSETTE

Sunrace 7-speed freewheel, 13-34T

CRANKSET

Forged Aluminum with chainring guard, 38T, 140mm

BOTTOM BRACKET

Sealed cartridge, BSA threaded, square taper axle, 68mm

BRAKE

front: Tektro 855AL, V-type | rear: Tektro 855AL, V-type

SEATPOST

Felt 6061, single bolt, 15mm offset, Ø27.2, 250mm

WHEELSET

Aluminum single wall | front hub aluminum, 100mm bolt-on | rear hub Thread-on type, aluminum, 135mm bolt-on

TIRES

Impac Ridgepac, 20 x 2.0"

SIZES

20"

WEIGHT

11.04 kg

Base 16

CHF 249.00

**FRAME**

Felt BMX 6061 Alu, traditional round tube 16" BMX design

FORK

Felt BMX 1" steerer tube, 3/8" axle slots

DRIVETRAIN

Single Speed

FREEWHEEL

14T Cog

CRANKSET

Junior, Steel one piece, 114mm, 28T

BRAKE

front: Tektro Junior size lever, alu caliper | rear: Coaster brake

SEATPOST

Ø25.4 x 230mm

WHEELSET

Aluminum single-wall

TIRES

Kenda, 16 x 2.25"

SIZES

16"

WEIGHT

8.8 kg

Base 12

CHF 199.00

**FRAME**

Felt BMX 6061 aluminum, traditional round tube 12" BMX design

FORK

Felt BMX 1" steerer tube, 3/8" axle slots

DRIVETRAIN

Single Speed

FREEWHEEL

16T Cog

CRANKSET

Junior, Steel one piece, 92mm, 28T

BRAKE

front: Tektro Junior size lever, alu caliper | rear: Coaster brake

SEATPOST

Ø25.4 x 230mm

WHEELSET

Aluminum single-wall

TIRES

Kenda, 12 x 2.25"

SIZES

12"

WEIGHT

8.6 kg

Base 12

CHF 199.00

**FRAME**

Felt BMX 6061 aluminum, traditional round tube 12" BMX design

FORK

Felt BMX 1" steerer tube, 3/8" axle slots

DRIVETRAIN

Single Speed

FREEWHEEL

16T Cog

CRANKSET

Junior, Steel one piece, 92mm, 28T

BRAKE

front: Tektro Junior size lever, alu caliper | rear: Coaster brake

SEATPOST

Ø25.4 x 230mm

WHEELSET

Aluminum single-wall

TIRES

Kenda, 12 x 2.25"

SIZES

12"

WEIGHT

8.6 kg

Vault 16

CHF 249.00

**FRAME**

Felt BMX steel, 16.5" top tube length, USA size BB, chainstay mounted brake bosses

FORK

Felt BMX steel, 3/8" axle slots, 5mm thick dropouts

DRIVETRAIN

Single Speed

FREEWHEEL

13T Odyssey

CRANKSET

3-piece, 8-spline tubular heat-treated Cr-Mo, 140mm, 28T

BOTTOM BRACKET

US BB, Loose Ball

BRAKE

front: Tektro alu lever, alu caliper | rear: Tektro 907 U-brake

WHEELSET

Aluminum single wall | front hub Steel, 3/8" axle | rear hub Steel, 3/8" axle, M30 freewheel threading

TIRES

Kenda 16 x 2.25"

SIZES

16"

WEIGHT

10.9 kg

ELECTRIC

69-78

URBAN - E

MTB - E



Verza E30

Acera / Deore 9-speed

CHF 2999.00



FRAME

Felt Step Thru, Shimano e-bike design, double butted 6061 aluminum, Hydroform down tube, ControlTaper head tube, integrated kickstand and Basta lock, full internal cable routing

FORK

SR Suntour NCX-D, 63mm travel, tapered steerer, hydro lockout, coil spring with preload adjust, post mount disc

DRIVETRAIN

Shimano Acera M390 Rapid Fire shifters 1x9 | rear derailleur Shimano Deore M591, long cage

CASSETTE

Shimano, 9-speed, 11-34T

CRANKSET

Shimano E6000, 44T, 44cm: 170mm, 48 - 56cm: 175mm

MOTOR | BATTERY

Shimano e6000 drive, 250W output, 25 km/h | Shimano E6001, 500Wh rack type

BRAKE

front: Shimano M315 hydraulic disc, 160mm rotor | rear: Shimano M315 hydraulic disc, 160mm rotor

SEATPOST

Aluminum double bolt micro-adjust, Ø27.2mm, 44cm: 250mm, 48 - 56cm: 300mm

WHEELSET

Alex MD19 double wall | front hub Shimano, 100mm QR | rear hub Shimano, 8/9/10-speed cassette, 135mm QR

TIRES

Schwalbe EnergizerLife K-Guard, reflective sidewall, 700 x 35c

SIZES

44, 48, 52 cm

WEIGHT

23.8 kg

Sport E-30 EQ Lady

SLX / XT 11-speed

CHF 3699.00



FRAME

Felt Fitness/Commuter, Shimano e-bike design, double butted 6061 aluminum Hydroform down tube, ControlTaper head tube, integrated kickstand and Basta lock, full internal cable routing

FORK

SR Suntour NCX D, 63mm travel, tapered steerer, hydro lockout, air cartridge with preload adjust, post mount disc

DRIVETRAIN

Shimano SLX M7000 shifters 1x11 | rear derailleur Shimano XT, long cage

CASSETTE

Shimano SLX, 11-speed, 11-40T

CRANKSET

Shimano E8000, 44T, 44cm: 170mm, 49cm: 175mm

MOTOR | BATTERY

Shimano e8000 drive, 250W output, 25 km/h | Shimano E8010, 500Wh

BRAKE

front: Shimano Deore M6000 hydraulic disc, 180mm rotor | rear: Shimano Deore M6000 hydraulic disc, 180mm rotor

SEATPOST

Aluminum double bolt micro-adjust, Ø27.2mm x 300mm

WHEELSET

Alex MD19 double wall | front hub Shimano, 100mm QR | rear hub Shimano Deore, 11-speed cassette, 135mm QR

TIRES

Schwalbe EnergizerLife K-Guard, reflective sidewall, 700 x 35c

SIZES

44, 49 cm

WEIGHT

20.4 kg

Sport E-30 EQ Man

SLX / XT 11-speed

CHF 3699.00



FRAME

Felt Fitness/Commuter, Shimano e-bike design, double butted 6061 aluminum Hydroform down tube, ControlTaper head tube, integrated kickstand and Basta lock, full internal cable routing

FORK

SR Suntour NCX D, 63mm travel, tapered steerer, hydro lockout, air cartridge with preload adjust, post mount disc

DRIVETRAIN

Shimano SLX M7000 shifters 1x11 | rear derailleur Shimano XT, long cage

CASSETTE

Shimano SLX, 11-speed, 11-40T

CRANKSET

Shimano E8000, 44T, 48 - 58cm: 175mm

MOTOR | BATTERY

Shimano e8000 drive, 250W output, 25 km/h | Shimano E8010, 500Wh

BRAKE

front: Shimano Deore M6000 hydraulic disc, 180mm rotor | rear: Shimano Deore M6000 hydraulic disc, 180mm rotor

SEATPOST

Aluminum double bolt micro-adjust, Ø27.2mm x 300mm

WHEELSET

Alex MD19 double wall | front hub Shimano, 100mm QR | rear hub Shimano Deore, 11-speed cassette, 135mm QR

TIRES

Schwalbe EnergizerLife K-Guard, reflective sidewall, 700 x 35c

SIZES

48, 52, 55, 58 cm

WEIGHT

20.4 kg

Sport E-50 EQ Lady

Acera / XT 9-speed

CHF 3399.00



FRAME

Felt Fitness/Commuter, Shimano e-bike design, double butted 6061 aluminum Hydroform down tube, ControlTaper head tube, integrated kickstand and Basta lock, full internal cable routing

FORK

SR Suntour NCX-D, 63mm travel, tapered steerer, hydro lockout, coil spring with preload adjust, post mount disc

DRIVETRAIN

Shimano Acera M390 Rapid Fire shifters 1x9 | rear derailleur Shimano XT, long cage

CASSETTE

Shimano, 9-speed, 11-34T

CRANKSET

Shimano E8000, 44T, 44cm: 170mm, 49cm: 175mm

MOTOR | BATTERY

Shimano e8000 drive, 250W output, 25 km/h | Shimano E8010, 500Wh

BRAKE

front: Shimano M315 hydraulic disc, 180mm rotor | rear: Shimano M315 hydraulic disc, 180mm rotor

SEATPOST

Aluminum double bolt micro-adjust, Ø27.2mm x 300mm

WHEELSET

Alex MD19 double wall | front hub Shimano, 100mm QR | rear hub Shimano, 8/9/10-speed cassette, 135mm QR

TIRES

Schwalbe EnergizerLife K-Guard, reflective sidewall, 700 x 35c

SIZES

44, 49 cm

WEIGHT

21.2 kg

Sport E-50 EQ Man

Acera / XT 9-speed

CHF 3399.00

**FRAME**

Felt Fitness/Commuter, Shimano e-bike design, double butted 6061 aluminum Hydroform down tube, ControlTaper head tube, integrated kickstand and Basta lock, full internal cable routing

FORK

SR Suntour NCX-D, 63mm travel, tapered steerer, hydro lockout, coil spring with preload adjust, post mount disc

DRIVETRAIN

Shimano Acera M390 Rapid Fire shifters 1x9 | rear derailleur Shimano XT, long cage

CASSETTE

Shimano, 9-speed, 11-34T

CRANKSET

Shimano E8000, 44T, 48 - 58cm: 175mm

MOTOR | BATTERY

Shimano e8000 drive, 250W output, 25 km/h | Shimano E8010, 500Wh

BRAKE

front: Shimano M315 hydraulic disc, 180mm rotor | rear: Shimano M315 hydraulic disc, 180mm rotor

SEATPOST

Aluminum double bolt micro-adjust, Ø27.2mm x 300mm

WHEELSET

Alex MD19 double wall | front hub Shimano, 100mm QR | rear hub Shimano, 8/9/10-speed cassette, 135mm QR

TIRES

Schwalbe EnergizerLife K-Guard, reflective sidewall, 700 x 35c

SIZES

48, 52, 55, 58 cm

WEIGHT

21.2 kg



Surplus E-30

SLX / XT 11-speed

CHF 3999.00

**FRAME**

Felt 27.5+, Shimano e-bike design, 6061 aluminum, fully integrated down tube, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 12 x 148mm Syntace style thru axle

FORK

Rock Shox Revelation RC Solo Air, 130mm travel, 15 x 110mm Boost, E-Bike specific

DRIVETRAIN

Shimano SLX M7000 shifters 1x11 | rear derailleur Shimano XT, long cage

CASSETTE

Shimano SLX, 11-speed, 11-46T

CRANKSET

Shimano E8050, 34T, S/16" - L/20": 170mm, XL/22": 175mm

MOTOR | BATTERY

Shimano e8000 MTB drive, 250W output, 25 km/h | Shimano E8020, 500Wh integrated

BRAKE

front: Shimano Deore M6000 hydraulic disc, 203mm rotor | rear: Shimano Deore M6000 hydraulic disc, 180mm rotor

SEATPOST

KS eTen i dropper with South Paw P, Ø30.9mm, S/16": 100mm travel, M/18" - XL/22": 125mm travel

WHEELSET

WTB Scrapper i35, tubeless compatible | front hub Shimano Deore, 15 x 110mm Boost | rear hub Shimano Deore, 12 x 148mm Boost

TIRES

Maxxis Rekon+, 3C/EXO, tubeless ready, 27.5 x 2.8"

SIZES

S/16", M/18", L/20", XL/22"

WEIGHT

TBA

Surplus E-50

Deore /SLX 10-speed

CHF 3499.00



FRAME

Felt 27.5+, Shimano e-bike design, 6061 aluminum, fully integrated down tube, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 12 x 148mm Syntace style thru axle

FORK

RockShox Recon RL Solo Air, 130mm travel, 15 x 110mm Boost, E-Bike specific

DRIVETRAIN

Shimano Deore M6000 shifters 1x10 | rear derailleur Shimano Deore, long cage

CASSETTE

Shimano SLX, 11-speed, 11-46T

CRANKSET

Shimano E8050, 34T, S/16" - L/20": 170mm, XL/22": 175mm

MOTOR | BATTERY

Shimano e8000 MTB drive, 250W output, 25 km/h | Shimano E8020, 500Wh integrated

BRAKE

front: Shimano M365 hydraulic disc, 203mm rotor | rear: Shimano M365 hydraulic disc, 180mm rotor

SEATPOST

Devox butted 6061 one piece design, dual bolt, 15mm offset, Ø30.9, S/16": 350mm, M/18" - XL/22": 400mm

WHEELSET

E-Double wall, tubeless compatible | front hub 15 x 110mm Boost | rear hub S12 x 148mm Boost

TIRES

Maxxis Rekon+, Dual, tubeless ready, 27.5 x 2.8"

SIZES

S/16", M/18", L/20", XL/22"

WEIGHT

TBA

Redemption E30

SLX / XT 11-speed

CHF 5299.00



FRAME

Felt All Mountain, 150mm travel, Shimano e-Bike specific, double-budded 6061 aluminum, fully integrated down tube, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 12 x 148mm Syntace style thru axle

FORK | SHOCK

Rock Shox Yari RC Solo Air, 150mm, 15 x 110mm Boost, E-Bike specific | Rock Shox Deluxe R, Debonair, 185 x 52.5mm Trunnion

DRIVETRAIN

Shimano SLX M7000 shifters 1x11 | rear derailleur Shimano XT, long cage

CASSETTE

Shimano SLX, 11-speed, 11-46T

CRANKSET

Shimano E8050, 34T, S/16" - L/20": 170mm, XL/22": 175mm

MOTOR | BATTERY

Shimano e8000 MTB drive, 250W output, 25 km/h | Shimano E8020, 500Wh integrated

BRAKE

front: Shimano SLX M7000 hydraulic disc, 203mm rotor | rear: Shimano SLX M7000 hydraulic disc, 180mm rotor

SEATPOST

KS LEV Integra dropper with South Paw, Ø30.9mm, S/16": 100mm travel, M/18" - XL/22": 125mm travel

WHEELSET

WTB Scrapper i35, tubeless compatible | front hub Shimano Deore, 15 x 110mm Boost | rear hub Shimano Deore, 12 x 148mm Boost

TIRES

Maxxis Minion DHF front, Maxxis High Roller 2 rear, 3C/EXO, tubeless ready, 27.5 x 2.8"

SIZES

S/16", M/18", L/20", XL/22"

WEIGHT

TBA

Redemption E50

SLX / XT 11-speed

CHF 4499.00



FRAME

Felt All Mountain, 150mm travel, Shimano e-Bike specific, double-budded 6061 aluminum, fully integrated down tube, ControlTaper integrated head tube, post disc mount, replaceable derailleur hanger, 12 x 148mm Syntace style thru axle

FORK | SHOCK

SR Suntour Aion Air, 150mm travel, 15 x 110mm Boost, E-Bike specific | Rock Shox Deluxe R, Debonair, 185 x 52.5mm Trunnion

DRIVETRAIN

Shimano Deore M6000 shifters 1x10 | rear derailleur Shimano Deore, long cage

CASSETTE

Shimano, 10-speed, 11-42T

CRANKSET

Shimano E8050, 34T, S/16" - L/20": 170mm, XL/22": 175mm

MOTOR | BATTERY

Shimano e8000 MTB drive, 250W output, 25 km/h | Shimano E8020, 500Wh integrated

BRAKE

front: Shimano Deore M6000 hydraulic disc, 203mm rotor | rear: Shimano Deore M6000 hydraulic disc, 180mm rotor

SEATPOST

KS eTen i dropper with South Paw P, Ø30.9mm, SM: 100mm travel, MD/LG/XL: 125mm travel

WHEELSET

E-Double wall, tubeless compatible | front hub 15 x 110mm Boost | rear hub 12 x 148mm Boost

TIRES

Maxxis Minion DHF front, Maxxis High Roller 2 rear, Dual, tubeless ready, 27.5 x 2.8"

SIZES

S/16", M/18", L/20", XL/22"

WEIGHT

TBA

Felt short sleeve Jersey Regular 99.00



Felt Bib Short Regular 139.00



Felt short sleeve Jersey Premium 119.00



Felt Bib Short Premium 179.00



Felt Team Socks 19.00



Felt Team Cap 24.00



Felt Amsler Freeride Shirt 69.00



Felt Freeride Shorts 79.00



Felt Freeride Shirt 49.00



Felt Freeride Shorts 79.00



ELECTRIC PEDELEC

e-pony
max. 45 km/h

E-Pony 3.0 45km/h

Deore / XT 10-speed

CHF 4699.00



FRAME

Aluminium 6061 28"Powertube Vollintegration

FORK

Suntour Mobie45 LOR DS tapered, 80mm Federweg, 15mm Steckachse

DRIVETRAIN

Shimano Deore shifters 1x10 | rear derailleur Shimano XT

CASSETTE

Shimano HG50 11-42 Zähne

CRANKSET

Lasco 170mm, Alu, 20 Zähne

MOTOR | BATTERY

BOSCH Performance Speed | Intuvia Display | Bosch 500Wh

BRAKE

front: Magura MT-E NEXT 4-piston caliper, Rotor 180mm | rear: Magura MT-E NEXT 2-piston caliper, Rotor 180mm

SEATPOST

Humpert Ergotec Atar, patent, starr

LIGHTS

front: B&M IQ-X 150 LUX LED | rear: B&M LED with brake light

FENDER | CHAINGUARD | LUGGAGE RACK

SKS PET | Miranda e-chainguard nut, Aluminium | Racktime Standit

WHEELSET

Schürmann YAK19 Disc Aluminium | Shimano Deore 15 x 100mm | rear hub Shimano Deore

TIRES

Continental Contact, 47-622, reflex

SIZES

Lady Trapez: 45, 50 cm Man Diamant: 50, 55, 60 cm





amster
bikes & parts



AMSLER & Co. AG
Lindenstrasse 16
8245 Feuerthalen ZH
fon 052 647 36 36
velo@amster.ch
www.amslervelo.ch
eu-en.feltbicycles.com

IHR FELT HÄNDLER / VOTRE MARCHAND FELT

