

FELT

BICYCLES / CALIFORNIA



SCHWEIZ



AR | PAGE 2-10
FR | PAGE 11-21
VR | PAGE 22-28
IA | PAGE 29-38
B | PAGE 39-41
BREED | PAGE 42-46
BROAM | PAGE 47-51
FX | PAGE 52-57



AR

Speed. It's a sensation unlike any other that exists in its purest form while riding a bicycle. Whether it's a full-on drag race to the finish line or a white-knuckle, Alpine descent, the AR brings the speed.



FRAME / FORK UHC Ultimate + Textreme carbon fiber.

GROUP SRAM Red eTap AXS. 2x12 - 48/35T, 10-28T

WHEELS ZIPP NSW 454. Continental Grand Prix 5000 TL 25c

SIZES - 54, 56, 58, 61



Frame: Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Fork: Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (NO.44)

Speed: 2x12-speed

Shifters: SRAM RED eTap AXS HRD

Front Derailleur: SRAM RED eTap AXS, braze-on

Rear Derailleur: SRAM RED eTap AXS

Crankset: SRAM RED, DUB, 48/35T

Bottom Bracket: CeramicSpeed EVO386 for SRAM DUB Road

Freewheel / Cassette: SRAM RED XG-1290, 10-28T

Chain: SRAM RED

Brakes : SRAM RED eTap AXS HRD, hydraulic disc, flat mount

Brake Rotors: SRAM CenterLine XR, Center Lock, 160mm front, 140mm rear

Front Wheel: ZIPP 454 NSW Carbon Tubeless Disc-brake

Rear Wheel: ZIPP 454 NSW Carbon Tubeless Disc-brake, XDR

Tires: Continental Grand Prix 5000 TL, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Felt Sprint | UHC Advanced carbon fiber

Handlebar: ZIPP SL-70 AERO

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

Saddle: Prologo Dimension 143 Nack

Accessories: SRAM PowerPack (Battery Charger, 2x Battery) / SRAM hose fitting kit (2x threaded hose barbs and red comp fittings) /

ZIPP valve extenders / Compliance Channel aero seatpost covers / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP Shimano Ultegra Di2 R8050. 2x11 - 52/36T, 11-30T

WHEELS Reynolds AR58 DB Carbon. Continental Grand Prix 5000 25c

SIZES - 48, 51, 54, 56, 58, 61

Frame: Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Fork: Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (NO.44)

Speed: 2x11-speed

Shifters: Shimano Ultegra Di2 R8070

Front Derailleur: Shimano Ultegra R8050 Di2, braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Token Ninja Lite, BB386 for Shimano (24mm)

Freewheel / Cassette: Shimano Ultegra R8000, 11-30T

Chain: Shimano Ultegra HG701

Brakes: Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

Front Wheel: Reynolds AR58 DB Custom

Rear Wheel: Reynolds AR58 DB Custom, Shimano

Tires: Continental Grand Prix 5000, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Felt Sprint | UHC Advanced carbon fiber

Handlebar: Devox DBar.C0 Aero

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

Saddle: Prologo Dimension 143 T4.0

Accessories: Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP Shimano Ultegra R8000. 2x11 - 52/36T, 11-30T

WHEELS Reynolds AR58 DB Carbon. Continental Grand Prix 5000 25c

SIZES - 51, 54, 56, 58, 61



Frame: Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Fork: Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (NO.44)

Speed: 2x11-speed

Shifters: Shimano Ultegra R8020

Front Derailleur: SShimano Ultegra R8000, braze-on

Rear Derailleur: Shimano Ultegra R8000, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Token Ninja Lite, BB386 for Shimano (24mm)

Freewheel / Cassette: Shimano Ultegra R8000, 11-30T

Chain: Shimano Ultegra HG701

Brakes: Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

Front Wheel: Reynolds AR58 DB Custom

Rear Wheel: Reynolds AR58 DB Custom, Shimano

Tires: Continental Grand Prix 5000, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Felt Sprint | UHC Advanced carbon fiber

Handlebar: Devox DBar.C0 Aero

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

Saddle: Prologo Dimension 143 T4.0

Accessories: Shimano hose fitting kit (2x olives and connector inserts) / Reynolds 2x75mm tubeless valve stems /

Compliance Channel aero seatpost covers / Carbon assembly paste





FRAME Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc

SEATPOST CLAMP 27.2mm

FR

The FR is the stiffest, lightest, and best-performing disc brake-equipped road bike that Felt has ever created. It's designed for the pinnacle of competitive racing.





FR FRD | ULTIMATE | DURA ACE



FR | ADVANCED | ULTEGRA DI2



FR | ADVANCED | ULTEGRA



FR | ADVANCED | 105



FRAME / FORK UHC Ultimate + Textreme carbon fiber.

GROUP Shimano Dura-Ace Di2 R9170. 2x11 - 52/36T, 11-30T

WHEELS Shimano Dura-Ace C40 Tubeless Carbon. Continental Grand Prix 5000 TL 25c

SIZES - 51, 54, 56



Frame: FeltRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Fork: FeltRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: Shimano Dura-Ace Di2 R9170

Front Derailleur: Shimano Dura-Ace R9150 Di2, braze-on

Rear Derailleur: Shimano Dura-Ace R9150 Di2, short cage

Crankset: Shimano Dura-Ace R9100, 52/36T

Bottom Bracket: CeramicSpeed EVO386 for Shimano Road

Freewheel / Cassette: Shimano Dura-Ace R9100, 11-28T

Chain: Shimano Dura-Ace HG901

Brakes : Shimano Dura-Ace R9170, hydraulic disc, flat mount

Brake Rotors: Shimano Dura-Ace RT900, Center Lock, 160mm front, 140mm rear

Front Wheel: Shimano Dura-Ace R9170 C40, Tubeless

Rear Wheel: Shimano Dura-Ace R9170 C40, Tubeless

Tires: Continental Grand Prix 5000 TL, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: PRO Vibe

Handlebar: PRO Vibe Carbon

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: PRO Vibe Carbon, 20mm

Saddle: Prologo Dimension 143 Nack

Accessories: Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Shimano tubeless valve stems / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.
GROUP Shimano Ultegra Di2 R8050. 2x11 - 52/36T, 11-30T
WHEELS Reynolds AR41 DB Carbon. Vittoria Rubino Pro 25c

SIZES - 51, 54, 56, 58



Frame: Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

Fork: Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: Shimano Ultegra Di2 R8070

Front Derailleur: Shimano Ultegra R8050 Di2, braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Token Ninja Lite, BB386 for Shimano (24mm)

Freewheel / Cassette: Shimano Ultegra R8000, 11-30T

Chain: Shimano Ultegra HG701

Brakes : Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

Front Wheel: Reynolds AR41 DB Custom

Rear Wheel: Reynolds AR41 DB Custom, Shimano

Tires: Vittoria Rubino Pro IV, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Devox StemR.A1

Handlebar: Devox DBar.C1

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2 Cap

Saddle: Prologo Dimension 143 T4.0

Accessories: Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds 2x55mm tubeless valve stems / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.
GROUP Shimano Ultegra R8000. 2x11 - 52/36T, 11-30T
WHEELS Reynolds AR41 DB Carbon. Vittoria Rubino Pro 25c

SIZES - 51, 54, 56, 58



Frame: FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

Fork: FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: Shimano Ultegra R8020

Front Derailleur: SShimano Ultegra R8000, braze-on

Rear Derailleur: Shimano Ultegra R8000, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Token Ninja Lite, BB386 for Shimano (24mm)

Freewheel / Cassette: Shimano Ultegra R8000, 11-30T

Chain: Shimano Ultegra HG701

Brakes : Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano Ultegra RT800, Center Lock, 160mm front, 140mm rear

Front Wheel: Reynolds AR41 DB Custom

Rear Wheel: Reynolds AR41 DB Custom, Shimano

Tires: Vittoria Rubino Pro IV, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Devox StemR.A1

Handlebar: Devox DBar.C1

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2 Cap

Saddle: Prologo Dimension 143 T4.0

Accessories: Shimano hose fitting kit (2x olives and connector inserts) /

Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP Shimano 105 R7000. 2x11 - 52/36T, 11-30T

WHEELS Devox 1923A Aluminum with Shimano hubs. Vittoria Rubino 25c

SIZES - 51, 54, 56, 58, 61

Frame: FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

Fork: FeltRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: Shimano 105 R7025

Front Derailleur: Shimano 105 R7000, braze-on

Rear Derailleur: Shimano 105 R7000, short cage

Crankset: Shimano 105 R7000, 52/36T

Bottom Bracket: Token Ninja Lite, BB386 for Shimano (24mm)

Freewheel / Cassette: Shimano 105 R7000, 11-30T

Chain: Shimano 105 HG601

Brakes : Shimano 105 R7070, hydraulic disc, flat mount

Brake Rotors: Shimano RT70, Center Lock, 160mm front, 140mm rear

Front Wheel: Devox WheelRDS.A1 | 23/19, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 23/19, Shimano hubs

Tires: Vittoria Rubino IV, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Devox StemR.A2 6D

Handlebar: Devox DBar.A1

Bartape: Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2 Cap

Saddle: Prologo Dimension 143 STN

Accessories: Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste



FRAME Felt Race Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, flat mount disc brake standard, CNC aluminum replaceable rear derailleur hanger, external mechanical or internal electronic cable routing

FORK Felt Race Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown and blades. Flat mount disc, standard, 12 x 100mm thru axle

SEATPOST CLAMP 27.2mm



VR

The VR epitomizes the spirit of the modern endurance cyclist. It offers a new perspective on how to experience terrain, distance, and topography, by empowering its rider to explore beyond his or her perceived limitations.



FRAME / FORK UHC Advanced + Textreme carbon fiber.
GROUP Shimano Ultegra Di2 R8050. 2x11 - 50/34T, 11-34T
WHEELS Reynolds AR29 DB Carbon. Vittoria Rubino Pro IV 30c

SIZES - 51, 54, 56, 58



Frame: Felt Variable Road UHC Advanced + TeXtreme

Fork: Felt Variable Road UHC Advanced + TeXtreme carbon fiber

Headset: IS-21

Speed: 11-34T

Shifters: Shimano Ultegra Di2 R8070 11-speed

Front Derailleur: Shimano Ultegra R8050 Di2 braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2 11-speed long cage

Crankset: Shimano Ultegra R8000, 50/34T

Bottom Bracket: Token BB386 with 24mm bearings

Freewheel / Cassette: Shimano 11-speed, 11-34T

Chain: Shimano 11-speed

Brakes : Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano R8070 hydraulic disc, 160mm front, 140mm rear

Front Wheel: Reynolds AR29 DB Custom

Rear Wheel: Reynolds AR29 DB Custom, Shimano

Tires: Vittoria Rubino Pro IV, 700x30c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Devox StemR.A1

Handlebar: Devox DBar.A2

Bartape: Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2 Cap

Saddle: Prologo Dimension Space T4.0

Accessories: Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds 2x45mm tubeless valve stems / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.
GROUP Shimano Ultegra Di2 R8050. 2x11 - 50/34T, 11-34T
WHEELS Reynolds AR29 DB Carbon. Vittoria Rubino Pro IV 30c



Frame: Felt Variable Road UHC Advanced + TeXtreme

Fork: Felt Variable Road UHC Advanced + TeXtreme carbon fiber

Headset: IS-21

Speed: 11-34T

Shifters: Shimano Ultegra Di2 R8070 11-speed

Front Derailleur: Shimano Ultegra R8050 Di2 braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2 11-speed long cage

Crankset: Shimano Ultegra R8000, 50/34T

Bottom Bracket: Token BB386 with 24mm bearings

Freewheel / Cassette: Shimano 11-speed, 11-34T

Chain: Shimano 11-speed

Brakes : Shimano Ultegra R8070, hydraulic disc, flat mount

Brake Rotors: Shimano R8070 hydraulic disc, 160mm front, 140mm rear

Front Wheel: Reynolds AR29 DB Custom

Rear Wheel: Reynolds AR29 DB Custom, Shimano

Tires: Vittoria Rubino Pro G+, 700x28c

Thru Axles: TA 12x100 front, TA 12x142 rear

Stem: Devox StemR.A1

Handlebar: Devox DBar.A2

Bartape: Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2 Cap

Saddle: Prologo Dimension Space T4.0

Accessories: Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds 2x45mm tubeless valve stems / Carbon assembly paste





FRAME Felt Variable Road UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, carbon fiber BB386 bottom bracket shell, 12 x 142mm with Syntace style thru axle, flat mount disc brake standard, replaceable rear derailleurs hanger, internal mechanical or electronic cable routing, 27.2mm seatpost size

FORK Felt Variable Road UHC Advanced + TeXtreme carbon fiber monocoque construction, size specific ControlTaper carbon fiber steerer tube, integrated crown race, crown, blades, flat mount disc standard, 12 x 100mm thru axle

SEATPOST CLAMP Felt single bolt, Ø30.6mm

IA

Since its debut, the IA has won the Kona World Championship a staggering six consecutive times. In a sport that demands sacrifice, the IA lacks for nothing. Aerodynamic, confidence-inspiring, and serviceable, it's simply the best triathlon bike that the world has ever seen.





IA | ADVANCED | AXS



IA | ADVANCED | ULTEGRA DI2



IA | ADVANCED | ULTEGRA



IA | ADVANCED | 105



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP SRAM Force eTap AXS. 2x12 - 48/35T, 10-28T

WHEELS Reynolds AR58/62 DB Carbon. Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: BaseBar: SRAM eTap Blips / Extensions: SRAM eTap Clics

Front Derailleur: SRAM Force eTap AXS, braze-on

Rear Derailleur: SRAM Force eTap AXS

Crankset: SRAM Force, DUB, 48/35T

Bottom Bracket: SRAM DUB BSA

Freewheel / Cassette: SRAM XG-1270, 10-28T

Chain: SRAM Force

Brake Levers : SRAM S-900 AERO HRD, hydraulic

Brakes : SRAM S-900 AERO HRD, hydraulic disc, flat mount

Brake Rotors: SRAM CenterLine XR, Center Lock, 140mm

Front Wheel: Reynolds AR58/62 DB Custom

Rear Wheel: Reynolds AR58/62 DB Custom, Shimano

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / A BTSpac Seat Tube storage box / SRAM PowerPack (Battery Charger, 2x Battery) /

Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP Shimano Ultegra Di2 R8050. 2x11 - 52/36T, 11-28T

WHEELS Reynolds AR58/62 DB Carbon. Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56



Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: BaseBar: TRP HD-T910 with integrated shift buttons (right lever only) / Extensions: Shimano Dura-Ace Di2 SW-R9160, TRI/TT

Front Derailleur: Shimano Ultegra R8050 Di2, braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Shimano BBR60

Freewheel / Cassette: Shimano Ultegra R8000, 11-28T

Chain: Shimano Ultegra HG701

Brake Levers : TRP HD-T910, hydraulic with integrated shift buttons (right lever only)

Brakes : TRP HD-T910, hydraulic disc, flat mount

Brake Rotors: TRP TR-25, 140mm

Front Wheel: Reynolds AR58/62 DB Custom

Rear Wheel: Reynolds AR58/62 DB Custom, Shimano

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger /

Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP Shimano Ultegra R8000. 2x11 - 52/36T, 11-28T

WHEELS Reynolds AR58/62 DB Carbon. Continental Grand Sport Race 25c

SIZES - 51, 54, 56, 58

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: microSHIFT A11, TRI/TT

Front Derailleur: Shimano Ultegra R8000, braze-on

Rear Derailleur: Shimano Ultegra R8000, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Shimano BBR60

Freewheel / Cassette: Shimano Ultegra R8000, 11-28T

Chain: Shimano Ultegra HG701

Brake Levers : TRP HD-T910, hydraulic

Brakes : TRP HD-T910, hydraulic disc, flat mount

Brake Rotors: TRP TR-25, 140mm

Front Wheel: Reynolds AR58/62 DB Custom

Rear Wheel: Reynolds AR58/62 DB Custom, Shimano

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger /

Reynolds 2x75mm tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste



FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP Shimano 105 R7000. 2x11 - 52/36T, 11-28T

WHEELS Devox 1930A DB TR Aluminum with Shimano hubs. Continental Grand Sport Race

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: microSHIFT A11, TRI/TT

Front Derailleur: Shimano 105 R7000, braze-on

Rear Derailleur: Shimano 105 R7000, short cage

Crankset: Shimano 105 R7000, 52/36T

Bottom Bracket: Shimano RS500

Freewheel / Cassette: Shimano 105 R7000, 11-28T

Chain: Shimano 105 HG601

Brake Levers : TRP HD-T910, hydraulic

Brakes : TRP HD-T910, hydraulic disc, flat mount

Brake Rotors: TRP TR-25, 140mm

Front Wheel: Devox WheelRDS.A1 | 30/19, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 30/19, Shimano hubs

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Compliance Channel aero seatpost covers /

Carbon assembly paste

B

The time trial. One rider against the clock. No teammates, and nowhere to hide. Some say it's the truest form of cycling competition. So when every watt matters, you'll need a bike as committed to the effort as you are.





FRAME / FORK UHC Performance.

GROUP Shimano Ultegra 105. 2x11 - 52/36T, 11-28T

WHEELS Devox 30A RB Aluminum Vittoria Zaffiro Pro Slick 23c

SIZES - 48, 51, 54, 56, 58, 61

Frame: Felt Aero TRI/TT | UHC Performance carbon fiber

Fork: Felt Aero TT/Tri | UHC Performance carbon fiber with aluminum steerer tube

Headset: IS (IS-21)

Speed: 2x11-speed

Shifters: microSHIFT A11, TRI/TT

Front Derailleur: Shimano Ultegra R8000, braze-on

Rear Derailleur: Shimano Ultegra R8000, short cage

Crankset: Shimano 105 R7000, 52/36T

Bottom Bracket: Shimano BSA

Freewheel / Cassette: Shimano 11-28T

Chain: Shimano HG601

Brake Levers : Tektro TL720

Brakes : Front: Shimano 105 R7000 dual-pivot caliper / Rear: Tektro T822 under bottom bracket mount caliper

Front Wheel: Devox 30A WheelR

Rear Wheel: Devox 30A WheelR

Tires: 47cm: Vittoria Zaffiro Pro / 650 x 23c / 51, 54, 56, 58, 61cm: Vittoria Zaffiro Pro Slick, 700x23c

Quick Release: QR100 front, QR 130 rear horizontal with integrated adjusters

Stem: Devox StemR.A2 17D

Handlebar: BaseBar: Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt Aero DA/B +25 | UHC Advanced

Saddle: Prologo Dimension Tri STN

Accessories: Carbon assembly paste

BREED

Gravel is the new breed of cycling. It's all about chasing the sunset, gaining a fresh perspective on your favorite roads and local trails, and further expanding the incredible freedom that a bicycle can provide.



FRAME SuperLite Aluminum. **FORK** UHC Advanced.

GROUP SRAM Force CX1. 1x11 - 40T, 11-42T

WHEELS Devox GR2.1 SL aluminum. Vittoria Terreno Dry TNT 700x40c

SIZES - 51, 54, 56, 58, 61



Frame: Felt Gravel | SuperLite aluminum

Fork: Felt Gravel - Adventure | UHC Advanced carbon fiber

Headset: IS (NO.42)

Speed: 1x11-speed

Shifters: SRAM Force 1 Hydraulic

Front Derailleur: N/A

Rear Derailleur: SRAM Force 1, long cage

Crankset: Praxis Works Zayante Carbon-S, 40T DM WT

Bottom Bracket: Praxis Works M30 T47 86.5mm

Freewheel / Cassette: SRAM PG-1130, 11-42T

Chain: SRAM PC-1130

Brakes : SRAM Force 1, hydraulic disc, flat mount

Brake Rotors: SRAM Centerline, Center Lock, 160mm

Front Wheel: Devox WheelRDS.A0 GXA | 30/21

Rear Wheel: Devox WheelRDS.A0 GXA | 30/21

Tires: Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

Thru Axles: TA 12x100, TA 12x142

Stem: Devox StemR.A1

Handlebar: Devox DBar.A1 GXA

Bartape: Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-

Seatpost: Devox Post.C2

Saddle: Prologo Dimension NDR T4.0

Accessories: BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge /

Carbon assembly paste



FRAME SuperLite Aluminum. **FORK** UHC Performance.

GROUP Shimano GRX 600. 1x11 - 40T, 11-42T

WHEELS Devox GR2.1 aluminum with SHIMANO hubs. Vittoria Terreno Dry 700x40c

SIZES - 51, 54, 56, 58



Frame: Felt Gravel | SuperLite aluminum

Fork: Felt Gravel - Adventure | UHC Advanced carbon fiber

Headset: IS (NO.42)

Speed: 1x11-speed

Shifters: Shimano GRX RX600

Front Derailleur: N/A

Rear Derailleur: Shimano GRX RX812

Crankset: Shimano GRX RX600, 40T

Bottom Bracket: Token T47 (86.5mm) for Shimano (24mm)

Freewheel / Cassette: Shimano M7000, 11-42T

Chain: Shimano 105 HG601

Brakes : Shimano GRX RX400, hydraulic disc, flat mount

Brake Rotors: Shimano RT70, Center Lock, 160/140mm

Front Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Tires: Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

Thru Axles: TA 12x100, TA 12x142

Stem: Devox StemR.A2 6D

Handlebar: Devox DBar.A1 GXA

Bartape: Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.C2

Saddle: Prologo Dimension NDR T4.0

Accessories: BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge /

Carbon assembly paste

BROAM

The Broam craves two-wheeled adventure. Designed for riders as diverse as the utilitarian urbanite to the rugged outdoors fan, the Broam is equally at home on one's daily commute to bikepacking through the wilderness.





FRAME SuperLite Aluminum. **FORK** UHC Performance.

GROUP Shimano GRX 600. 2x11 - 46/30T, 11-34T

WHEELS Devox 2123A aluminum with Shimano hubs. Maxxis Re-Fuse Max Shield 700x40c

SIZES - 51, 54, 56, 58, 61

Frame: Felt Adventure | SuperLite aluminum

Fork: Felt Gravel - Adventure | UHC Advanced carbon fiber with aluminum steerer tube

Headset: IS (NO.42)

Speed: 2x11-speed

Shifters: Shimano GRX RX600

Front Derailleur: Shimano GRX RX810, braze-on with Ø31.8mm clamp adapter

Rear Derailleur: Shimano GRX RX810

Crankset: Shimano GRX RX600, 46/30T

Bottom Bracket: Shimano RS500

Freewheel / Cassette: Shimano 105 HG700, 11-34T

Chain: Shimano 105 HG601

Brakes : Shimano GRX RX400, hydraulic disc, flat mount

Brake Rotors: Shimano RT70, Center Lock, 160/140mm

Front Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Tires: Maxxis Refuse with Max Shield, tubeless ready, 700x40c

Thru Axles: TA 12x100, TA 12x142

Stem: Devox StemR.A2 6D

Handlebar: Devox DBar.A2 GXA

Bartape: Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.A3

Saddle: Selle Royal Essenza Gel

Accessories: N/A



FRAME SuperLite Aluminum. **FORK** UHC Performance.

GROUP Shimano GRX 400, GRX 600 crank, Tiagra brake lever/shifters. 2x10 - 46/30T, 11-34T

WHEELS Devox 2123A aluminum with Shimano hubs. Maxxis Re-Fuse 700x40c

SIZES - 51, 54, 56, 58

Frame: Felt Adventure | SuperLite aluminum

Fork: Felt Gravel - Adventure | UHC Advanced carbon fiber with aluminum steerer tube

Headset: IS (NO.42)

Speed: 2x10-speed

Shifters: Shimano Tiagra 4700

Front Derailleur: Shimano GRX RX400, braze-on with Ø31.8mm clamp band

Rear Derailleur: Shimano GRX RX400

Crankset: Shimano GRX RX600-10, 46/30T

Bottom Bracket: Shimano RS500

Freewheel / Cassette: Shimano HG500, 11-34T

Chain: Shimano HG54

Brakes : TRP HY/RD, cable actuated hydraulic disc, flat mount

Brake Rotors: TRP TR-35, Center Lock, 160/140mm

Front Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Tires: Maxxis Refuse with Silkworm, 700x40c

Thru Axles: TA 12x100, TA 12x142

Stem: Devox StemR.A2 VA

Handlebar: Devox DBar.A2 GXA

Bartape: Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.A3

Saddle: Selle Royal Essenza Gel

Accessories: N/A

FX

Mud, dirt, sand, snow, and rocks. That's cyclocross. It takes something special to emerge from amidst the roar of the crowd and the cacophony of the cowbells. Like the two-time world championship-winning Fx.





FRAME / FORK UHC Advanced + Textreme carbon fiber.

GROUP SRAM Force CX1, 1x11 - 38T & 40T, 11-36T

WHEELS ZIPP Service Course 30 with Devox hubs. Schwalbe X-ONE TL 700x33c



Frame: Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber

Fork: Felt Cyclocross 2.5 | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (NO.42)

Speed: 1x11-speed

Shifters: SRAM Force 1 Hydraulic

Front Derailleur: N/A

Rear Derailleur: SRAM Force 1, long cage

Crankset: Quarq Prime Carbon, X-SYNC 38T installed, X-SYNC 40T in box

Bottom Bracket: Token Ninja Lite, BB386 (30mm)

Freewheel / Cassette: SRAM PG-1130, 11-36T

Chain: SRAM PC-1130

Brakes : SRAM Force 1, hydraulic disc, flat mount

Brake Rotors: SRAM Centerline, Center Lock, 160mm

Front Wheel: ZIPP 30 COURSE with Devox hubs

Rear Wheel: ZIPP 30 COURSE with Devox hubs

Tires: Schwalbe X-One All Around, MicroSkin, Tubeless Easy, 700x33c

Thru Axles: TA 12x100, TA 12x142

Stem: Zipp Service Course SL, Beyond Black

Handlebar: ZIPP Service Course SL-70 ERGO

Bartape: Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: ZIPP Service Course SL, 20mm, Beyond Black

Saddle: Prologo Dimension NDR TiRox

Accessories: Carbon assembly paste



FRAME / FORK UHC Advanced carbon fiber.
GROUP Shimano GRX 600. 2x11 - 46x30, 11-30T
WHEELS Devox Cx24 with Shimano hubs. Schwalbe X-ONE TL
700x33c

SIZES - 50, 53, 55



Frame: Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber

Fork: Felt Cyclocross 2.5 | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (NO.42)

Speed: qx11-speed

Shifters: Shimano GRX RX600

Front Derailleur: Shimano GRX RX810, braze-on with Ø34.9mm clamp band

Rear Derailleur: Shimano GRX RX810

Crankset: Shimano GRX RX600, 46/30T

Bottom Bracket: Token Ninja Lite, BB386 for Shimano (24mm)

Freewheel / Cassette: Shimano 105 R7000, 11-30T

Chain: Shimano HG601

Brakes : Shimano GRX RX400, hydraulic disc, flat mount

Brake Rotors: Shimano RT70, Center Lock, 160/140mm

Front Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 23/21, Shimano hubs

Tires: Schwalbe X-One All Around, MicroSkin, Tubeless Easy, 700x33c

Thru Axles: TA 12x100, TA 12x142

Stem: Devox StemR.A2 6D

Handlebar: Devox DBar.A2 GXA

Bartape: Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

Seatpost: Devox Post.A3

Saddle: Prologo Dimension NDR T4.0

Accessories: Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste



FRAME Felt Cyclocross UHC Advanced + TeXtreme carbon fiber, MMC with InsideOut construction, BB386 bottom bracket shell, 12 x 142mm Syntace style thru axle, shoulder friendly top tube, flat mount disc brake standard, replaceable rear derailleur hanger, internal mechanical or electronic cable routing

FORK Felt Cyclocross UHC Ultimate + TeXtreme carbon fiber monocoque construction, ControlTaper 1.125- 1.5" carbon fiber steerer tube, integrated crown and blades. Flat mount disc standard, 12 x 100mm thru axle

SEATPOST CLAMP Felt single bolt, Ø31.8mm

2021



FELT

BICYCLES / CALIFORNIA



FELT
BICYCLES / CALIFORNIA

2021



amsler
bikes & parts

FELT[®]

BICYCLES / CALIFORNIA

Ihr Fachhändler // Votre Marchand



Amsler & Co. AG // Lindenstrasse 16, 8245 Feuerthalen // 052 674 36 36 // velo@amsler.ch // www.amslervelo.ch