

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB 12 x 142 mm thru-axle
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

ARISE

XS-S 650B / M-XL 700C
 Glossy Coffee Black
 Glossy Metallic Pearl Blue
 4130 double butted crmo, heat treated front triangle,
 TA sliding dropouts, rack / fender mounts, 68 mm BSA BB shell
 4130 crmo, TA, rack / fender mounts,
 internal hub dynamo cable routing
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK CONTROL bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 NECO H282 sealed external headset, 1.1/8"
 TEKTRO RL-340 brake levers
 -
 TEKTRO MIRA post mount mechanic disc brakes with 160 mm rotors
 BOMBTRACK TAF19 aluminium crank, 24 mm spindle
 BSA sealed BB, external cups
 WELLGO B109N flat pedal
 KMC X9 chain, 1/2" x 11/128", 98L
 BOMBTRACK RIDGE aluminium chainring, narrow-wide, 42 T
 16 T heat treated crmo cog, 1/2" x 11/128"
 -
 -
 BOMBTRACK ARC sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK ARC sealed disc hub, 11-speed,
 12 x 142 mm thru-axle
 WTB ST i19 double wall, TCS 2.0, 32h
 WTB ST i19 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 XS-S VEE TIRE SPEEDSTER 650B x 38C
 M-XL VEE TIRE SPEEDSTER 700C x 40C
 XS-S VEE TIRE SPEEDSTER 650B x 38C
 M-XL VEE TIRE SPEEDSTER 700C x 40C
 -
 -
 -
 11.4 kg

ARISE GEARED

XS-S 650B / M-XL 700C
 Glossy Metallic Green
 Glossy Dark Cherry
 4130 double butted crmo, heat treated front triangle,
 TA sliding dropouts, rack / fender mounts, 68 mm BSA BB shell
 4130 crmo, TA, rack / fender mounts,
 internal hub dynamo cable routing
 BOMBTRACK ORIGIN flat bar, 31.8 mm, 8° backsweep
 BOMBTRACK SCROLL grips
 BOMBTRACK ROAM forged aluminium stem, -7°
 NECO H282 sealed external headset, 1.1/8"
 SHIMANO BL-M200 hydraulic brake levers
 MICROSHIFT ADVENT SL-M819-R Shifter 1 x 9
 SHIMANO BR-MT200 post mount hydraulic disc brake with 160 mm rotors
 BOMBTRACK TAF19 aluminium crank, 24 mm spindle
 BSA sealed BB, external cups
 WELLGO B109N flat pedal
 KMC X9 chain, 1/2" x 11/128", 114L
 BOMBTRACK RIDGE aluminium chainring, narrow-wide, 42 T, incl. chainguard
 MICROSHIFT ADVENT CS-H093 9-speed cassette, 11 - 42 T
 -
 Microshift ADVENT RD-M6195M wide range, clutch
 BOMBTRACK ARC sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK ARC sealed disc hub, 11-speed,
 12 x 142 mm thru-axle
 WTB ST i19 double wall, TCS 2.0, 32h
 WTB ST i19 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 XS-S VEE TIRE SPEEDSTER 650B x 38C
 M-XL VEE TIRE SPEEDSTER 700C x 40C
 XS-S VEE TIRE SPEEDSTER 650B x 38C
 M-XL VEE TIRE SPEEDSTER 700C x 40C
 -
 BOMBTRACK DECK frontrack, aluminium
 -
 12.6 kg



GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

XS	S	M	L	XL
460	490	520	550	580
506	529	554	578	602
73.5	73.5	73	73	73
70	70.5	70.5	71	71
100	130	150	180	210
55	55	70	70	70
420	420	435	435	435
55	55	55	55	55
64	60	68	65	65
995	1016	1045	1065	1090
733	762	799	828	857
351	370	379	394	409
508	538	572	602	631
582	602	619	639	664
390	390	390	390	390

XS	S	M	L	XL
460	490	520	550	580
506	529	554	578	602
73.5	73.5	73	73	73
70	70.5	70.5	71	71
100	130	150	180	210
55	55	70	70	70
420	420	435	435	435
55	55	55	55	55
64	60	68	65	65
995	1016	1045	1065	1090
733	762	799	828	857
351	370	379	394	409
508	538	572	602	631
582	602	619	639	664
390	390	390	390	390

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

ARISE TOUR

XS-S 650B / M-XL 700C
 Glossy Navy Blue
 -
 4130 double butted crmo, heat treated front triangle, TA sliding dropouts, rack / fender mounts, 68 mm BSA BB shell
 4130 crmo, TA, rack / fender mounts, internal hub dynamo cable routing
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK ESCAPE bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 NECO H282 sealed external headset, 1.1/8"
 TEKTRO RL-340 brake levers
 MICROSHIFT BS-M10 bar end shifter 2 x 10
 TRP SPYRE C post mount mechanic disc brakes with 160 mm rotors
 BOMBTRACK AMES forged aluminium crank, 24 mm spindle
 BSA sealed BB, external cups
 -
 KMC X10 chain, 1/2" x 11/128", 114L
 Steel, subcompact, 46 / 30 T
 MICROSHIFT CS-H103 10-speed cassette, 11 - 42 T
 MICROSHIFT FD-R552-B
 MICROSHIFT RD-M62L, long cage
 KT dynamo hub, 6-bolt disc, 12 x 100 mm thru-axle
 BOMBTRACK ARC sealed disc hub, 11-speed, 12 x 142 mm thru-axle
 WTB ST i19 double wall, TCS 2.0, 32h
 WTB ST i19 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 XS-S VEE TIRE SPEEDSTER 650B x 38C
 M-XL VEE TIRE SPEEDSTER 700C x 40C
 XS-S VEE TIRE SPEEDSTER 650B x 38C
 M-XL VEE TIRE SPEEDSTER 700C x 40C
 BOMBTRACK PIPE plastic fenders, 50 mm
 TUBUS TARA front, LOGO EVO rear
 SUPERNOVA E3 PURE 3 front, E3 TAIL LIGHT 2 rear
 14.7 kg

HOOK

XS-S 650B / M-XL 700C
 Glossy Metallic Blue
 -
 COLUMBUS CROMOR double butted, TA dropout, rack / fender mounts, 86.5 mm T47 BB shell
 Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK COMMAND bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 Sealed external headset, 1.1/2" - 1.1/8"
 SHIMANO GRX ST-RX400 STI Hydraulic
 SHIMANO GRX ST-RX400 STI 2 x 10
 SHIMANO GRX BR-RX400 hydraulic disc brakes with 160 mm rotors
 BOMBTRACK LYER forged aluminium crank, direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 internal sealed BB for 30 mm spindle
 -
 KMC X10 EPT Anti Rust chain, 1/2" x 11/128", XS - S 112L, M - XL 114L
 Aluminium, subcompact, 48 / 32 T, direct mount spider
 SHIMANO CS-HG50 10-speed cassette, 11 - 36 T
 SHIMANO TIAGRA FD-4700
 SHIMANO GRX RD-RX400, clutch
 BOMBTRACK TAU sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK TAU sealed disc hub, 11-speed, 12 x 142 mm thru-axle
 WTB ST i19 double wall, TCS 2.0, 32h
 WTB ST i19 double wall, TCS 2.0, 32h
 BOMBTRACK COMP saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 XS-S WTB RESOLUTE 650B x 42C
 M-XL WTB VENTURE 700C x 40C, tubeless ready
 XS-S WTB RESOLUTE 650B x 42C
 M-XL WTB VENTURE 700C x 40C, tubeless ready
 -
 -
 -
 11.0 kg



GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

XS	S	M	L	XL
460	490	520	550	580
506	529	554	578	602
73.5	73.5	73	73	73
70	70.5	70.5	71	71
100	130	150	180	210
55	55	70	70	70
420	420	435	435	435
55	55	55	55	55
64	60	68	65	65
995	1016	1045	1065	1090
733	762	799	828	857
351	370	379	394	409
508	538	572	602	631
582	602	619	639	664
390	390	390	390	390

XS	S	M	L	XL
460	490	525	545	565
508	522	540	562	579
74,0	74,0	74,0	73,5	73,5
71,0	71,5	72,0	72,0	72,0
100	110	130	150	170
57	57	67	67	67
410	410	425	425	425
48	48	48	48	48
65	62	64	64	64
975	985	1010	1027	1045
731	751	802	820	840
358	369	378	389	400
523	534	565	584	603
572	582	594	611	629
395	395	395	395	395

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

HOOK EXT

650B
 Matt Metallic Grey
 -
 COLUMBUS CROMOR double butted tubing, TA, rack / fender mounts, internal light cable routing, rear light mount, 86.5 mm T47 BB shell
 Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK ESCAPE bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 Sealed external aheadset, 1.1/2" - 1.1/8"
 SRAM RIVAL 1 double tap hydraulic
 SRAM RIVAL 1 double tap 1 x 11
 SRAM RIVAL flat mount hydraulic disc brakes with 160 mm rotors
 BOMBTRACK LYER forged aluminium crank, direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 internal sealed BB for 30 mm spindle
 -
 KMC X11 EPT Anti Rust chain, 1/2" x 11/128", 114L
 CNC machined aluminium, narrow-wide, 40 T
 SRAM PG-1130 11-speed cassette, 11 - 42 T
 -
 SRAM RIVAL 1, clutch, long cage
 BOMBTRACK TAU sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK TAU sealed disc hub, 11-speed, 12 x 142 mm thru-axle
 -
 WTB ST Light i25 double wall, TCS 2.0, 32h
 WTB ST Light i23 double wall, TCS 2.0, 32h
 BOMBTRACK COMP saddle
 BOMBTRACK YEW aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 WTB RANGER TCS LIGHT / FAST ROLLING 27.5" x 2.0", tubeless ready
 WTB RANGER TCS LIGHT / FAST ROLLING 27.5" x 2.0", tubeless ready
 -
 -
 -
 11.2 kg

HOOK EXT C

650B
 Glossy Dark Green
 -
 TORAY T700 / T800 Hi-Mod carbon, TA, rack / fender mounts, 68 mm T47 BB shell
 Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK ESCAPE bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 Sealed integrated aheadset, 1.1/2" - 1.1/8"
 SRAM RIVAL 1 double tap hydraulic
 SRAM RIVAL 1 double tap 1 x 11
 SRAM RIVAL flat mount hydraulic disc brakes with 160 mm rotors
 BOMBTRACK LYER forged aluminium crank, direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 external sealed BB for 30 mm spindle
 -
 KMC X11 EPT Anti Rust chain, 1/2" x 11/128", 114L
 CNC machined aluminium, narrow-wide, 38 T
 SRAM XG-1150 11-speed cassette, 10 - 42 T
 -
 SRAM RIVAL 1, clutch, long cage
 HUNT ADVENTURE SPORT sealed hub, 6-bolt disc, 12 x 100 mm thru-axle
 HUNT ADVENTURE SPORT sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle, XD cassette body
 HUNT ADVENTURE SPORT double wall asymmetric rim, TLC, i25, 28h
 HUNT ADVENTURE SPORT double wall asymmetric rim, TLC, i25, 28h
 BOMBTRACK COMP saddle
 BOMBTRACK YEW aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK PRIME forged aluminium seat clamp, 31.8 mm
 WTB VENTURE TCS LIGHT 27.5" x 2.0", tubeless ready
 -
 WTB VENTURE TCS LIGHT 27.5" x 2.0", tubeless ready
 -
 BOMBTRACK DECK frontrack, aluminium
 -
 9.4 kg



GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	460	500	530	570	600
Horizontal TT length (mm)	519	533	556	570	595
Seat Angle (°)	74,5	74,5	74,0	74,0	74,0
Head Angle (°)	71,5	71,5	72,0	72,0	72,0
Headtube Length (mm)	110	130	150	170	190
BB Drop (mm)	75	75	70	70	70
Chainstay Length (mm)	425	425	425	425	425
Fork Offset (mm)	48	48	48	48	48
Trail (mm)	65	65	62	62	62
Wheelbase Length (mm)	995	1010	1025	1040	1060
Standover (mm)	748	776	803	831	855
Reach (mm)	365	374	387	396	409
Stack (mm)	554	573	589	608	627
Front Center (mm)	581	596	610	625	645
Axle to Crown (mm)	398	398	398	398	398

	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	490	520	540	560	580
Horizontal TT length (mm)	520	535	550	565	580
Seat Angle (°)	74,5	74,0	73,0	73,0	73,0
Head Angle (°)	70,5	71,0	71,5	72,0	72,0
Headtube Length (mm)	120	140	150	170	190
BB Drop (mm)	67	67	67	67	67
Chainstay Length (mm)	435	435	435	435	435
Fork Offset (mm)	48	48	48	48	48
Trail (mm)	71	67	64	61	61
Wheelbase Length (mm)	1018	1025	1025	1035	1050
Standover (mm)	759	783	798	818	837
Reach (mm)	371	375	376	384	394
Stack (mm)	537	558	570	591	610
Front Center (mm)	592	599	599	609	624
Axle to Crown (mm)	398	398	398	398	398

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

HOOK EXT TI

650B
 Titanium / Grey Blue
 -
 Titanium 3Al-2.5V, TA, rack / fender mounts, UDH derailleur hanger

Full carbon, TA, 1.1/2" - 1.1/8", fender / triple cage mounts, internal hub dynamo cable routing

Scaled external headset, 1.1/2" - 1.1/8"

BOMBTRACK PRIME forged aluminium seat clamp, 31.8 mm

2,1 kg w/o fork

XS	S	M	L	XL
460	500	530	570	600
519	533	556	570	595
74,5	74,5	74,0	74,0	74,0
71,5	71,5	72,0	72,0	72,0
110	130	150	170	190
75	75	70	70	70
425	425	425	425	425
48	48	48	48	48
65	65	62	62	62
995	1010	1025	1040	1060
748	776	803	831	855
365	374	387	396	409
554	573	589	608	627
581	596	610	625	645
398	398	398	398	398

BEYOND 1

XS-S 27.5" / M-XL 29"
 Glossy Metallic Black
 -
 4130 double butted crmo, TA, rack / fender mounts, internal light cable routing, 73 mm BSA BB shell
 4130 crmo, double butted blades, TA, 1.1/2" - 1.1/8", fender / rack / triple cage mounts, internal hub dynamo cable routing
 BOMBTRACK BEYOND travel bar, 31.8 mm, 30° flare
 BOMBTRACK COMMAND bar tape
 BOMBTRACK WANDER forged aluminium stem, +17°
 Scaled external headset, 1.1/2" - 1.1/8"
 SRAM Apex double tap mechanic
 SRAM Apex double tap 2 x 10
 TRP SPYRE C mechanic disc brakes with 180 mm F / 160 mm R rotors
 BOMBTRACK AMES forged aluminium crank, 24 mm spindle

BSA sealed BB, external cups
 -
 KMC X10 chain, 1/2" x 11/128", 114L
 Aluminium / Steel, 40 / 28 T
 SRAM PG-1020 10-speed cassette, 11 - 36 T
 Microshift FD-M612-B
 SRAM GX, long cage
 BOMBTRACK GRAD sealed, 6-bolt disc hub, 15 x 100 mm thru-axle
 BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
 WTB ST i23 double wall, TCS 2.0, 32h
 WTB ST i23 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 400 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 WTB RANGER TCS LIGHT / FAST ROLLING
 XS-S 27.5" x 2.0" / M-XL 29" x 2.0", tubeless ready
 WTB RANGER TCS LIGHT / FAST ROLLING
 XS-S 27.5" x 2.0" / M-XL 29" x 2.0", tubeless ready

12.9 kg

XS	S	M	L	XL
400	440	480	520	560
494	522	558	590	623
75,0	74,5	73,5	73,0	72,5
70,0	70,5	71,0	72,0	72,0
100	130	150	190	220
55	55	70	70	70
425	425	455	455	455
50	50	50	50	50
73	70	73	67	67
1000	1021	1065	1082	1109
725	759	800	840	871
351	366	380	394	412
534	565	601	643	671
581	602	620	636	663
416	416	416	416	416

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME

FORK

HANDLEBAR

GRIPS

STEM

HEADSET

LEVERS

SHIFTER

BRAKES

CRANKSET

BB

PEDALS

CHAIN

CHAINRING

CASSETTE

FRONT DERAILLEUR

REAR DERAILLEUR

FRONT HUB

REAR HUB

FRONT RIM

REAR RIM

SADDLE

SEAT POST

SEAT CLAMP

FRONT TIRE

REAR TIRE

FENDERS

RACK

LIGHTS

WEIGHT (SIZE M)

BEYOND 2

XS-S 650B / M-XL 700C

Glossy Metallic Root Beer

-

4130 double butted crmo, TA, rack / fender mounts, internal light cable routing, 73 mm BSA BB shell

4130 crmo, double butted blades, TA, 1.1/2" - 1.1/8", fender / rack / triple cage mounts, internal hub dynamo cable routing

BOMBTRACK BEYOND travel bar, 31.8 mm, 30° flare

BOMBTRACK COMMAND bar tape

BOMBTRACK WANDER forged aluminium stem, +17°

Sealed external headset, 1.1/2" - 1.1/8"

SRAM Apex double tap mechanic

SRAM Apex double tap 1 x 11

TRP SPYRE C mechanic disc brakes with 180 mm F / 160 mm R rotors

BOMBTRACK AMES forged aluminium crank, 24 mm spindle

BSA sealed BB, external cups

-

KMC X11 chain, 1/2" x 11/128", 114L

Aluminium, narrow-wide, 36 T

SRAM PG-1130 11-speed cassette, 11 - 42 T

-

SRAM APEX 1, clutch, long cage

KT dynamo hub, 6-bolt disc, 15 x 100 mm thru-axle

BOMBTRACK TAU sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle

WTB ST i23 double wall, TCS 2.0, 32h

WTB ST i23 double wall, TCS 2.0, 32h

BOMBTRACK ORIGIN saddle

BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 400 mm

BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm

PANARACER GRAVELKING SK

XS-S 650Bx48C / M-XL 700Cx50C, tubeless ready

PANARACER GRAVELKING SK

XS-S 650Bx48C / M-XL 700Cx50C, tubeless ready

-

BOMBTRACK DECK frontrack, aluminium

SUPERNOVA E3 PURE 3 front, E3 TAIL LIGHT 2 rear

13.2 kg

SIZE	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	400	440	480	520	560
Horizontal TT length (mm)	494	522	558	590	623
Seat Angle (°)	75,0	74,5	73,5	73,0	72,5
Head Angle (°)	70,0	70,5	71,0	72,0	72,0
Headtube Length (mm)	100	130	150	190	220
BB Drop (mm)	55	55	70	70	70
Chainstay Length (mm)	425	425	455	455	455
Fork Offset (mm)	50	50	50	50	50
Trail (mm)	73	70	73	67	67
Wheelbase Length (mm)	1000	1021	1065	1082	1109
Standover (mm)	725	759	800	840	871
Reach (mm)	351	366	380	394	412
Stack (mm)	534	565	601	643	671
Front Center (mm)	581	602	620	636	663
Axle to Crown (mm)	416	416	416	416	416

BEYOND JUNIOR

24"

Glossy Picton Blue

-

6061 aluminium, QR, rack / fender mounts, 68 mm BSA BB shell

6061 aluminium, QR, fender / rack / triple cage mounts, internal hub dynamo cable routing

BOMBTRACK BEYOND travel bar, 31.8 mm, 30° flare

BOMBTRACK CONTROL bar tape

BOMBTRACK WANDER forged aluminium stem, +17°

NECO H282 sealed external headset, 1.1/8"

MICROSHIFT ADVENT SB-M090 dual control lever mechanic

MICROSHIFT ADVENT SB-M090 dual control lever 1 x 9

TEKTRO MIRA F / LYRA R mechanic disc brake with 160 mm F / 140 mm R rotors

BOMBTRACK MACH square taper crank

BSA sealed BB, 118 mm, square taper

WELLGO B109N flat pedal

KMC X9 chain, 1/2" x 11/128", 98L

Forged steel, narrow wide, 32T

MICROSHIFT CS-H093 9-speed cassette, 11 - 42 T

-

MICROSHIFT RD-M6195M, clutch

BOMBTRACK ARC sealed, 6-bolt disc hub, QR axle

BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, QR axle

BOMBTRACK TX20 double wall, i19, 32h

BOMBTRACK TX20 double wall, i19, 32h

BOMBTRACK DRIFT SADDLE

BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 400 mm

BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm

KENDA SMALL BLOCK EIGHT, 24" x 1.95"

KENDA SMALL BLOCK EIGHT, 24" x 1.95"

-

BOMBTRACK DECK frontrack, aluminium

-

10.9 kg



GEOMETRY

SIZE

Seat Tube Length (C-T, mm)	400
Horizontal TT length (mm)	494
Seat Angle (°)	75,0
Head Angle (°)	70,0
Headtube Length (mm)	100
BB Drop (mm)	55
Chainstay Length (mm)	425
Fork Offset (mm)	50
Trail (mm)	73
Wheelbase Length (mm)	1000
Standover (mm)	725
Reach (mm)	351
Stack (mm)	534
Front Center (mm)	581
Axle to Crown (mm)	416

XXS

Seat Tube Length (C-T, mm)	330
Horizontal TT length (mm)	474
Seat Angle (°)	73,5
Head Angle (°)	71,5
Headtube Length (mm)	100
BB Drop (mm)	30
Chainstay Length (mm)	390
Fork Offset (mm)	45
Trail (mm)	55
Wheelbase Length (mm)	919
Standover (mm)	666
Reach (mm)	326
Stack (mm)	498
Front Center (mm)	531
Axle to Crown (mm)	400

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

BEYOND+

27,5"
 Matt Warm Grey
 -
 4130 double butted crmo, TA, rack / fender mounts, boost spacing, stealth dropper ready, 73 mm BSA BB shell
 BOMBTRACK BPS 4130 crmo, double butted blades, 1.1/2" - 1.1/8", fender / rack / triple cage mounts, internal hub dynamo cable routing
 BOMBTRACK TRAIL flat bar, 31.8 mm, 9° backsweep, 4° upsweep, 7 mm rise
 BOMBTRACK SCROLL grips
 BOMBTRACK TRAMP forged aluminium stem, 3°
 Sealed semi integrated / external headset, 1.1/2" - 1.1/8"
 SRAM LEVEL hydraulic
 SRAM SX-EAGLE 12-speed trigger shifter
 SRAM LEVEL hydraulic disc brakes with 180 mm F / 160 mm R rotors
 TRUVATIV STYLO 6K aluminium crank, Boost DUB
 SRAM DUB BSA 73 mm
 -
 SRAM NX EAGLE chain, 1/2" x 11/128", 118L
 SRAM EAGLE X-SYNC 2, narrow-wide, 30 T
 SRAM PG-1210 EAGLE 12-speed cassette, 11 - 50 T
 -
 SRAM SX EAGLE, clutch, long cage
 BOMBTRACK GRAD sealed hub, 6-bolt disc, 15 x 110 mm thru-axle
 BOMBTRACK GRAD sealed hub, cassette, 6-bolt disc, 12 x 148 mm thru-axle
 WTB ST i35 double wall, TCS 2.0, 32h
 WTB ST i35 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 BOMBTRACK YEW aluminium seatpost, 30.9 mm x 400 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 34.9 mm
 WTB RANGER TCS TOUGH / FAST ROLLING 27.5" x 2.8", tubeless ready
 WTB RANGER TCS TOUGH / FAST ROLLING 27.5" x 2.8", tubeless ready
 -
 -
 -
 -
 14.4 kg

GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

SIZE	S	M	L	XL
Seat Tube Length (C-T, mm)	406	457	508	559
Horizontal TT length (mm)	573	598	622	650
Seat Angle (°)	72,0	72,0	72,0	72,0
Head Angle (°)	68,5	68,5	68,5	68,5
Headtube Length (mm)	100	110	125	135
BB Drop (mm)	70	70	70	70
Chainstay Length (mm)	450	450	450	450
Fork Offset (mm)	51	51	51	51
Trail (mm)	97	97	97	97
Wheelbase Length (mm)	1111	1135	1160	1188
Standover (mm)	750	776	807	834
Reach (mm)	395	415	434	459
Stack (mm)	621	630	644	653
Front Center (mm)	670	694	718	747
Axle to Crown (mm)	483	483	483	483

BEYOND+ ADV

29"
 Matt Metallic Teal
 -
 4130 double butted crmo, TA, rack / fender mounts, boost spacing, stealth dropper ready, 73 mm BSA BB shell
 BOMBTRACK BPC full carbon, TA, 1.1/2" - 1.1/8", triple cage mounts, internal hub dynamo cable routing
 JONES H-BAR LOOP 710 travel bar, 31.8 mm, 710 mm
 BOMBTRACK SHIFT 170 mm grips
 BOMBTRACK TRAMP forged aluminium stem, 3°
 Sealed semi integrated / external headset, 1.1/2" - 1.1/8"
 MAGURA TRAIL SPORT hydraulic
 SRAM GX-EAGLE 12-speed trigger shifter
 MAGURA TRAIL SPORT 4 piston front, 2 piston rear with 180 mm rotors
 SRAM DESCENDANT aluminium crank, Boost DUB
 SRAM DUB BSA 73 mm
 -
 SRAM GX EAGLE chain, 1/2" x 11/128", 118L
 SRAM EAGLE X-SYNC 2, narrow-wide, 30 T
 SRAM XG-1275 EAGLE 12-speed cassette, 11 - 50 T
 -
 SRAM GX EAGLE, clutch, long cage
 BOMBTRACK GRAD sealed hub, 6-bolt disc, 15 x 110 mm thru-axle
 BOMBTRACK GRAD sealed hub, XD driver, 6-bolt disc, 12 x 148 mm thru-axle
 WTB ST i45 double wall, TCS 2.0, 32h
 WTB ST i40 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 BOMBTRACK YEW aluminium seatpost, 30.9 mm x 400 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 34.9 mm
 WTB RANGER TCS TOUGH / FAST ROLLING 29" x 3.0", tubeless ready
 WTB RANGER TCS TOUGH / FAST ROLLING 29" x 3.0", tubeless ready
 -
 -
 -
 -
 13.7 kg

SIZE	S	M	L	XL
Seat Tube Length (C-T, mm)	406	457	508	559
Horizontal TT length (mm)	573	598	622	650
Seat Angle (°)	72,0	72,0	72,0	72,0
Head Angle (°)	68,5	68,5	68,5	68,5
Headtube Length (mm)	100	110	125	135
BB Drop (mm)	70	70	70	70
Chainstay Length (mm)	450	450	450	450
Fork Offset (mm)	51	51	51	51
Trail (mm)	97	97	97	97
Wheelbase Length (mm)	1111	1135	1160	1188
Standover (mm)	775	802	833	860
Reach (mm)	395	415	434	459
Stack (mm)	621	630	644	653
Front Center (mm)	670	694	718	747
Axle to Crown (mm)	500	500	500	500

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME

FORK
 HANDLEBAR

GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET

BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB

FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE

REAR TIRE

FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

CALE AL

29"
 Matt Hazy Green
 -
 6061-T6 hydro-formed Aluminium, TA, rack / fender mounts, boost spacing, stealth dropper ready, 73 mm BSA BB shell
 ROCKSHOX 35 GOLD RL suspension fork, 130 mm travel, 1.1/2" - 1.1/8"
 BOMBTRACK ILLUSION flat bar, 6061-T6 aluminium, 35 mm clamping diameter, 8° backsweep, 6° upsweep, 18 mm rise
 BOMBTRACK RETURN 135 mm grips
 BOMBTRACK CHASE forged aluminium stem, 35 mm clamping diameter
 Sealed integrated headset, 1.1/2" - 1.1/8"
 SRAM LEVEL hydraulic
 SRAM SX-EAGLE 12-speed trigger shifter
 SRAM LEVEL hydraulic disc brakes with 180 mm F / 160 mm R rotors
 TRUVATIV STYLO 6K aluminium crank, Boost DUB

SRAM DUB BSA 73 mm
 -
 SRAM NX EAGLE chain, 1/2" x 11/128", 118L
 SRAM EAGLE X-SYNC 2, narrow-wide, 30 T
 SRAM PG-1210 EAGLE 12-speed cassette, 11 - 50 T

-
 SRAM SX EAGLE, clutch, long cage
 BOMBTRACK GRAD sealed hub, 6-bolt disc, 15 x 110 mm thru-axle
 BOMBTRACK GRAD sealed hub, XD driver, 6-bolt disc, 12 x 148 mm thru-axle
 WTB ST i29 double wall, TCS 2.0, 32h
 WTB ST i29 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 KS E30i dropper seatpost, 30.9 mm, 150 mm travel, 485 mm length
 BOMBTRACK ORIGIN forged aluminium seat clamp, 34.9 mm
 KENDA HELLCAT PRO ATC 29 x 2.4" TLR, tubeless ready

KENDA HELLCAT PRO ATC 29 x 2.4" TLR, tubeless ready

-
 -
 -
 13.8 kg

CALE

29"
 Glossy Dark Teal / Cyan
 -
 4130 double butted crmo, TA, rack / fender mounts, boost spacing, stealth dropper ready, 73 mm BSA BB shell
 ROCKSHOX PIKE SELECT suspension fork, 130 mm travel, 1.1/2" - 1.1/8"
 BOMBTRACK ILLUSION flat bar, 6061-T6 aluminium, 35 mm clamping diameter, 8° backsweep, 6° upsweep, 18 mm rise
 BOMBTRACK RETURN 135 mm grips
 BOMBTRACK CHASE forged aluminium stem, 35 mm clamping diameter
 Sealed semi integrated / external headset, 1.1/2" - 1.1/8"
 MAGURA TRAIL SPORT hydraulic
 SRAM GX-EAGLE 12-speed trigger shifter
 MAGURA TRAIL SPORT 4 piston front, 2 piston rear with 180 mm rotors
 SRAM DESCENDANT aluminium crank, Boost DUB

SRAM DUB BSA 73 mm
 -
 SRAM GX EAGLE chain, 1/2" x 11/128", 118L
 SRAM EAGLE X-SYNC 2, narrow-wide, 30 T
 SRAM XG-1275 EAGLE 12-speed cassette,

-
 SRAM GX EAGLE, clutch, long cage
 BOMBTRACK GRAD sealed hub, 6-bolt disc, 15 x 110 mm thru-axle
 BOMBTRACK GON sealed hub, XD driver, 6-bolt disc, 12 x 148 mm thru-axle
 WTB ST i29 double wall, TCS 2.0, 32h
 WTB ST i29 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN saddle
 KS E30i dropper seatpost, 30.9 mm, 150 mm travel, 485 mm length
 BOMBTRACK ORIGIN forged aluminium seat clamp, 34.9 mm
 MAXXIS ARDENT 29 x 2.4" TLR, tubeless ready

MAXXIS ARDENT 29 x 2.4" TLR, tubeless ready

-
 -
 -
 13.8 kg



GEOMETRY

SIZE
Seat Tube Length (C-T, mm)
Horizontal TT length (mm)
Seat Angle (°)
Head Angle (°)
Headtube Length (mm)
BB Drop (mm)
Chainstay Length (mm)
Fork Offset (mm)
Trail (mm)
Wheelbase Length (mm)
Standover (mm)
Reach (mm)
Stack (mm)
Front Center (mm)
Axle to Crown (mm)

M	L
430	460
630	655
74,0	73,5
67,5	67,5
120	130
55	55
440	440
44	44
107	107
1171	1191
789	808
452	466
624	633
737	757
509*	510*

*(with 25% sag)

M	L	XL
430	460	500
608	633	648
74,0	73,5	73,5
67,0	67,0	67,5
110	120	125
55	55	55
440	440	440
42	42	42
114	114	110
1150	1170	1180
783	802	825
433	450	463
610	619	627
721	741	750
509*	509*	509*

*(with 25% sag)

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

TENSION 1

XS-S 650B / M-XL 700C
 Matt Rock Grey
 -
 6061-T6 double butted aluminium, TA, rack / fender mounts,
 86.5 mm BB T47 shell
 Full carbon, TA, 1.1/2" - 1.1/8", fender mounts
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK COMMAND bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 Sealed integrated aheadset, 1.1/2" - 1.1/8"
 SRAM APEX 1 double tap hydraulic
 SRAM APEX 1 double tap 1 x 11
 SRAM APEX flat mount hydraulic disc brakes with 140 mm rotors
 BOMBTRACK LYER forged aluminium crank,
 direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 internal sealed BB for 30 mm spindle
 -
 KMC X11 chain, 1/2" x 11/128", 114L
 CNC machined aluminium, narrow-wide, 40 T
 SRAM PG-1130 11-speed cassette, 11 - 42 T
 -
 SRAM APEX 1, clutch, long cage
 BOMBTRACK ARC sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc,
 12 x 142 mm thru-axle
 WTB ST i19 double wall, TCS 2.0, 32h
 WTB ST i19 double wall, TCS 2.0, 32h
 BOMBTRACK COMP saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
 XS-S DONNELLY MXP TLR 650B x 33C
 M-XL CHALLENGE GRIFO TLR 700C x 33C, tubeless ready
 XS-S DONNELLY MXP TLR 650B x 33C
 M-XL CHALLENGE GRIFO TLR 700C x 33C, tubeless ready
 -
 -
 -
 -
 9.4 kg

	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	460	490	530	560	590
Horizontal TT length (mm)	507	523	552	570	586
Seat Angle (°)	73,5	73,5	73,0	73,0	73,0
Head Angle (°)	71,0	71,5	71,5	72,0	72,0
Headtube Length (mm)	100	115	139	162	179
BB Drop (mm)	55	55	65	65	65
Chainstay Length (mm)	410	410	425	425	425
Fork Offset (mm)	45	45	45	45	45
Trail (mm)	67	64	70	66	66
Wheelbase Length (mm)	967	979	1014	1028	1044
Standover (mm)	734	757	799	825	848
Reach (mm)	355	366	380	391	402
Stack (mm)	514	530	563	587	603
Front Center (mm)	563	575	598	611	627
Axle to Crown (mm)	400	400	400	400	400

TENSION 2

XS-S 650B / M-XL 700C
 Glossy Grey / Green
 -
 6061-T6 double butted aluminium, TA, rack / fender mounts,
 86.5 mm BB T47 shell
 Full carbon, TA, 1.1/2" - 1.1/8", fender mounts
 RITCHEY ROAD COMP STREEM III drop bar, 31.8 mm, 5° backsweep
 BOMBTRACK COMMAND bar tape
 RITCHEY COMP 4-AXIS 44 forged aluminium stem, -6°
 Sealed integrated aheadset, 1.1/2" - 1.1/8"
 SRAM RIVAL 1 double tap hydraulic
 SRAM RIVAL 1 double tap 1 x 11
 SRAM RIVAL flat mount hydraulic disc brakes with 140 mm rotors
 BOMBTRACK LYER forged aluminium crank,
 direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 internal sealed BB for 30 mm spindle
 -
 KMC X11 EPT Anti Rust chain, 1/2" x 11/128", 114L
 CNC machined aluminium, narrow-wide, 40 T
 SRAM PG-1130 11-speed cassette, 11 - 36 T
 -
 SRAM RIVAL 1, clutch, long cage
 HUNT 4 SEASON V2 sealed hub, 6-bolt disc, 12 x 100 mm thru-axle
 HUNT 4 SEASON V2 sealed hub, 11-speed, 6-bolt disc,
 12 x 142 mm thru-axle
 HUNT 4 SEASON double wall asymmetric rim, TLC, i19, 24h
 HUNT 4 SEASON double wall asymmetric rim, TLC, i19, 24h
 BOMBTRACK COMP saddle
 RITCHEY COMP 2-BOLT aluminium seatpost 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
 XS-S DONNELLY MXP TLR 650B x 33C
 M-XL CHALLENGE GRIFO TLR 700C x 33C, tubeless ready
 XS-S DONNELLY MXP TLR 650B x 33C
 M-XL CHALLENGE GRIFO TLR 700C x 33C, tubeless ready
 -
 -
 -
 -
 8.9 kg

	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	460	490	530	560	590
Horizontal TT length (mm)	507	523	552	570	586
Seat Angle (°)	73,5	73,5	73,0	73,0	73,0
Head Angle (°)	71,0	71,5	71,5	72,0	72,0
Headtube Length (mm)	100	115	139	162	179
BB Drop (mm)	55	55	65	65	65
Chainstay Length (mm)	410	410	425	425	425
Fork Offset (mm)	45	45	45	45	45
Trail (mm)	67	64	70	66	66
Wheelbase Length (mm)	967	979	1014	1028	1044
Standover (mm)	734	757	799	825	848
Reach (mm)	355	366	380	391	402
Stack (mm)	514	530	563	587	603
Front Center (mm)	563	575	598	611	627
Axle to Crown (mm)	400	400	400	400	400

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

TENSION C

700C
 Glossy Turquoise
 -
 TORAY T700/T800 Hi-Mod carbon, TA, 68 mm T47 BB shell
 Full carbon, TA, 1.1/2'' - 1.1/8''
 RITCHEY ROAD COMP STREEM III drop bar, 31.8 mm, 5° backsweep
 BOMBTRACK COMMAND bar tape
 RITCHEY COMP 4-AXIS 44 forged aluminium stem, -6°
 Sealed integrated headset, 1.1/2'' - 1.1/8''
 SRAM FORCE 1 double tap hydraulic
 SRAM FORCE 1 double tap 1 x 11
 SRAM FORCE flat mount hydraulic disc brakes with 140 mm rotors
 SRAM FORCE 1 carbon crank
 BOMBTRACK T47 external sealed BB for 30 mm spindle
 -
 KMC X11 EPT Anti Rust chain, 1/2'' x 11/128'', 114L
 CNC machined aluminium, narrow-wide, 40 T
 SRAM PG-1130 11-speed cassette, 11 - 36 T
 -
 SRAM FORCE 1, clutch, medium cage
 HUNT 4 SEASON V2 sealed hub, 6-bolt disc, 12 x 100 mm thru-axle
 HUNT 4 SEASON V2 sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
 HUNT 4 SEASON double wall asymmetric rim, TLC, i19, 24h
 HUNT 4 SEASON double wall asymmetric rim, TLC, i19, 24h
 BOMBTRACK COMP saddle
 RITCHEY COMP 2-BOLT aluminium seatpost 27.2 mm x 300 mm
 BOMBTRACK PRIME forged aluminium seat clamp, 31.8 mm
 CHALLENGE GRIFO TLR, tanwall, 700C x 33C, tubeless ready
 CHALLENGE GRIFO TLR, tanwall, 700C x 33C, tubeless ready
 -
 -
 -
 8.5 kg

AUDAX AL

650B
 Glossy Sky Blue
 -
 6061-T6 double butted aluminium, TA, fender mounts, 86.5 mm T47 BB shell
 Full carbon, TA, 1.1/2'' - 1.1/8'', with fender / cage mounts
 BOMBTRACK CX-10 drop bar, 31.8 mm, 10° flare
 BOMBTRACK COMMAND bar tape
 BOMBTRACK ROAM forged aluminium stem, -7°
 Sealed integrated headset, 1.1/2'' - 1.1/8''
 MICROSHIFT SB-M110 DUAL CONTROL LEVER mechanic
 MICROSHIFT SB-M110 DUAL CONTROL LEVER 1 x 11
 TRP Spyre C flat-mount disc brakes with 160 mm rotors
 BOMBTRACK LYER forged aluminium crank, direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 internal sealed BB for 30 mm spindle
 -
 KMC X11 chain, 1/2'' x 11/128'', 114L
 CNC machined aluminium, narrow-wide, 40 T
 MICROSHIFT CS-HG113 11-speed cassette, 11 - 46 T
 -
 MICROSHIFT RD-M665M, clutch, medium cage
 BOMBTRACK ARC sealed disc hub, 6-bolt disc, 12 x 100 mm thru-axle
 BOMBTRACK ARC sealed disc hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
 WTB ST i21 double wall, TCS 2.0, 32h
 WTB ST i21 double wall, TCS 2.0, 32h
 BOMBTRACK COMP saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 400 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
 WTB HORIZON 650B x 47C
 WTB HORIZON 650B x 47C
 -
 -
 -
 -
 10.4 kg



GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	490	420	540	560	580
Horizontal TT length (mm)	521	535	545	560	575
Seat Angle (°)	75,0	74,0	73,5	73,0	73,0
Head Angle (°)	71,0	71,5	72,0	72,0	72,0
Headtube Length (mm)	110	123	140	160	180
BB Drop (mm)	64	64	64	64	64
Chainstay Length (mm)	425	425	425	425	425
Fork Offset (mm)	45	45	45	45	45
Trail (mm)	73	70	66	66	66
Wheelbase Length (mm)	1007	1007	1008	1018	1033
Standover (mm)	761	785	800	818	837
Reach (mm)	378	376	378	382	391
Stack (mm)	533	553	565	584	603
Front Center (mm)	591	591	591	601	616
Axle to Crown (mm)	400	400	400	400	400

	XS	S	M	L	XL
Seat Tube Length (C-T, mm)	470	500	530	560	590
Horizontal TT length (mm)	505	527	551	569	592
Seat Angle (°)	75,0	74,5	74,0	74,0	73,5
Head Angle (°)	71,0	72,0	72,0	72,0	72,0
Headtube Length (mm)	100	120	150	180	205
BB Drop (mm)	70	68	68	65	65
Chainstay Length (mm)	420	420	420	420	420
Fork Offset (mm)	53	53	53	53	53
Trail (mm)	62	56	56	56	56
Wheelbase Length (mm)	991	1000	1021	1041	1059
Standover (mm)	728	754	782	812	838
Reach (mm)	368	379	390	401	411
Stack (mm)	512	533	561	587	611
Front Center (mm)	581	590	610	630	647
Axle to Crown (mm)	385	385	385	385	385

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

AUDAX

650B
 Glossy Sage Green
 -
 COLUMBUS CROMOR double butted, TA, rack / fender mounts, internal light cable routing, rear light mount, 86.5 mm T47 BB shell
 Full carbon, TA, 1.1/2" - 1.1/8", with fender / cage mounts
 RITCHEY COMP STREEM III drop bar, 31.8 mm, 5° backsweep
 BOMBTRACK COMMAND bar tape
 RITCHEY COMP 4-AXIS 44 forged aluminium stem, -6°
 Sealed external headset, 1.1/2" - 1.1/8"
 SHIMANO 105 ST-R7020 STI hydraulic
 SHIMANO 105 ST-R7020 STI 2 x 11
 SHIMANO 105 BR-R7070 flat-mount hydraulic disc brakes with 160 mm rotors
 BOMBTRACK LYER forged aluminium crank, direct mount interface (SRAM compatible), 30 mm spindle
 BOMBTRACK T47 internal sealed BB for 30 mm spindle
 -
 KMC X11 EPT Anti Rust chain, 1/2" x 11/128", 114L
 Aluminium, subcompact, 48 / 32 T, direct mount spider
 SHIMANO 105 CS-R7000 11-speed cassette, 11 - 34 T
 SHIMANO 105 FD-R7000 front derailleur
 SHIMANO ULTEGRA RD-RX800-GS, clutch, medium cage
 BOMBTRACK TAU sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK TAU sealed disc hub, 11-speed, 12 x 142 mm thru-axle
 WTB ST i25 double wall, TCS 2.0, 32h
 WTB ST i25 double wall, TCS 2.0, 32h
 BOMBTRACK COMP saddle
 RITCHEY COMP 2-BOLT aluminium seatpost 27.2 mm x 400 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 29.8 mm
 WTB BYWAY TCS 650B x 47C, tubeless ready
 WTB HORIZON TCS 650B x 47C , tubeless ready
 -
 -
 -
 -
 10.8 kg

XS	S	M	L	XL
470	490	520	550	580
504	519	544	566	593
74,5	74,5	74,0	74,0	73,5
71,5	71,5	72,0	72,0	72,0
105	125	145	170	195
68	68	68	65	65
420	420	420	420	420
53	53	53	53	53
59	59	56	56	56
987	1005	1018	1037	1055
746	765	793	818	841
361	373	384	396	408
534	553	574	590	609
577	595	607	626	643
385	385	385	385	385

MUNROE AL

650B
 Matt Pewter
 -
 6061-T6 triple butted aluminium, QR, rack / fender mounts, 68 mm BSA shell
 6061 aluminium, QR dropouts, with fender / rack / triple cage mounts, internal light cable routing
 BOMBTRACK ORIGIN flat bar, 31.8 mm, 8° backsweep
 BOMBTRACK LOCK 145 mm grips
 BOMBTRACK ROAM forged aluminium stem, -7°
 NECO H282 sealed external headset, 1.1/8"
 SHIMANO BL-M200 hydraulic brake levers
 MICROSHIFT TS39-8 8-speed shift lever
 SHIMANO BR-MT200 post mount hydraulic disc brake with 160 mm rotors
 BOMBTRACK AUDE aluminium crank, square taper
 BSA sealed BB, 119 mm, square taper
 WELLGO B109N flat pedal
 KMC X8 chain, 1/2" x 3/32"
 Steel, 34 T
 MICROSHIFT CS-H82 8-speed cassette, 11-34T
 -
 MICROSHIFT RD-M36S
 BOMBTRACK ARC sealed, 6-bolt disc hub, QR axle
 BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, QR axle
 WTB ST i21 double wall, TCS 2.0, 32h
 WTB ST i21 double wall, TCS 2.0, 32h
 BOMBTRACK ORIGIN Saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
 KENDA KWICK SEVEN.5 650B x 45C
 KENDA KWICK SEVEN.5 650B x 45C
 -
 -
 -
 -
 10.7 kg

S	M	L
490	520	550
540	563	588
73,0	73,0	73,0
70,5	70,5	70,5
130	150	175
70	70	70
440	440	440
45	45	45
74	74	74
1025	1049	1075
766	790	816
368	385	403
565	583	607
595	619	645
398	398	398

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

MUNROE CARGO

650B
 Matt Metallic Green
 -
 6061-T6 hydroformed aluminium, TA, rack / fender mounts, 68 mm BSA BB shell
 6061 aluminium, TA dropouts
 BOMBTRACK ORIGIN flat bar, 31.8 mm, 8° backsweep
 BOMBTRACK LOCK 145 mm grips
 BOMBTRACK ROAM forged aluminium stem, -7°
 NECO H282 sealed external headset, 1.1/8"
 SHIMANO BL-M200 hydraulic brake levers
 MICROSIFT SL-M859 9-speed shifter
 SHIMANO BR-MT200 post mount hydraulic disc brake with 160 mm rotors
 BOMBTRACK AUDE aluminium crank, square taper
 BSA sealed BB, 119 mm, square taper
 WELLGO B109N flat pedal
 KMC X9 chain, 1/2" x 11/128"
 Steel, 36 / 22 T
 MICROSIFT CS-H092 9-speed cassette, 11-36 T
 MICROSIFT FD-M462-B
 MICROSIFT RD-M46S
 BOMBTRACK ARC sealed disc hub, 12 x 100 mm thru-axle
 BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, 12 x 142 mm thru-axle
 BOMBTRACK LUNE double wall, i24, 20°
 BOMBTRACK LUNE double wall, i24, 27.5°
 BOMBTRACK ORIGIN Saddle
 BOMBTRACK BEECH aluminium seatpost, 27.2 mm x 300 mm
 BOMBTRACK ORIGIN forged aluminium seat clamp, 31.8 mm
 KENDA KRANIUM 20 x 2.3"
 KENDA KWICK SEVEN.5 27.5 x 2.2"
 -
 BOMBTRACK CARGO frontrack, aluminium
 -
 14.8 kg

OUTLAW

650B
 Matt Black / Navy Blue
 -
 double butted 4130 crmo, QR sliding dropouts, fender mounts, 68 mm BSA BB shell
 6061 aluminium, 1.1/2" - 1.1/8", with fender / rack mounts, internal hub dynamo cable routing
 BOMBTRACK TRAIL flat bar, 31.8 mm, 9° backsweep, 4° upsweep, 7 mm rise
 BOMBTRACK TAB 129 mm grips
 BOMBTRACK ROAM forged aluminium stem, -7°
 Sealed external headset, 1.1/2" - 1.1/8"
 SHIMANO BL-M200 hydraulic brake levers
 -
 SHIMANO BR-M200 post mount hydraulic disc brake with 160 mm rotors
 BOMBTRACK TAF19 aluminium crank, 24 mm spindle
 BSA sealed BB, external cups
 ECLAT SLASH flatpedal
 GATES CARBON CDN 115T belt
 GATES CARBON S300 CDX 55T
 GATES CARBON CDC 20T cog
 -
 -
 BOMBTRACK ARC sealed, 6-bolt disc hub, female axle
 BOMBTRACK ARC sealed hub, 11-speed, 6-bolt disc, female axle
 WTB ST i21 double wall, TCS 2.0, 32h
 WTB ST i21 double wall, TCS 2.0, 32h
 BOMBTRACK COMP saddle
 BOMBTRACK YEW aluminium seatpost, 27.2 mm x 300 mm integrated seat clamp
 WTB HORIZON 650B x 47C
 WTB HORIZON 650B x 47C
 -
 BOMBTRACK DECK frontrack, aluminium
 -
 11.2 kg



GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

M
 460
 588
 73,0
 71,0
 300
 62
 440
 50
 34
 1110
 786
 414
 567
 675
 346

S	M	L	XL
500	530	550	580
544	561	582	605
73,5	73,5	73,0	72,5
70,2	70,5	71,0	71,0
130	150	170	190
70	70	70	70
424	424	424	424
50	50	50	50
70	68	65	65
1026	1041	1052	1070
774	798	818	841
378	389	398	410
559	580	600	619
612	627	638	655
395	395	395	395

SPECIFICATIONS

WHEEL SIZE
 COLOR 1
 COLOR 2
 FRAME
 FORK
 HANDLEBAR
 GRIPS
 STEM
 HEADSET
 LEVERS
 SHIFTER
 BRAKES
 CRANKSET
 BB
 PEDALS
 CHAIN
 CHAINRING
 CASSETTE
 FRONT DERAILLEUR
 REAR DERAILLEUR
 FRONT HUB
 REAR HUB
 FRONT RIM
 REAR RIM
 SADDLE
 SEAT POST
 SEAT CLAMP
 FRONT TIRE
 REAR TIRE
 FENDERS
 RACK
 LIGHTS
 WEIGHT (SIZE M)

GEOMETRY

SIZE
 Seat Tube Length (C-T, mm)
 Horizontal TT length (mm)
 Seat Angle (°)
 Head Angle (°)
 Headtube Length (mm)
 BB Drop (mm)
 Chainstay Length (mm)
 Fork Offset (mm)
 Trail (mm)
 Wheelbase Length (mm)
 Standover (mm)
 Reach (mm)
 Stack (mm)
 Front Center (mm)
 Axle to Crown (mm)

OXBRIDGE GEARED

700C
 Glossy Emerald Green
 -
 4130 crmo front triangle, crmo dropouts with rack / fender mounts, 68 mm BSA BB shell
 Full 4130 crmo, 1" threaded steerer, with rack and fender mounts
 BOMBTRACK HORIZON flat bar, 560 mm, 25.4 mm, 8° backsweep
 BOMBTRACK SPACE 130 mm grip with leather bar tape
 BOMBTRACK JAUNT forged aluminium quill stem, -17°
 Sealed external headset, 1" threaded
 TEKTRO FL540 aluminium brake levers
 DIA Compe ENE W downtube shifter
 TEKTRO R359 aluminium caliper brakes
 BOMBTRACK AF22 aluminium crank, square taper
 BSA sealed BB, 119 mm, square taper
 BOMBTRACK STROLL aluminium pedal
 KMC X9 chain, 1/2" x 11/128"
 BOMBTRACK BIRO aluminium, 44T
 MICROSHIFT CS-H092 9-speed cassette, 11-34T
 -
 MICROSHIFT RD-R51M
 BOMBTRACK DROME sealed front hub, 9 mm female bolt axle
 BOMBTRACK DROME sealed cassette hub, 10 mm female bolt axle
 BOMBTRACK M20 double wall, i18, 28h
 BOMBTRACK M20 double wall, i18, 28h
 BOMBTRACK HARRIS saddle
 BOMBTRACK MYRTLE aluminium seatpost, 27.2 mm x 300 mm integrated seat clamp
 KENDA KWICK ROLLER 700C x 28C
 KENDA KWICK ROLLER 700C x 28C
 -
 -
 -
 10.9 kg



	S	M	L
Seat Tube Length (C-T, mm)	510	540	570
Horizontal TT length (mm)	528	546	566
Seat Angle (°)	73,0	73,0	73,0
Head Angle (°)	69,5	71,0	71,5
Headtube Length (mm)	101	126	153
BB Drop (mm)	65	65	65
Chainstay Length (mm)	416	416	416
Fork Offset (mm)	50	50	50
Trail (mm)	73	64	60
Wheelbase Length (mm)	1003	1009	1024
Standover (mm)	757	787	815
Reach (mm)	372	381	392
Stack (mm)	511	541	568
Front Center (mm)	596	601	617
Axle to Crown (mm)	365	365	365

CREDITS
 CREDITS
 CREDITS
 CREDITS

PHOTOS

Cover, intro and back cover
 by Christos Tsakiroglou
 Bike's details and spreadshots
 by Jason Sellers
 Studio shots
 by Klaus Dyba
 Page 48 - 49
 by Andy Cox
 Page 86
 by Nils Länger
 Page 87
 by Saltlake Lian
 Page 134 - 135
 by Jason Sellers

ILLUSTRATION

Denis Carrier
www.studiofolk.com

WORDS

by Joe Delphes

DESIGN

by Denis Carrier